

TECHNICAL REVIEW of the TREE SURVEY prepared under  
CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT  
OF FANLING GOLF COURSE

Technical Review Report

Rev. 1

Project Client:  
The Hong Kong Golf Club

Prepared by  
URBIS Limited

Document No.: HKGC2-DOC-002

Prepared by :

  
Andre Le Claire / Benjamin Lau


25 April 2023  
Date

Checked by :

  
Alexander Duggie

25 April 2023  
Date

Approved for issue by :

  
Alexander Duggie

25 April 2023  
Date

Revision	Issue Date	Description
0	24 April 2023	First Submission
1	25 April 2023	Minor revisions to text

## TABLE OF CONTENTS

	Page
<b>ES1 Executive Summary</b> .....	<b>1</b>
ES1.1 Background .....	1
ES1.2 Findings .....	1
ES1.3 Conclusion .....	2
<b>1 INTRODUCTION</b> .....	<b>3</b>
1.1 Background .....	3
1.2 Report Structure .....	3
<b>2 SCOPE OF HKGC TREE SURVEY</b> .....	<b>3</b>
2.1 Extent of HKGC Tree Survey .....	3
2.2 Tree Tagging .....	3
2.3 Topographic Survey not included in HKGC Tree Survey .....	3
2.4 Tree Photographs .....	3
<b>3 ASSESSMENT METHODOLOGY</b> .....	<b>4</b>
3.1 Definition of a Tree .....	4
3.2 Standards and References .....	4
3.3 Survey Data .....	4
3.4 Tree Dimension Measurements .....	5
3.5 Tree Classification Criteria .....	5
<b>4 DESCRIPTION OF EXISTING TREES – EIA TREE SURVEY</b> .....	<b>6</b>
4.1 Introduction .....	6
4.2 Basic Findings of EIA Tree Survey within the boundary of the HKGC Tree Survey .....	6
<b>5 DESCRIPTION OF EXISTING TREES – HKGC TREE SURVEY</b> .....	<b>8</b>
5.1 Introduction .....	8
5.2 Findings of Tree Survey .....	8
<b>6 COMPARISON OF THE EIA TREE SURVEY AND HKGC TREE SURVEY</b> .....	<b>10</b>
6.1 Difficulties in Conducting HKGC Tree Survey .....	10
6.2 Valid Reasons for Differences between EIA Tree Survey and HKGC Tree Survey .....	10
6.3 Identification of total Tree Numbers .....	10
6.4 Checking of DBH of trees surveyed from the EIA Tree Survey .....	11
6.5 Checking of dimensions of large individual trees – Height .....	12
6.6 Checking of dimensions of large individual trees – Canopy Spread (Open Areas) .....	12
6.7 Checking of dimensions of large individual trees – Canopy Spread (Woodland Area) .....	12
6.8 Assessment of Amenity Value of all trees .....	12
6.9 Trees of Particular Interest .....	12
6.10 Incorrect Mapping of Tree Locations on EIA Tree Survey Plans .....	13
<b>7 TREE PROTECTION ZONES</b> .....	<b>13</b>
7.1 Tree Protection Zones for Large TPIs .....	13
7.2 Tree Protection Zones for Large TPIs and Secondary Woodland of Ecological Importance .....	13

7.3 Proposed PHD is Incompatible with TPZs for TPIs .....	13
---	----

<b>8 SUMMARY AND CONCLUSION</b> .....	<b>13</b>
---------------------------------------	-----------

## APPENDICES

### APPENDIX A DRAWINGS

#### Appendix A1 – EIA Tree Survey

Drawing No.	Drawing Title	Revision
HKGC2-ADD4-TS21	Tree Survey Plan [EIA Submission] (Sheet 1 of 9)	0
HKGC2-ADD4-TS22	Tree Survey Plan [EIA Submission] (Sheet 2 of 9)	0
HKGC2-ADD4-TS23	Tree Survey Plan [EIA Submission] (Sheet 3 of 9)	0
HKGC2-ADD4-TS24	Tree Survey Plan [EIA Submission] (Sheet 4 of 9)	0
HKGC2-ADD4-TS25	Tree Survey Plan [EIA Submission] (Sheet 5 of 9)	0
HKGC2-ADD4-TS26	Tree Survey Plan [EIA Submission] (Sheet 6 of 9)	0
HKGC2-ADD4-TS27	Tree Survey Plan [EIA Submission] (Sheet 7 of 9)	0
HKGC2-ADD4-TS28	Tree Survey Plan [EIA Submission] (Sheet 8 of 9)	0
HKGC2-ADD4-TS29	Tree Survey Plan [EIA Submission] (Sheet 9 of 9)	0
HKGC2-ADD4-TS11	Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 1 of 9)	0
HKGC2-ADD4-TS12	Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 2 of 9)	0
HKGC2-ADD4-TS13	Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 3 of 9)	0
HKGC2-ADD4-TS14	Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 4 of 9)	0
HKGC2-ADD4-TS15	Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 5 of 9)	0
HKGC2-ADD4-TS16	Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 6 of 9)	0
HKGC2-ADD4-TS17	Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 7 of 9)	0
HKGC2-ADD4-TS18	Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 8 of 9)	0
HKGC2-ADD4-TS19	Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 9 of 9)	0

#### Appendix A2 – Extent of Tree Survey

Drawing Title	Drawing No.	Revision
HKGC2-ADD4-SE01	Extent of Tree Survey	0

#### Appendix A3 – HKGC Tree Survey

Drawing Title	Drawing No.	Revision
HKGC2-ADD4-TS01	HKGC Tree Survey Plan (Sheet 1 of 9)	0
HKGC2-ADD4-TS02	HKGC Tree Survey Plan (Sheet 2 of 9)	0
HKGC2-ADD4-TS03	HKGC Tree Survey Plan (Sheet 3 of 9)	0
HKGC2-ADD4-TS04	HKGC Tree Survey Plan (Sheet 4 of 9)	0
HKGC2-ADD4-TS05	HKGC Tree Survey Plan (Sheet 5 of 9)	0
HKGC2-ADD4-TS06	HKGC Tree Survey Plan (Sheet 6 of 9)	0
HKGC2-ADD4-TS07	HKGC Tree Survey Plan (Sheet 7 of 9)	0
HKGC2-ADD4-TS08	HKGC Tree Survey Plan (Sheet 8 of 9)	0
HKGC2-ADD4-TS09	HKGC Tree Survey Plan (Sheet 9 of 9)	0



**Appendix A4 – Tree Survey Comparative Analysis**

<u>Drawing Title</u>	<u>Drawing No.</u>	<u>Revision</u>
HKGC2-ADD4-TS31	HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 1 of 9)	0
HKGC2-ADD4-TS32	HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 2 of 9)	0
HKGC2-ADD4-TS33	HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 3 of 9)	0
HKGC2-ADD4-TS34	HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 4 of 9)	0
HKGC2-ADD4-TS35	HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 5 of 9)	0
HKGC2-ADD4-TS36	HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 6 of 9)	0
HKGC2-ADD4-TS37	HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 7 of 9)	0
HKGC2-ADD4-TS38	HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 8 of 9)	0
HKGC2-ADD4-TS39	HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 9 of 9)	0
HKGC2-ADD4-TS41	HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 1 of 9)	0
HKGC2-ADD4-TS42	HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 2 of 9)	0
HKGC2-ADD4-TS43	HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 3 of 9)	0
HKGC2-ADD4-TS44	HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 4 of 9)	0
HKGC2-ADD4-TS45	HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 5 of 9)	0
HKGC2-ADD4-TS46	HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 6 of 9)	0
HKGC2-ADD4-TS47	HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 7 of 9)	0
HKGC2-ADD4-TS48	HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 8 of 9)	0
HKGC2-ADD4-TS49	HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 9 of 9)	0
HKGC2-ADD4-TS51	HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 1 of 9)	0
HKGC2-ADD4-TS52	HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 2 of 9)	0
HKGC2-ADD4-TS53	HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 3 of 9)	0
HKGC2-ADD4-TS54	HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 4 of 9)	0
HKGC2-ADD4-TS55	HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 5 of 9)	0
HKGC2-ADD4-TS56	HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 6 of 9)	0
HKGC2-ADD4-TS57	HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 7 of 9)	0
HKGC2-ADD4-TS58	HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 8 of 9)	0
HKGC2-ADD4-TS59	HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 9 of 9)	0

**Appendix A5 – Tree Protection Zones**

<u>Drawing Title</u>	<u>Drawing No.</u>	<u>Revision</u>
HKGC2-ADD4-TPZ-01	TPZs and Remaining Developable Area after Preservation of Large TPIs	0
HKGC2-ADD4-TPZ-02	TPZs and Remaining Developable Area after Preservation of Large TPIs & Secondary Woodland of Ecological Importance	0

**APPENDIX B TREE ASSESSMENT SCHEDULES**

**Appendix B1 HKGC Tree Assessment Schedule incorporating EIA tree assessment Schedule**

**Appendix B2 - Assessment of the Likelihood for Large Trees of Particular Interest in Sub Area 1 to be Registered as Old and Valuable Trees**

**APPENDIX C TREE SURVEY PHOTOGRAPHS**

**Appendix C1 - Photographs of Trees Absent in EIA Tree Survey and Found in HKGC Tree Survey (not including Trees of Particular Interest)**

**Appendix C2 - Photographs of Trees Regarded as Trees of Particular Interest in Terms of Size in HKGC Tree Survey**

**Appendix C3 - Photographs of Trees Regarded as Trees of Particular Interest in Terms of Status as Rare and Protected Species in HKGC Tree Survey**

## ES1 EXECUTIVE SUMMARY

### ES1.1 Background

ES1.1.1 In May 2022, the Environmental Impact Assessment (EIA) prepared under CE17/2019(CE) Technical Study on Partial Development of the Fanling Golf Course Site was uploaded for public inspection. The EIA contains a Landscape and Visual Impact Assessment (LVIA), which includes a detailed tree survey (referred hereafter as 'EIA Tree Survey') of the area identified in the EIA as Sub Area 1, where the proposed public housing development (PHD) is planned to be located.

ES1.1.2 A 3-day sample audit conducted by URBIS Limited (URBIS) in late May / early June 2022 identified multiple factual errors in the EIA Tree Survey including missing trees, incorrect tree species, and incorrect tree dimensions all of which cast doubt on the reliability of the EIA Tree Survey, which would in turn have potential significant implications for the conclusions of the LVIA and EIA and for the planning of the PHD.

ES1.1.3 Therefore, the Hong Kong Golf Club (HKGC) has appointed URBIS to undertake a special focussed tree survey (referred hereafter as 'HKGC Tree Survey') of the **1,104** trees located in the portion of Sub Area 1 proposed to be developed as PHD, to check and verify the findings of the EIA Tree Survey. This Technical Review Report presents the findings of the HKGC Tree Survey.

### ES1.2 Findings

ES1.2.1 Comparative analysis of the EIA Tree Survey results and the HKGC Tree Survey results reveals that the EIA Tree Survey is a very flawed document with serious inaccuracies in all aspects of the tree survey including the omission of a very large number of trees, numerous errors in species identification (including rare and/or protected species), imprecise to wildly inaccurate tree location plotting on plans, and imprecise to wildly inaccurate tree dimensions (including diameter at breast height (DBH), height and canopy spread).

ES1.2.2 **Total Number of Trees.** The HKGC Tree Survey has found **460** new trees not recorded in the EIA Tree Survey. It is estimated that **156** of these may have been undersize (less than 95mmDBH) in 2021 and so legitimately not recorded in the EIA Tree Survey, however the remaining **304** trees are far too big to have been undersize in 2021 so were clearly omitted from the EIA Tree Survey in error. Some of the omitted trees are very big trees, two of them are over 25m high and therefore qualify as Trees of Particular Interest (TPIs). The EIA Tree Survey therefore recorded only three-quarters of the actual number of trees present on site in 2021 ( $1104/(1104+304) = 78.4\%$ ). It seems inconceivable that so many trees could be missed in a competent professional tree survey. This is a very serious misrepresentation of the tree quantity in the survey area.

ES1.2.3 **Rare and/or Protected Trees.** The HKGC Tree Survey has found **26** more rare and/or protected trees (total **59**) than were recorded in the EIA Tree Survey (**33**). The EIA Tree Survey therefore recorded only slightly more than half of the total number of rare and/or protected trees in the survey area ( $33/59 = 55.9\%$ ). This is a very serious misrepresentation of the quantity of rare and/or protected species in the survey area.

ES1.2.4 **Trees of Particular Interest (TPIs).** The HKGC Tree Survey found **31** more TPIs (total **84**) than recorded in the EIA Tree Survey (**53**). The EIA Tree Survey therefore recorded only three-fifths of the total number of TPIs ( $53/84 = 63.1\%$ ). This is a serious misrepresentation of the quantity of TPIs in the survey area.

ES1.2.5 **Large TPIs that are potential Old and Valuable Trees (OVTs).** Of the **84** TPIs identified in the HKGC Tree Survey, **25** are TPIs due to their large size which is **5** more large TPIs than identified in the EIA Tree Survey (**20**). These **25** large TPIs are potential OVTs as defined in DEVB TC(W) No.5/2020 Registration

and Preservation of Old and Valuable Trees. The EIA Tree Survey therefore recorded only four-fifths of the large TPIs ( $20/25 = 80\%$ ) in the survey area. This is a serious misrepresentation of the quantity of large TPIs on site which has significant implications for the planning of tree protection zones, and the consequent identification of remaining areas suitable for development of the PHD. In addition to the **25** large TPIs in the HKGC survey area, there are another **4** large TPIs identified in the EIA Tree Survey that are located outside the area re-surveyed in the HKGC Tree Survey, making a grand total of **29** large TPIs in Sub Area 1. By objective comparison with existing OVTs in the Register on a like-for-like basis (see **Appendix B2**), it is assessed that **25 large TPIs** at Fanling are very likely (**16**) or likely (**9**) to meet the criteria to be registered. The only other locations in Hong Kong that have similar high density of large TPIs/ OVTs in such a small area are Kowloon Park (42 OVTs) and Victoria Park (14 OVTs).

ES1.2.6 **Incorrect Mapping of Tree Locations.** Many trees shown on the EIA Tree Survey Plans are plotted in incorrect locations that could be clearly identified as being incorrect simply by eyeballing in relation to other physical features on site. In the HKGC Tree Survey Plans in **Appendix A3**, **63** tree locations are adjusted to show the corrected locations.

ES1.2.7 **DBH of Trees.** The HKGC Tree Survey measured DBH of all trees accurately using tape measure. The HKGC Tree Survey DBH measurements vary from the EIA Tree Survey measurements in degrees ranging from small to very large differences exceeding 300mm. An increase of **93.00m** total DBH of trees is measured in the HKGC Tree Survey (426.856m from 1514 trees) compared with the EIA Tree Survey (333.850m from 1104 trees). It is estimated an increase of, at most, 39.8m DBH may be attributable to tree growth since February 2021 (see **section 6.4** for explanation), meaning that the EIA Tree Survey underestimated the total DBH of trees on site in February 2021 by at least **53.20m** or **12.46%**. This is a significant misrepresentation of the tree quality on site.

ES1.2.8 **Height of Trees.** The HKGC Tree Survey measured the height of 123 selected large trees and compared these measurements with the EIA Tree Survey data. The height dimensions in the EIA Tree Survey are consistently significantly less than the actual dimensions as recorded in the HKGC Tree Survey. A total of **493.0m** difference in height is recorded between the EIA Tree Survey (**1563.0m**) and the HKGC Tree Survey (**2056.0m**) over the 123 selected trees. This suggests the EIA Tree Survey measurements typically represent on average only three quarters ( $1563/2056 = 76.0\%$ ) of the actual heights of trees. In some instances, the height recorded in the EIA Tree Survey was less than half the actual tree height and errors in height dimensions of up **15.7m** are recorded. All these errors represent a very serious misrepresentation of the tree quality on site.

ES1.2.9 **Canopy Spread of Trees.** The HKGC Tree Survey accurately recorded with measuring tape the canopy spread of 253 selected trees in open areas and 54 selected trees growing in, and on the fringe of, woodland areas and compared these measurements with the EIA Tree Survey data. The canopy spreads in the EIA Tree Survey are consistently significantly less than those measured in the HKGC Tree Survey. The EIA Tree Survey measurements represent on average only **59.8%** of the actual canopy dimensions of trees in open areas; and only **66.3%** of the actual canopy dimensions of trees in woodland areas which is a very serious misrepresentation of the tree qualities in the survey area. This has significant implications for the planning of tree protection zones (TPZs) and the consequent area of remaining developable land outside the TPZs (see plans in **Appendix A5**). Development proposals based on the highly inaccurate EIA Tree Survey will seriously underestimate the necessary TPZs and seriously overestimate the remaining developable areas.

ES1.2.10 **Amenity Value of Trees.** In the HKGC Tree Survey assessment of the **1514** trees surveyed, **143** trees are found to be of high amenity value, whereas in the EIA Tree Survey, out of **1104** tree surveyed, only **1** is

identified as having high amenity value. Whilst there is some subjectivity involved in the assessment of amenity value, it is based on easily understood criteria (see **paragraph 3.5.7**) and given the considerable number of large and attractive trees in the survey area, including 29 large TPIs in Sub Area 1, the EIA Tree Survey assessment is a gross under-assessment and misrepresentation of the true amenity value of the existing trees.

**ES1.2.11 Proposed PHD conflicts with Tree Protection Zones for large TPIs (potential OVTs) and Secondary Woodland of Ecological Importance.** Tree Protection Zones (TPZs) calculated in accordance with DEVB Greening, Landscape and Tree Management Section's Guidelines of Tree Preservation during Development, have been determined for the **25** large TPIs in the HKGC survey area, as well as for the **4** other large TPIs identified in the EIA Tree Survey that are located outside the area re-surveyed in the HKGC Tree Survey, and these TPZs for all **29** TPIs are illustrated on the plans in **Appendix A5**. These plans show clearly that the proposed PHD layout is incompatible with the TPZs of **19** of the 29 large TPIs in the survey area and furthermore would inevitably require the removal of **16** of the 29 large TPIs as well as most of the Secondary Woodland of Ecological Importance due to clashes with building and road footprints. Each of these large TPIs is a potential OVT, subject to assessment under DEVB TC(W)5/2020, and removal of living OVTs is prohibited under DEVB TC(W)5/2020.

### **ES1.3 Conclusion**

**ES1.3.1 The very large number of serious omissions and errors in the EIA Tree Survey render it a wholly inaccurate survey that is a very serious misrepresentation (undervaluation) of both the quantity and quality of trees in the Survey area. The EIA Tree Survey is therefore not a reliable document upon which to base the objective assessment of the significance of tree impacts and landscape impacts caused by the proposed PHD, the identification of appropriate levels of tree compensation, the planning of TPZs, nor the consequent identification of remaining areas outside the TPZs that are suitable for development of the PHD.**

**ES1.3.2 The proposed PHD development would create far greater tree impacts and landscape impacts than were identified in the EIA, including the removal of 16 large TPIs and most of the Secondary Woodland of Ecological Importance, and it may be surmised that if this information had been made available to the Task Force for Land Supply in 2017-2018, the TFLS would not have earmarked this site for potential housing development.**

**ES1.3.3 As a result of the serious errors and omissions in the EIA Tree Survey and consequent error-strewn assessment in the LVIA (and notwithstanding the many other unrelated significant errors and omissions in the LVIA that have been previously identified in the Technical Review of the Landscape and Visual Impact Assessment of the Partial Development of Fanling Golf Course, dated June 2022) the EIA should be rejected because it cannot be considered a believable or reliable document and it does not provide the Advisory Council on the Environment and Director of Environmental Protection with a sound basis for a rational decision.**



## 1 INTRODUCTION

### 1.1 Background

- 1.1.1 In May 2022, the Environmental Impact Assessment (EIA) prepared under CE17/2019(CE) Technical Study on Partial Development of the Fanling Golf Course Site was uploaded for public inspection.
- 1.1.2 The EIA contains a Landscape and Visual Impact Assessment (LVIA), which includes a detailed tree survey (referred hereafter as 'EIA Tree Survey') of the area identified in the EIA as Sub Area 1, where the proposed public housing development is planned to be located.
- 1.1.3 URBIS Limited was commissioned by The Hong Kong Golf Club (HKGC) to undertake a Technical Review of the LVIA (including EIA Tree Survey) and the resultant Technical Review of Landscape Impact Assessment of Partial Development of Fanling Golf Course (TRLIA) was submitted by HKGC to the Environmental Protection Department (EPD) in June 2022.
- 1.1.4 The TRLIA identified multiple factual errors in the Tree Survey (identified in a 3-day sample audit conducted in late May / early June 2022) including missing trees, incorrect tree species, and incorrect tree dimensions all of which cast doubt on the reliability of the tree survey, and which would also have potential significant implications for the conclusions of the LVIA and for the planning of the PHD. Later in 2022, further significant errors in the tree survey, not reported in the TRLIA, were discovered.
- 1.1.5 Therefore, HKGC has appointed URBIS to undertake a special focussed tree survey (referred hereafter as 'HKGC Tree Survey') of the trees in the portion of Sub Area 1 proposed to be developed so as to check and verify the findings and omissions of the EIA Tree Survey. This Technical Review Report presents the findings of the HKGC Tree Survey.

### 1.2 Report Structure

- 1.2.1 An **Executive Summary** describes the main findings of the Report.
- 1.2.2 **Section 1** introduces the Report and briefly describes the objectives and structure of the Report.
- 1.2.3 **Section 2** provides a description of the scope of the HKGC Tree Survey.
- 1.2.4 **Section 3** outlines the Tree Survey Methodology.
- 1.2.5 **Section 4** summarises the findings of the EIA Tree Survey in terms of the numbers of existing trees, species composition, form, health, and structural condition of the trees and whether there are any rare or protected species.
- 1.2.6 **Section 5** summarises the findings of the HKGC Tree Survey in terms of the numbers of existing trees, species composition, form, health and structural condition of the trees and whether there are any rare or protected species. The summary provides the same details as provided in EIA Tree Survey.
- 1.2.7 **Section 6** summarises the differences between the EIA Tree Survey and the HKGC Tree Survey.
- 1.2.8 **Section 7** describes the tree protection zones necessary to protect Trees of Particular Interest.
- 1.2.9 **Section 8** provides a brief overall summary and conclusion.

- 1.2.10 **Appendices A to C** contain, respectively, the Drawings, Tree Assessment Schedule, and Tree Survey Photographs.

## 2 SCOPE OF HKGC TREE SURVEY

### 2.1 Extent of HKGC Tree Survey

- 2.1.1 The HKGC Tree Survey does not cover the same extent as the EIA Tree Survey. The EIA Tree Survey undertook a broad-brush tree survey for Sub Areas 2, 3 and 4 and a detailed tree survey for Sub Area 1. The HKGC Tree Survey has undertaken a detailed tree survey for only those parts of Sub Area 1 that are proposed to be disturbed to construct the PHD. Drawing HKGC2-ADD4-SE01 in **Appendix A2** shows the physical extents of the two surveys in different colours.

### 2.2 Tree Tagging

- 2.2.1 The EIA Tree Survey was undertaken from January 2020 to February 2021 and unfortunately many of the tree tags from that survey are now missing. This made the identification of many trees difficult.
- 2.2.2 The HKGC Tree Survey and the horticultural field work were conducted between 15 February and 23 March 2023. During the survey, URBIS applied new tree tags to all trees surveyed which are cross-referenced to the previous numbering where applicable and recorded in the Tree Assessment Schedule in **Appendix B**. Thus, in the Schedule each tree is listed with its 'old' number from the EIA Tree Survey and its 'new' number from the HKGC Tree Survey.

### 2.3 Topographic Survey not included in HKGC Tree Survey

- 2.3.1 The HKGC Tree Survey does not include a survey by a Topographic Surveyor of tree location, height, girth, and canopy spread.
- 2.3.2 URBIS identified many trees on site that were not recorded in the EIA Tree Survey. The approximate locations of those new trees were eyeballed by URBIS staff with reference to existing features on site including other trees, footpaths, walls, etc.
- 2.3.3 For the HKGC Tree Survey, URBIS staff:
- measured the height, diameter at breast height (DBH) and canopy spread of all new trees missed from the EIA Tree Survey;
  - checked and remeasured the DBH of all trees recorded in the EIA Tree Survey; and
  - checked and remeasured height and canopy spread of selected trees recorded in the EIA Tree Survey using the detailed methods described in **Section 3**. Trees were selected for remeasurement of height and canopy spread based on their relatively large size and/or their location around the edges of woodland areas.

### 2.4 Tree Photographs

- 2.4.1 The HKGC Tree Survey does not include photographs of all trees since photographs are already provided in the EIA Tree Survey. Rather the HKGC Tree Survey provides photographs of the following trees:

- All new trees absent from the EIA Tree Survey and found in HKGC Tree Survey (not including new Trees of Particular Interest) (**Appendix C1**).
- All Trees of Particular Interest in terms of size in HKGC Tree Survey (**Appendix C2**).
- All Trees of Particular Interest belonging to Rare and Protected Species in HKGC Tree Survey (**Appendix C3**).

### 3 ASSESSMENT METHODOLOGY

#### 3.1 Definition of a Tree

- 3.1.1 Land Administration Office Lands Department Practice Note Issue No. 2/2020 defines trees as plants with woody stems with a trunk diameter of 95mm or more measured at a height of 1.3m above ground level.
- 3.1.2 The EIA Tree Survey recorded Rare and/or Protected Species that are undersize trees (less than 95mm diameter at breast height). To be compatible, the HKGC Tree Survey does the same.

#### 3.2 Standards and References

- 3.2.1 The HKGC Tree Survey has been undertaken with reference to the following technical circulars, practice notes and publications:
- Forests and Countryside Ordinance (Cap.96);
  - Protection of Endangered Species of Animals and Plants Ordinance (Cap. 586);
  - Country Parks Ordinance (Cap. 208);
  - Development Bureau Technical Circular (Works) No. 4/2020 – Tree Preservation;
  - Lands Administration Office Lands Department Practice Note No. 2/2020 & 2/2020A – Tree Preservation and Removal Proposal for Building Development in Private Projects Compliance of Tree Preservation Clause under Lease;
  - Development Bureau Technical Circular (Works) No. 5/2020 – Registration and Preservation of Old and Valuable Trees;
  - Development Bureau Technical Circular (Works) No. 6/2015 – Maintenance of Vegetation and Hard Landscape Features;
  - Agriculture, Fisheries and Conservation Department Nature Preservation Practice Note No. 2/2006 – ‘Measurement of Diameter at Breast Height (DBH)’;
  - Agriculture, Fisheries and Conservation Department Publication – ‘Check List of Hong Kong Plants 2012’ (2012);
  - Agriculture, Fisheries and Conservation Department Publication – ‘Rare and Precious Plants of Hong Kong’ (2003);
  - Highways Department – Landscape Division – Requirements for Handover of Vegetation to Highways Department (2020);
  - Greening, Landscape and Tree Management Section, Development Bureau – Management Guidelines for Stonewall Trees (2013);
  - Greening, Landscape and Tree Management Section, Development Bureau – Management Guidelines for Mature Trees (2014);

- Greening, Landscape and Tree Management Section, Development Bureau – Tree Management Practice Note 1: Tree Preservation during Construction (September 2019);
- Greening, Landscape and Tree Management Section, Development Bureau – Handbook of Tree Management (Appendices updated 2021) – Appendix 22 – Guidelines on Tree Preservation during Development;
- Greening, Landscape and Tree Management Section, Development Bureau – Guidelines for Tree Risk Assessment and Management Arrangement (2022);
- Greening, Landscape and Tree Management Section, Development Bureau – Guidelines on Tree Transplanting (2020);
- GEO Publication No. 1/2011 – ‘Technical Guidelines on Landscape Treatment for Slopes’;
- BS 3888:2010 – Tree Work – Recommendations;
- BS 5837:2012 – Trees in Relation to Design, Demolition and Construction: Recommendations;
- Highways Department – Landscape Unit – Requirements for Handover of Vegetation to Highways Department (2013);
- General Specification for Civil Engineering Works, 2020 Edition, Section 26 “Preservation and Protection of Trees”;
- General Specification for Building, 2022 Edition, Section 25 “Landscape Work”; and
- Environment, Transport and Works Bureau Technical Circular (Works) No. 11/2004 – Cyber Manual for Greening.

#### 3.3 Survey Data

- 3.3.1 For trees which were surveyed individually the following characteristics are recorded in the Tree Assessment Schedule in **Appendix B**:

- Tree identification number and photograph number(s);
- Botanical / binomial / scientific name;
- Chinese name;
- Original location (Lot No. and coloured area the tree falls within);
- Height (m);
- Trunk diameter (mm) at 1.3m above ground level (m) / Diameter at Breast Height (DBH);
- Canopy spread (m);
- Form (Good / Average / Poor);
- Health condition (Good / Average / Poor);
- Structural condition (Good / Average / Poor);
- Suitability for transplanting (High / Medium / Low);
- Amenity value (High / Medium / Low);
- Conservation status; and
- Other remarks (relevant to the recommendation for the tree).

### 3.4 Tree Dimension Measurements

3.4.1 As described in **paragraph 2.3.3**, the HKGC Tree Survey has measured girth for all trees and height and canopy spread for selected trees. The measurements were undertaken as described below.

3.4.2 Diameter at Breast Height:

- All trees surveyed by URBIS unless specifically stated, had their Diameter at Breast Height (DBH) accurately measured using measuring tape. DBH measurements were all made with adherence to Practice Note No. 2/2006 – ‘Measurement of Diameter at Breast Height (DBH)’.

3.4.3 Height:

- Trees surveyed by URBIS which have been identified in the Schedule as having their height remeasured, had their height measured using the Nikon Forestry Pro II which is a hand-held laser range finder. The Nikon Forestry Pro II uses the ‘two-point mode’ measuring height through visually locating the root collar and then the top of canopy. The tree height measurement is then displayed on the screen of Nikon Forestry Pro II. Normally both the root collar and top of canopy need to be visible from the measuring position. In cases where the root collar is blocked by dense shrubs, after successfully locating the top of the canopy, an extendable pole (2.1m or 3.9m) is erected besides the root collar and height is measured by adding up the current length of pole and the height measured between the pole tip and top of canopy.

3.4.4 Canopy Spread:

- Trees surveyed by URBIS which have been identified in the Schedule as having their canopy spread remeasured, have been accurately measured using measuring tape and recording a single transect of the tree’s branch spread diameter.

### 3.5 Tree Classification Criteria

3.5.1 “Tree Form” is classified as follows:

- Good:** trees with well-balanced form, upright, evenly branching, well-formed head and generally in accordance with the standard form for its species;
- Average:** trees with generally balanced form with natural compensations for loss of branches or leaning trunks; and
- Poor:** trees with very unbalanced form, leaning, contorted, bending trunk, suffering from loss of major branches with general damage and growing close to adjacent trees.

3.5.2 “Health Condition” of trees is assessed by evaluating the following criteria:

#### Foliage

- Colour and general appearance; and
- Presence of insect and/or fungal infection.

#### Branches

- Presence of dead, broken, cut or crossing branches;
- Presence of heavy horizontal branches which may cause tree instability; and
- Presence of any special phenomena of the branches likely to cause hazard.

#### Trunk

- Presence of tightly forked or multi-ascending trunk may be a sign of weakness (depends on specie);
- Presence of cavities or internal/ external rot as may be evidenced by presence of moisture seeping through the trunk, and / or fungi growing on the trunk; and
- Serious bark damage.

#### Parasites and Competition

- Presence of parasitic plants or aggressive climbers causing a reduction in the health of the tree; and
- A reduction in the growth of a tree due to close spacing and competition of adjacent trees.

3.5.3 Based on evaluation of above criteria, the classification of “Health Condition” is as follows:

- Good:** Trees with a low incidence of the less serious features listed above and a high chance of a fast recovery from such features;
- Average:** Trees with a higher incidence of the less serious features and a medium chance of recovery from those features; and
- Poor:** Trees with more serious health features listed above and with a low chance of recovery from those features, even with remedial treatment.

3.5.4 The structural condition of all trees surveyed is evaluated as good, average or poor taking account of the following criteria:

- root conditions and stability;
- trunk and branch soundness; and
- the presence/ absence of critical decay, or cavities that potentially lead to tree failure and damage.

3.5.5 The evaluation criteria of structural condition are described as follows:

- **Good:** Trees with stable root condition and sound structure without any visible symptoms of trunk or branch failure;
- **Average:** Trees with several minor limbs, broken, dead branches; and
- **Poor:** Trees with critical decay or cavities.

3.5.6 “Suitability for transplanting” of trees following transplanting is evaluated as High, Medium or Low, taking account of the following criteria:

- Typical ability of that species to survive transplanting;
- The individual tree size, form and health condition;



- The presence of any physical impediments to the preparation of root balls and tree lifting operation, such as wall, utilities, manholes, rocks, foundations etc.; and
  - The inclined angle of the tree roots.
- 3.5.7 Amenity value of a tree should be assessed by its functional values related to size and maturity, shade-provision, seasonal interest, screening, reduction of pollution and noise, contribution as a landscape feature through size, form or other visual interest, whether it is a good representative specimen of the species, and also its fung shui significance, and classified into the following categories.
- **High (H):** important trees which should be retained by adjusting the design layout accordingly;
  - **Medium (M):** trees that are desirable to be retained in order to create a pleasant environment, which includes healthy specimens of lesser importance than “High” trees; and
  - **Low (L):** trees that are dead, dying or potentially hazardous and should be removed.
- 3.5.8 In addition, special remarks are added in the Remarks column in respect of the following issues:
- Designation or protection by law;
  - Ecological and wildlife value;
  - Scarcity; and
  - Fung Shui significance.
- 3.5.9 Trees with conservation value, rare and protected species [as defined under the Forest and Countryside Ordinance (CAP 96), Protection of Endangered Species of Animals and Plants Ordinance (CAP 586) or Agriculture, Fisheries and Conservation Department (AFCD)’s list of Rare and Precious Species of Hong Kong list (2004)], trees with ecological value, historical significance and Fung Shui trees are identified in the Remarks column of the tree assessment schedules.
- 3.5.10 In accordance with LAO PN No. 2/2020 “Tree Preservation and Tree Removal Application for Building Development in Private Projects”, the following types of trees have particularly high value for priority preservation:
- Trees included in the Register of Old and Valuable Trees under DEVB TC (W) No. 5/2020 – Registration and Preservation of Old and Valuable Trees.
  - Trees potentially registerable in accordance with the criteria for OVTs as set out in DEVB TC (W) No. 5/2020 – Registration and Preservation of Old and Valuable Trees; or
  - Trees of particular value as specified under the lease conditions.
- 3.5.11 In accordance with DEVB TC (W) No. 5/2020, trees must be located on unleased Government land and must satisfy one or more of the following criteria to be eligible for OVT registration:
- Tree of large size (e.g., tree trunk diameter  $\geq 1\text{m}$ , measured at 1.3m above ground level);
  - Tree of precious or rare species;
  - Tree of particularly old age (e.g.,  $\geq 100$  years old);
  - Tree of cultural, historical, or memorable significance; and

- Tree of outstanding form.

3.5.12 For ease of cross-referencing between drawings, schedule and photographs, and for ease of checking on site, the following tree numbering, and cross reference system has been adopted in the Report:

- Trees have been labelled with tags on site. Individual trees are numbered T1, T2, T3 etc.;
- New trees and TPIs have been photographed and the tree numbers have been marked on the photographs; each photograph has been given a unique number; and
- The Tree Assessment Schedule in **Appendix B** identifies the tree identification number and the photograph number(s) (if applicable) for each tree.

## 4 DESCRIPTION OF EXISTING TREES – EIA TREE SURVEY

### 4.1 Introduction

4.1.1 The detailed EIA Tree Survey covered all of Sub Area 1 and includes some land just outside the boundary of the HKGC. However, as described in paragraph 2.1.1, the HKGC Tree Survey has undertaken a detailed tree survey for only those parts of Sub Area 1 that are proposed to be disturbed to construct the PHD.

4.1.2 This section summarises the information presented in the EIA Tree Survey, but only with respect to the trees recorded within the boundary of the HKGC Tree Survey. The allows for easy comparison of the findings of the two tree surveys.

4.1.3 The survey details of each tree are provided in the Tree Assessment Schedule in **Appendix B**, tree locations and canopy sizes are illustrated on the Tree Survey Plan in **Appendix A**.

### 4.2 Basic Findings of EIA Tree Survey within the boundary of the HKGC Tree Survey

4.2.1 The EIA Tree Survey found a total no. of **1255** trees within the area referred to as ‘Sub Area 1’, according to the EIA Tree Schedule.

4.2.2 Within the boundary of the HKGC Tree Survey, the EIA Tree Survey found a total no. of **1104** trees. This includes undersize rare and/or protected specimens. These trees comprise of **70** different species (**5** trees are not identified to a species level) and consist of a mix of **30** native species and **40** exotic species. The dominant species by numbers are *Melaleuca cajuputi* subsp. *Cumingiana* (179), *Lophostemon confertus* (104) and *Macaranga tanarius* var. *tomentosa* (103).

4.2.3 A summary of the surveyed trees is made in **Table 4.1**:

**Table 4.1: Summary of Tree Species and Number – EIA Tree Survey**

Botanical Name	Chinese Name	Total
<i>Acacia auriculiformis</i>	耳果相思 (耳葉相思)	5
<i>Acacia confusa</i>	台灣相思	64
<i>Adenanthera microsperma</i> *	海紅豆	7
<i>Aporosa dioica</i> * <sup>1</sup>	銀柴	9

Botanical Name	Chinese Name	Total
<i>Aquilaria sinensis</i> *	土沉香	30
<i>Archontophoenix alexandrae</i>	假檳榔	1
<i>Bauhinia variegata</i>	宮粉羊蹄甲	18
<i>Bauhinia aponaria</i> var. <i>candida</i>	白花羊蹄甲	3
<i>Bridelia tomentosa</i> *	土蜜樹	8
<i>Callistemon viminalis</i>	串錢柳	3
<i>Canarium album</i>	橄欖 (白欖)	1
<i>Caryota ochlandra</i> <sup>2</sup>	魚尾葵	8
<i>Caryota mitis</i>	短穗魚尾葵 (小魚尾葵)	6
<i>Casuarina equisetifolia</i>	木麻黃	21
<i>Celtis sinensis</i> *	朴樹	46
<i>Cinnamomum burmannii</i> *	陰香	60
<i>Cinnamomum camphora</i> *	樟	46
<i>Cinnamomum parthenoxylon</i> *	黃樟	3
<i>Clausena lansium</i>	黃皮	1
<i>Cratoxylum cochinchinense</i> *	黃牛木	46
Dead Tree	死樹	22
<i>Delonix regia</i>	鳳凰木	5
<i>Dimocarpus longan</i>	龍眼	17
<i>Dyopsis lutescens</i>	散尾葵	1
<i>Elaeocarpus decipiens</i> *	杜英	3
<i>Eriobotrya japonica</i>	枇杷	1
<i>Eucalyptus camaldulensis</i>	赤桉	11
<i>Eucalyptus exserta</i>	窿緣桉	7
<i>Eucalyptus robusta</i>	大葉桉	2
<i>Eucalyptus urophylla</i>	尾葉桉	1
<i>Ficus hispida</i> *	對葉榕	20
<i>Ficus microcarpa</i> *	細葉榕	11
<i>Ficus aponaria</i> *	青果榕	8
<i>Ficus virens</i> *	大葉榕	3
<i>Gordonia axillaris</i> * <sup>3</sup>	大頭茶	1
<i>Ilex graciliflora</i> *	細花冬青	1
<i>Ilex rotunda</i>	鐵冬青	17
<i>Khaya senegalensis</i>	非洲棟	1
<i>Lagerstroemia indica</i>	紫薇	1

Botanical Name	Chinese Name	Total
<i>Leucaena leucocephala</i>	銀合歡	62
<i>Ligustrum sinense</i>	山指甲	9
<i>Liquidambar formosana</i> *	楓香	1
<i>Litsea glutinosa</i> *	潺槁	7
<i>Lophostemon confertus</i>	紅膠木	104
<i>Macaranga tanarius</i> var. <i>tomentosa</i> *	血桐	103
<i>Machilus</i> sp.	潤楠屬	4
<i>Mangifera indica</i>	芒果	3
<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	179
<i>Melia azedarach</i>	苦楝	3
<i>Michelia</i> x <i>alba</i>	白蘭	1
<i>Microcos nervosa</i> *	布渣葉	4
<i>Morus alba</i> *	桑	1
<i>Pinus elliotii</i>	愛氏松	4
<i>Pinus massoniana</i> *	馬尾松	4
<i>Psidium guajava</i>	番石榴	3
<i>Pterocarpus indicus</i>	紫檀	2
<i>Reevesia thyrsoidea</i> *	梭羅樹	1
<i>Rhus succedanea</i> *	野漆樹	4
<i>Sapindus aponaria</i> *	無患子	1
<i>Sapium sebiferum</i> *	烏桕	1
<i>Schefflera heptaphylla</i> *	鵝掌柴	1
<i>Senna siamea</i>	鐵刀木	1
<i>Spathodea campanulata</i>	火焰木	1
<i>Sterculia lanceolata</i> *	假蘋婆	61
<i>Syzygium jambos</i>	蒲桃	6
<i>Syzygium</i> sp.	蒲桃屬	1
<i>Terminalia mantaly</i>	小葉欖仁	4
<i>Terminalia mantaly</i> 'Tricolour'	錦葉欖仁	1
<i>Vernicia montana</i>	木油樹	2
<i>Viburnum odoratissimum</i> *	珊瑚樹	2
<i>Zanthoxylum avicennae</i> *	簕欖花椒	4
<b>Total</b>		<b>1104</b>

\*Native species in Hong Kong

<sup>1</sup> In EIA Tree Survey Schedule, *Aporosa dioica*, a synonym of *Aporosa dioica* which is used in the website of Hong Kong Herbarium, is used to refer to the species.

<sup>2</sup> In EIA Tree Survey Schedule, *Caryota ochlandra*, a synonym of *Caryota maxima* which is used in the website of Hong Kong Herbarium, is used to refer to the species.

<sup>3</sup> In EIA Tree Survey Schedule, *Gordonia axillaris*, a synonym of *Polyspora axillaris* which is used in the website of Hong Kong Herbarium, is used to refer to the species.

4.2.4 No Old and Valuable Trees were surveyed. However, 'Old and Valuable Trees' (OVTs) by definition are located only on unleased Government land.

4.2.5 No trees surveyed are identified as Champion Trees in the book "Champion Trees in Urban Hong Kong".

4.2.6 53 trees are recorded as qualifying as Trees of Particular Interest (TPI) and potential OVTs as defined in DEVB TC(W) No.5/2020 Registration and Preservation of Old and Valuable Trees.

4.2.7 33 nos of rare and/or protected specimens were identified, 23 of which were undersized (less than 95mmDBH). These consisted of 30 nos *Aquilaria sinensis*, 1 nos *Lagerstroemia indica*, 1 nos *Ilex graciliflora*, and 1 nos *Michelia x alba* tree. No categorisation of the conservation status was provided.

4.2.8 The main characteristics of the existing trees within the boundary of the HKGC Tree Survey, as extracted from the EIA Tree Survey data, are as follows:

- The recorded dominant species are *Melaleuca cajuputi* subsp. *Cumingiana*, *Lophostemon confertus* and *Macaranga tanarius* var. *tomentosa*. Which comprise approximately 35% of the existing trees.
- From 1104 nos. trees, the total DBH of the surveyed trees is 333.856m and ranges from 10mm to 2500mm. The average DBH of the surveyed trees is 302mm.
- The tree heights range from 0.3m to 23m. The average height of the trees is approximately 9.8m.
- The canopy spreads range from 0.3m to 22m. The average canopy spread of the trees is approximately 4.6m.
- From 1104 nos. trees surveyed, 1 is recorded as 'high' amenity value, 698 'medium' amenity and 405 as 'low' amenity value.
- From 1104 nos. trees surveyed, 1 is recorded as in 'good' form, 779 'average' form and 324 as 'poor' form.
- From 1104 nos. trees surveyed, 2 trees are recorded as in 'good' health, 1,035 'average' health and 75 as 'poor' health.
- From 1104 nos. trees surveyed, 0 trees are recorded as in 'good' structure, 954 'average' structure and 150 as 'poor' structure.

## 5 DESCRIPTION OF EXISTING TREES – HKGC TREE SURVEY

### 5.1 Introduction

5.1.1 The full survey details of each tree are provided in the Tree Assessment Schedule in **Appendix B**, tree locations and canopy spread sizes are illustrated on the Tree Survey Plans in **Appendix A** and photographs of each tree new tree and TPIs are provided in **Appendix C**.

### 5.2 Findings of Tree Survey

5.2.1 A total no. of 1514 existing trees were recorded during the site survey. These trees comprise 82 different species and consisting of a mix of 32 native and 50 exotic species. The dominant species are: *Melaleuca*

*cajuputi* subsp. *cumingiana* (197 nos.), *Macaranga tanarius* var. *tomentosa* (124 nos.), *Cinnamomum burmannii* (131 nos.), *Lophostemon confertus* (111 nos.) and *Sterculia lanceolata* (104 nos). There are also 39 dead trees present on the site.

5.2.2 URBIS observed one potentially hazardous tree (T102 – *Lophostemon confertus*), this tree has fungal fruiting bodies on trunk which is indicative of decay and moderate lean towards a well occupied target. The target includes pedestrians, moving traffic and waiting vehicles. URBIS has alerted HKGC to investigate further.

5.2.3 A summary of the surveyed trees is made in **Table 5.1**:

**Table 5.1 : Summary of Tree Species and Number – HKGC Tree Survey**

Botanical Name	Chinese Name	Total	Variance between HKGC & EIA Surveys
<i>Acacia auriculiformis</i>	耳果相思 (耳葉相思)	9	4
<i>Acacia confusa</i>	台灣相思	64	0
<i>Adenanthera microsperma</i> *	海紅豆	12	5
<i>Albizia lebbek</i>	大葉合歡	1	1
<i>Aporosa dioica</i> *	銀柴	16	7
<i>Aquilaria sinensis</i> *	土沉香	57	27
<i>Archontophoenix alexandrae</i>	假檳榔	1	0
<i>Artocarpus heterophyllus</i>	菠蘿蜜	1	1
<i>Averrhoa carambola</i>	楊桃	1	1
<i>Bauhinia variegata</i>	宮粉羊蹄甲	16	-2
<i>Bauhinia aponaria</i> var. <i>candida</i>	白花羊蹄甲	3	0
<i>Bauhinia x blakeana</i> *	洋紫荊	2	2
<i>Bischofia javanica</i> *	秋楓	1	1
<i>Bridelia tomentosa</i> *	土蜜樹	17	9
<i>Callistemon viminalis</i>	串錢柳	3	0
<i>Canarium album</i>	橄欖	4	3
<i>Caryota maxima</i>	魚尾葵	8	0
<i>Caryota mitis</i>	短穗魚尾葵	27	21
<i>Casuarina equisetifolia</i>	木麻黃	29	8
<i>Celtis sinensis</i> *	朴樹	49	3
<i>Cinnamomum burmannii</i> *	陰香	131	71
<i>Cinnamomum camphora</i> *	樟	51	5
<i>Cinnamomum parthenoxylon</i> *	黃樟	0	-3
<i>Clausena lansium</i>	黃皮	2	1
<i>Cratoxylum cochinchinense</i> *	黃牛木	57	11
Dead Tree	死樹	39	17



Botanical Name	Chinese Name	Total	Variance between HKGC & EIA Surveys
<i>Delonix regia</i>	鳳凰木	6	1
<i>Dimocarpus longan</i>	龍眼	16	-1
<i>Dracaena cambodiana</i>	海南龍血樹	1	1
<i>Dypsis lutescens</i>	散尾葵	3	2
<i>Elaeocarpus decipiens</i> *	杜英	0	-3
<i>Eriobotrya japonica</i>	枇杷	0	-1
<i>Eucalyptus camaldulensis</i>	赤桉	15	4
<i>Eucalyptus exserta</i>	窿緣桉	5	-2
<i>Eucalyptus robusta</i>	大葉桉	1	-1
<i>Eucalyptus urophylla</i>	尾葉桉	1	0
<i>Ficus hispida</i> *	對葉榕	23	3
<i>Ficus microcarpa</i> *	細葉榕	16	5
<i>Ficus subpisocarpa</i> *	筆管榕	1	1
<i>Ficus aponaria</i> *	青果榕	18	10
<i>Ficus virens</i> *	大葉榕	2	-1
<i>Glochidion lanceolarium</i> *	艾膠算盤子 (大葉算盤子)	2	2
<i>Ilex graciliflora</i> *	細花冬青	0	-1
<i>Ilex rotunda</i>	鐵冬青	23	6
<i>Juniperus chinensis</i>	圓柏	16	16
<i>Khaya senegalensis</i>	非洲楝	1	0
<i>Lagerstroemia indica</i>	紫薇	1	0
<i>Leucaena leucocephala</i>	銀合歡	78	16
<i>Ligustrum sinense</i>	山指甲	33	24
<i>Liquidambar formosana</i> *	楓香	2	1
<i>Litchi chinensis</i>	荔枝	1	1
<i>Litsea cubeba</i> *	木薑子 (山蒼樹)	2	2
<i>Litsea glutinosa</i> *	潺槁	12	5
<i>Livistona chinensis</i>	蒲葵	2	2
<i>Lophostemon confertus</i>	紅膠木	111	7
<i>Macaranga tanarius</i> var. <i>tomentosa</i> *	血桐	124	21
<i>Machilus chekiangensis</i> *	浙江潤楠	1	1
<i>Machilus</i> sp.	潤楠屬	0	-4
<i>Mangifera indica</i>	芒果	8	5

Botanical Name	Chinese Name	Total	Variance between HKGC & EIA Surveys
<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	197	18
<i>Melia azedarach</i>	苦楝	3	0
<i>Michelia</i> x <i>alba</i>	白蘭	1	0
<i>Microcos nervosa</i> *	布渣葉	7	3
<i>Morus alba</i> *	桑	1	0
<i>Nerium oleander</i>	夾竹桃	1	1
<i>Pinus elliotii</i>	愛氏松	3	-1
<i>Pinus massoniana</i> *	馬尾松	5	1
<i>Platycladus orientalis</i>	側柏	1	1
<i>Plumeria rubra</i>	雞蛋花	1	1
<i>Polyscias guilfoylei</i>	銀邊南洋參 (福祿桐、假沙梨)	2	2
<i>Polyspora axillaris</i> ##	大頭茶	1	0
<i>Psidium guajava</i>	番石榴	3	0
<i>Pterocarpus indicus</i>	紫檀	2	0
<i>Reevesia thyrsoidea</i> *	梭羅樹	0	-1
<i>Rhus succedanea</i> *	野漆樹	5	1
<i>Sapindus aponaria</i> *	無患子	0	-1
<i>Sapium sebiferum</i> *	烏桕	2	1
<i>Schefflera actinophylla</i>	傘樹	3	3
<i>Schefflera arboricola</i>	鵝掌藤	2	2
<i>Schefflera heptaphylla</i> *	鴨腳木	3	2
<i>Senna siamea</i>	鐵刀木	3	2
<i>Spathodea campanulata</i>	火焰木	1	0
<i>Sterculia lanceolata</i> *	假蘋婆	104	43
<i>Syzygium hancei</i> *	韓氏蒲桃 (紅鱗蒲桃)	12	12
<i>Syzygium jambos</i>	蒲桃	6	0
<i>Syzygium</i> sp.	蒲桃屬	0	-1
<i>Terminalia mantaly</i>	小葉欖仁	4	0
<i>Terminalia mantaly</i> 'Tricolour'	錦葉欖仁	6	5
<i>Vernicia montana</i>	木油樹	1	-1
<i>Viburnum odoratissimum</i> *	珊瑚樹	2	0
<i>Zanthoxylum avicennae</i> *	筋欖花椒	6	2
	<b>Total</b>	<b>1514</b>	<b>410</b>

\*Native species in Hong Kong

- 5.2.4 No Old and Valuable Trees were surveyed. However, 'Old and Valuable Trees' (OVTs) by definition are located only on unleased Government land.
- 5.2.5 No Champion Trees as identified in the book "Champion Trees in Urban Hong Kong" were surveyed.
- 5.2.6 **84** trees are surveyed which qualify as Trees of Particular Interest (TPI). **25** of these are TPIs by virtue of their large dimensions and which are thus also potential OVTs as defined in DEVB TC(W) No.5/2020 Registration and Preservation of Old and Valuable Trees. The other **59** TPIs are rare and/or protected species, comprising **57** nos *Aquilaria sinensis*, **1** nos *Lagerstroemia indica*, and **1** nos *Michelia x alba* tree.
- 5.2.7 *Aquilaria sinensis* are protected under Cap 586, listed as Near Threatened (NT) in Rare and Precious Plants of Hong Kong as well as Vulnerable (V) in China Plant Red Data – Rare and Endangered Plants. *Lagerstroemia indica* and *Michelia x alba* are both scheduled under Cap 96A.
- 5.2.8 The main characteristics of the existing trees are as follows:
- The recorded dominant species are *Melaleuca cajuputi* subsp. *Cumingiana*, *Macaranga tanarius* var. *tomentosa*, *Cinnamomum burmannii*, *Lophostemon confertus* and *Sterculia lanceolata* and which comprise approximately 44.1% of the existing trees.
  - From **1514** nos. trees, the total DBH of the surveyed trees is **426.856m** and ranges from 10mm to 2458mm. The average DBH of the surveyed trees is approximately **284mm**.
  - URBIS did not measure the height or canopy spread of all trees.
  - From **1514** nos. trees surveyed, **143** trees are evaluated to have 'high' amenity value, 757 'medium' and 614 as 'low' amenity value.
  - From **1514** nos. trees surveyed, **140** trees are evaluated to have 'good' form, 639 'average' form and 735 as 'poor' form.
  - From **1514** nos. trees surveyed, **263** trees are evaluated to have 'good' health, 1046 'average' and 205 as 'poor'.
  - From **1514** nos. trees surveyed, **66** trees are evaluated to have 'good' structure, 1131 'average' and 533 as 'poor'.

## 6 COMPARISON OF THE EIA TREE SURVEY AND HKGC TREE SURVEY

### 6.1 Difficulties in Conducting HKGC Tree Survey

- 6.1.1 URBIS encountered difficulties that slowed the survey as well as creating some difficulties in undertaking a comparison between the EIA Tree Survey and the HKGC Tree Survey. The following difficulties were encountered:
- Missing Tree Tags.** Many tree tags were missing from trees on site. This created some difficulties identifying which tree on site is referred to in the EIA Tree Survey schedule. URBIS spent much time to verify trees identities by referring to the recorded species, location on plan, dimensions as well as remarks to attain the most accurate review process for the EIA Tree Survey.
  - Inaccurate Tree Locations.** The quality of the EIA Tree Survey was poor and showed tree locations and species on plan which did not relate to the actual positions found on site. This made the verification process checking the EIA Tree Survey very difficult and laborious.

- Species Misidentification.** Many species listed in the EIA Tree Survey schedule were found on site through the process described above, only to find the species recorded was incorrect creating confusion and necessitating constant checking and rechecking.
- File Conversion.** Files used in the EIA Tree Survey review have not been provided in the most accessible format, therefore URBIS used files conversion software to produce an easily editable format. URBIS has carefully checked the data to avoid errors.

### 6.2 Valid Reasons for Differences between EIA Tree Survey and HKGC Tree Survey

- 6.2.1 In theory, there are legitimate reasons why the two tree surveys may produce slightly different results, namely:
- Tree Planting. New trees may appear on sites due to tree planting programmes. However, no new tree planting has been implemented by HKGC in Sub Area 1 since the date of the EIA Tree Survey in 2021.
  - Tree growth in the 2-year time period between the completion of the EIA Tree Survey (February 2021) and the HKGC Tree Survey (February-March 2023). It is considered that most tree species growing in the woodland and open areas would increase their DBH by not more than 25mm in the 2-year period between the two surveys. The exception to this would be fast growing weed tree species *Leucaena leucocephala*, which may increase DBH by up to 50mm. Any recorded variance in DBH greater than these dimensions may be considered to be the result of error (under-measurement of DBH) in the EIA Tree Survey.
  - Tree death and/or removal. This could happen for several reasons including old age or disease, and/or damage resulting from typhoons and other inclement weather. Some trees have been removed from the site since 2021 for a combination of these reasons.
  - Reduction in Tree Height and/or Canopy Spread. This could happen for several reasons including removal of branches due to old age or disease, damage resulting from typhoons and other inclement weather, and/or regular landscape maintenance. Some trees have reduced dimensions for a combination of these reasons.

### 6.3 Identification of Total Tree Numbers

- 6.3.1 The HKGC Tree Survey has found **460** new trees not recorded in the EIA Tree Survey. Considering the maximum expected tree growth in the period between the two surveys (see **paragraph 6.2.1(b)**) it is estimated that **156** of these might have been undersize (less than 95mmDBH) in 2021 and so legitimately not recorded in the EIA Tree Survey, however the remaining **304** trees are far too big to have been undersize in 2021 so were clearly omitted from the EIA Tree Survey in error. Some of the omitted trees are very big trees, two of them are over 25m high and therefore qualify as TPIs. The EIA Tree Survey therefore recorded only about three-quarters of the actual number of trees present on site in 2021 ( $1104/(1104+304) = 78.4\%$ ). It seems inconceivable that such a large number of trees was missed in the EIA Tree Survey. This is a very serious misrepresentation of the tree quantity in the survey area.
- 6.3.2 Although the locations of many new trees are scattered throughout the trees present in EIA survey, it should be noted that some of the new trees are in 5 large groups that the EIA Tree Survey has totally neglected, including **27** trees located near the entrance of old course, north of car park, and northwest of Sub-Area 1; **16** trees east of football court, inside the Fanling Golf Course Fence, and east of Sub-Area 1; **31** trees

- located at southeast of 4-house Staff Quarters, west of Caddie House and north of Practice Putting Green, and north of Sub-Area 1; **38** trees located east of the Carpark, besides two *Pterocarpus indicus* TPIs (HKGC T1223 and T1224), near the middle of Sub-Area 1; and **19** trees located south of the start of Old Course Hole 3, and southwest of Sub-Area 1. These **5** groups of new trees totally neglected in EIA Tree Survey amount to some **131** trees in total. The remaining **329** new trees are scattered throughout the remaining areas.
- 6.3.3 The HKGC Tree Survey has found **26** more rare and/or protected trees (total **59**) than were recorded in the EIA Tree Survey (**33**). The EIA Tree Survey therefore recorded only slightly more than half of the total number of rare and/or protected trees in the survey area ( $33/59 = 55.9\%$ ). This is a very serious misrepresentation of the quantity of rare and/or protected species on site.
- 6.3.4 The HKGC Tree Survey has found **31** TPIs (total **84**) more than recorded in the EIA Tree Survey (**53**). The EIA Tree Survey therefore recorded only three-fifths of the total number of TPIs ( $53/84 = 63.1\%$ ). This is a very serious misrepresentation of the quantity of TPIs in the survey area.
- 6.3.5 Of the **84** TPIs identified in the HKGC Tree Survey, **25** are TPIs due to their large size which is **5** more large TPIs than identified in the EIA Tree Survey (**20**). These **25** large TPIs are potential OVTs as defined in DEVB TC(W) No.5/2020 Registration and Preservation of Old and Valuable Trees. The EIA Tree Survey therefore recorded only four-fifths of the large TPIs ( $20/25 = 80\%$ ) in the survey area. This is a serious misrepresentation of the quantity of large TPIs on site which has significant implications for the planning of tree protection zones, and the consequent identification of remaining areas suitable for development of the PHD.
- 6.3.6 A total no. of **57** trees were reviewed by URBIS and found to be misidentified in the EIA Tree Survey. This includes **2** no. rare and/or protected species that were wrongly identified as common species – one tree (EIA T1310, HKGC T282) was identified as *Cinnamomum burmannii* in EIA Tree Survey but is actually *Aquilaria sinensis*, while another tree (EIA T1010, HKGC T1436) was identified as *Celtis sinensis* in EIA Tree Survey but is also *Aquilaria sinensis*. Furthermore, one tree (EIA T1147, HKGC T862) was misidentified as *Ilex graciflora* and proposed to be transplanted (because it is a species of conservation interest as it is endemic to Hong Kong), whereas it is actually a common tree species *Aporosa dioica*. There were also 3 no. of trees which were only identified to the Genus level in the EIA Tree Survey.
- 6.3.7 A total no. of **21** trees surveyed in the EIA Tree Survey are found to be felled / removed on site (with evidence of trees stumps) due to damage from typhoons or severe rainstorms that occurred between the EIA Tree Survey and the HKGC Tree Survey.
- 6.3.8 A total no. of **4** trees surveyed in the EIA Tree Survey were found to be undersized on site, and therefore excluded from the HKGC Tree Survey results.
- 6.3.9 A total no. of **9** trees surveyed in the EIA Tree Survey as being alive were found to be dead on site. (In addition, one undersized *Aquilaria sinensis* recorded in the EIA Tree Survey was found dead in the HKGC Tree Survey and so this tree is not counted amongst the 'dead trees' in the tree schedule and not included in the grand total **1514** trees surveyed.)
- 6.3.10 A total no. of **15** existing trees found on site which are present on the EIA Tree Survey Plans, however missing in the EIA Tree Survey Schedule.
- 6.3.11 A total no. of **8** existing trees found on site which are present in the EIA Tree Survey Schedule, however missing from the EIA Tree Survey Plans.
- 6.3.12 A total no. of **35** trees are present in the EIA Tree Schedule but were not indicated anywhere on the EIA Tree Survey Plans, and these could not be located on site by URBIS.
- 6.3.13 A total no. of **2** trees are present in the EIA Tree Schedule and Plans but found missing on site by URBIS.
- 6.3.14 A total no. of **2** number of trees in the EIA Tree Schedule were wrongly recorded as individual trees, when they are in fact a large branch of an adjacent tree present in the EIA Tree Schedule and should therefore not have been recorded as separate trees.
- 6.3.15 As a result of all the above, the HKGC Tree Survey records a total of **1514** trees in the survey area which is **410** more than were recorded in the EIA Tree Survey (**1104**) in the same survey area. The reconciliation between the two totals, and with reference to the foregoing paragraphs, is as follows:  $1104-21-4-1-35-2-2+460+15=1514$ .
- 6.4 Checking of DBH of trees surveyed from the EIA Tree Survey**
- 6.4.1 URBIS have accurately measured the DBH of all **1514** trees in the HKGC Tree Survey and compared these measurements with the EIA Tree Survey data provided. The comparison reveals numerous errors in the EIA Tree Survey DBH measurements. Although the trees will have grown somewhat in the period between the two surveys, the level of difference is much greater than can be attributed to the expected maximum tree growth described in **paragraph 6.2.1(b)**.
- 6.4.2 An increase of **93.00m** total DBH of trees is measured in the HKGC Tree Survey (426.856m from 1514 trees) compared with the EIA Tree Survey (333.85m from 1104 trees). It is estimated an increase of, at most, 39.8m DBH may be attributable to tree growth since February 2021 (For *Leucaena leucocephala* trees, 78 trees x 50mm/tree = 3.9m DBH, for other trees, 1436 trees x 25mm/tree = 35.9m DBH), meaning that the EIA Tree Survey underestimated the total DBH of trees on site in February 2021 by at least **53.20m** or **12.46%**. This is a significant misrepresentation of the tree quality on site. It is suspected that there may be similar mismeasurement of the 151 trees in the EIA Tree Survey that are located outside the boundary of the HKGC Tree Survey.
- 6.4.3 A DBH of 1m or greater qualifies a tree as a TPI. In the HKGC Tree Survey a total of **15** trees are found to achieve a total of 1m DBH or greater, which is **5** trees less than were recorded in the EIA Tree Survey (**20**). This is because:
- **5** trees were measured to have a DBH greater than recorded in the EIA Tree Survey to an extent that now qualifies these trees as a TPI (1m DBH or greater); and
  - **10** trees were measured to have a DBH less than recorded in the EIA Tree Survey to an extent which disqualifies these trees from being a TPI due to 1m DBH or greater. However, 3 of these trees remain TPIs for other reasons, namely **2** trees (EIA T57, HKGC T348 and EIA T166, HKGC T1063) are measured to have height over 25m and **1** tree (EIA T767, HKGC T1466) is measured with canopy spread over 25m.
- 6.4.4 The variance of DBH measurements between the EIA Tree Survey and HKGC Tree Survey is too widespread to be attributable solely to tree growth between the 2 surveys. A total no. of **370** trees were found to have DBH equal or less than that recorded in the EIA Tree Survey; **314** trees were found to have



DBH from 1-25mm more than recorded in the EIA Tree Survey; **148** trees were found to have DBH from 26-50mm more than recorded in the EIA Tree Survey; **111** trees were found to have DBH from 51-100mm more than recorded in the EIA Tree Survey; **69** trees were found to have DBH from 101-200mm more than recorded in the EIA Tree Survey; **19** trees were found to have DBH from 201-300mm more than recorded in the EIA Tree Survey; and **13** trees were found to have DBH more than 300mm higher than recorded in the EIA Tree Survey. These are serious under-measurements of DBH which do not accurately reflect the quality of the trees on site.

## 6.5 Checking of dimensions of large individual trees – Height

- 6.5.1 URBIS have measured the height of **123** selected trees surveyed and compared these measurements with the EIA Tree Survey data.
- 6.5.2 A total of **493.0m** difference in height is recorded between the EIA Tree Survey (**1563.0m**) and the HKGC Tree Survey (**2056.0m**) over the **123** selected trees. This suggests the EIA Tree Survey measurements typically represent on average only three-quarters ( $1563/2056 = 76.0\%$ ) of the actual heights of trees.
- 6.5.3 In the HKGC Tree Survey, **3** trees are measured as having height achieving 25m or greater, as compared with no tree measured having height achieving 25m or greater in the EIA Tree Survey. A height of 25m or greater qualifies these trees as TPIs. (It is noted that EIA T1900 *Corymbia citriodora* is measured 25m height in full EIA Tree Survey of Sub Area 1, however, that *C. citriodora* is outside the HKGC Tree Survey boundary.)
- 6.5.4 URBIS found the average height of the 123 selected trees in the HKGC Tree Survey was **16.7m** whereas the average height for those trees in the EIA Tree Survey was **12.7m**
- 6.5.5 The largest height discrepancy found for one tree is **15.7m** – a *Eucalyptus camaldulensis* (EIA T56, HKGC T346) was recorded as 14m height in the EIA Tree Survey, whereas the actual height measured in the HKGC Tree Survey is 29.7m, which is 2.12 times the height recorded in the EIA.

## 6.6 Checking of dimensions of large individual trees – Canopy Spread (Open Areas)

- 6.6.1 URBIS has accurately measured the canopy spread of **253** selected trees located in open areas and compared these measurements within the EIA Tree Survey data provided.
- 6.6.2 The survey reveals a total of **1012.9m** difference in canopy spread between the EIA Tree Survey (**1506.0m**) and the HKGC tree survey (**2518.9m**) over these 253 selected trees. This suggests the EIA Tree Survey measurements typically represent on average only three-fifths ( $1506/2518.9 = 59.8\%$ ) of the actual canopy dimensions of trees in open areas. This has significant implications for the planning of tree protection zones and the remaining developable area. Plans based on the EIA Tree Survey will underestimate the necessary tree protection zones and overestimate the remaining developable area.
- 6.6.3 A total no. of **3 nos.** of trees were measured in the HKGC Tree Survey as having a canopy spread achieving **25m** or greater. A canopy spread of **25m** or greater qualifies these trees as TPIs. In the EIA Tree Survey no tree was recorded as having a canopy spread achieving **25m** or greater.
- 6.6.4 The average canopy spread of the 253 selected trees in open areas in the EIA Tree Survey was **6.0m** and in the HKGC Tree Survey it is **10.0m**. The largest canopy spread discrepancy for an individual tree is **16.5m**.

## 6.7 Checking of dimensions of large individual trees – Canopy Spread (Woodland Area)

- 6.7.1 URBIS have measured the canopy spread of **54** selected trees growing in and at the fringe of the woodland areas and compared these measurements within the EIA Tree Survey data provided.
- 6.7.2 A total no. of **166.1m** difference canopy spread surveyed with the EIA Tree Survey (**327.0m**) and the HKGC tree survey (**493.1m**) over the selected **54** trees. This suggests the EIA Tree Survey measurements typically represent on average only **66.3%** of the actual canopy dimensions of trees in woodland areas. This has significant implications for the planning of tree protection zones and the remaining developable area. Plans based on the EIA Tree Survey will underestimate the necessary tree protection zones and overestimate the remaining developable area.
- 6.7.3 The average canopy spread of the 54 trees in woodland areas in the EIA Tree Survey was **6.1m** and in the HKGC Tree Survey it is **9.1m**. The largest canopy spread discrepancy for an individual tree is **14m**.

## 6.8 Assessment of Amenity Value of all trees

- 6.8.1 In the assessment of amenity value, the EIA Tree Survey found that of the **1,104** trees surveyed, only **1** tree had high amenity value, **698** trees had medium amenity value and **405** trees had low amenity value.
- 6.8.2 In the HKGC Tree Survey assessment of the **1514** trees surveyed, **143** trees are found to be of high amenity value, **757** trees are of medium amenity value and **614** trees of low amenity value. This means the EIA Tree Survey assessments of high amenity value represent only **0.7%** of the assessment in the HKGC Tree Survey.
- 6.8.3 Whilst assessment of amenity value is subjective to some degree, it is based on objective properties including functional values related to size and maturity, shade-provision, seasonal interest, screening, reduction of pollution and noise, contribution as a landscape feature through size, form or other visual interest as well as fung shui significance. Given the considerable number of very large and beautiful trees on site, including 25 large TPIs, it is considered that the EIA Tree Survey's finding only one tree to be of high amenity value is indefensible in accordance with normal good practice.

## 6.9 Trees of Particular Interest

- 6.9.1 Trees of Particular Interest (TPIs) have been evaluated, measured, and photographed. Photographs are provided in **Appendices C2 and C3**.
- 6.9.2 The HKGC Tree Survey found additional **31** nos. of TPI (total **84**) that are not found in the EIA Tree Survey (**53**).
- 6.9.3 A total no. of **8** trees were evaluated as not meeting the criteria for TPI despite being presented as a TPI in the EIA Tree Survey. **One** TPI is found dead in the HKGC Tree Survey and **3** TPIs listed in the EIA Tree Schedule are found absent in EIA Tree Survey Plan and cannot be found in the HKGC Tree Survey.
- 6.9.4 In the HKGC Tree Survey an additional **12** trees not regarded as TPI in the EIA Tree Survey are found to be TPI in terms of size and/or species. Also, in the HKGC Tree Survey **31** new trees that belong to TPI are found that are not surveyed in the EIA Tree Schedule.
- 6.9.5 The HKGC Tree Survey identifies **25** TPIs qualifying through large dimensions criteria (rather than species rarity / conservation) in comparison with **20** trees being recorded as TPI by virtue of large dimensions is the

EIA Tree Survey. These **25** large TPIs are potential OVTs as defined in DEVB TC(W) No.5/2020 Registration and Preservation of Old and Valuable Trees.

6.9.6 In addition to the **25** large TPIs in HKGC survey area, there are a further **4** TPIs identified in the EIA Tree Survey located outside the re-surveyed area. This makes a grand total of **29** large TPIs within Sub Area 1, each of which is a potential OVT subject to the assessment process described in DEVB TC(W)5/2020.

6.9.7 An objective comparison of the physical characteristics of the 29 large TPIs in Sub Area 1 with existing OVTs in the Register has been undertaken on a like-for-like basis and the results are tabulated in **Appendix B2**. Accordingly, it is assessed that **25 large TPIs** at Fanling are very likely (**16**) or likely (**9**) to meet the criteria to be registered as OVTs.

6.9.8 The only other locations in Hong Kong that have similar high density of large TPIs/ OVTs in such a small area are Kowloon Park (42 OVTs) and Victoria Park (14 OVTs). In accordance with DEVB TC(W) No.5/2020, OVTs are prohibited to be removed unless dead.

## 6.10 Incorrect Mapping of Tree Locations on EIA Tree Survey Plans

6.10.1 A topographic survey was not included in the HKGC Tree Survey because it was assumed that the mapping of tree locations in the EIA Tree Survey would be accurate, however this was found not to be the case, with many trees shown on the survey plans in incorrect locations that could be clearly identified as being incorrect simply by eyeballing in relation to other physical features on site. Examples of these include; HKGC T428 is estimated to be 23m north-east of the location shown on plan, HKGC T345 is estimated to be 15.5m north-west of the location shown on plan, HKGC T379 is estimated to be 6m south of the location shown on plan, and HKGC T53 is estimated to be 6m north-west of the location shown on plan. In the HKGC Tree Survey Plans in **Appendix A3**, **63** tree locations are adjusted to show the correct locations as eyeballed in the HKGC Tree Survey, and as highlighted in colour in the drawing legends.

## 7 TREE PROTECTION ZONES

### 7.1 Tree Protection Zones for Large TPIs

7.1.1 Trees require sufficient space for the growth of canopy and root systems. The Tree Protection Zone (TPZ) is the minimum area around a tree deemed to contain sufficient roots and rooting volume to maintain the tree's viability, and where the protection of the roots and soil structure is treated as a priority. Three methods for calculating TPZs are described in the Greening, Landscape and Tree Management Section, Development Bureau – Tree Management Practice Note 1: Tree Preservation during Construction (September 2019) (GLTMS-TMP1):

- Method 1: Dripline Method – the entire area within the dripline of the canopy.
- Method 2: Trunk Diameter Method – the circular area with the radius equal to the height of the tree
- Method 3: Trunk Diameter Method – multiplying the trunk DBH by 6 to 18 to determine the radius of the TPZ. The multiplication factor relates to properties of the tree including tree species, age/size, health/vigour and site conditions.

7.1.2 The GLTMS Handbook for Tree Management, Appendix 22 "Guidelines on Tree Preservation during Development" states the following: "Under general circumstances in Hong Kong, the 'Dripline method' is adopted. However, for narrow canopied trees, the 'Tree Height Method' would be appropriate. The 'Trunk Diameter Method' would be suitable for trees which are leaning or of irregular conformation. A bigger TPZ is

usually preferred. The tolerance level of a tree may depend on tree species, age/size, health/vigour, site conditions etc. and further deliberation on factors on a case-by-case basis would be necessary".

7.1.3 Accordingly, TPZs have been calculated for each of the 29 TPIs in Sub Area 1 using a combination of Methods 1, 2 and 3, by adopting the most appropriate method for each tree, based on the unique individual characteristics of each tree. These TPZs are illustrated in **Drawing HKGC2-ADD4-TPZ-01** in **Appendix A5**.

### 7.2 Tree Protection Zones for Large TPIs and Secondary Woodland of Ecological Importance

7.2.1 In accordance with the GLTMS Guidelines for Tree Risk Assessment and Management Arrangement (9<sup>th</sup> Edition) (2022) the definition of TPIs can include:

- Trees which may arouse widespread public concerns; or
- Trees which may be subject to strong local objections on removal.

7.2.2 The Advisory Council for the Environment (ACE) have expressed concern that areas of Secondary Woodland of Ecological Importance within Sub Area 1 should be preserved. It may be considered, therefore, that ACE's request effectively qualifies the trees within these Secondary Woodlands as TPIs.

7.2.3 Therefore, a plan (drawing **HKGC2-ADD4-TPZ-02** in **Appendix A5**) has been prepared which shows the TPZs necessary to preserve the areas of Secondary Woodland of Ecological Importance in addition to the TPZs for the large TPIs.

### 7.3 Proposed PHD is Incompatible with TPZs for TPIs

7.3.1 The two plans in **Appendix A5** showing the TPZs show clearly that the proposed PHD layout is incompatible with the TPZs of **19** of the 29 large TPIs in the survey area as well as most of the Secondary Woodland of Ecological Importance.

7.3.2 Furthermore, as can be seen on the plans, construction of the PHD would inevitably require the removal of **16** of the 29 large TPIs and most of the Secondary Woodland of Ecological Importance due to clashes with building and road footprints, (and this is notwithstanding all the associated underground services and utilities that would need to be constructed in the spaces between the buildings).

7.3.3 Each of these large TPIs is a potential OVT, subject to assessment under DEVB TC(W)5/2020, and removal of living OVTs is prohibited under DEVB TC(W)5/2020.

7.3.4 The widespread distribution of the TPIs through-out Sub Area 1 renders the remaining developable areas to be too small, too dispersed and of impractical shapes for the viable development of a PHD.

7.3.5 If this information had been known during the deliberations of the Task Force for Land Supply (TFLS) in 2017-18, it is highly doubted that this site would have been proposed by the TFLS as a potential site for a PHD.

## 8 SUMMARY AND CONCLUSION

8.1.1 Comparative analysis of the EIA Tree Survey results and the HKGC Tree Survey results reveals that the EIA Tree Survey is a very flawed document with significant inaccuracies in all aspects of the tree survey including the omission of a very large number of trees, numerous errors in species identification (including rare or



- protected species), imprecise to wildly inaccurate tree location plotting on plans, and imprecise to wildly inaccurate tree dimensions (girth, height and canopy spread).
- 8.1.2 The HKGC Tree Survey has found **460** new trees not recorded in the EIA Tree Survey. It is estimated that **156** of these may have been undersize (less than 95mmDBH) in 2021 and so legitimately not recorded in the EIA Tree Survey, however the remaining **304** trees are far too big to have been undersize in 2021 so were clearly omitted from the EIA Tree Survey in error. Some of the omitted trees are very big trees, two of them are over 25m high and therefore qualify as Trees of Particular Interest (TPIs). The EIA Tree Survey therefore recorded only three-quarters of the actual number of trees present on site in 2021 ( $1104/(1104+304) = 78.4\%$ ). It seems inconceivable that so many trees could be missed in a competent professional tree survey. This is a very serious misrepresentation of the tree quantity in the survey area.
- 8.1.3 The HKGC Tree Survey has found **26** more rare and/or protected trees (total **59**) than were recorded in the EIA Tree Survey (**33**). The EIA Tree Survey therefore recorded only slightly more than half of the total number of rare and/or protected trees in the survey area ( $33/59 = 55.9\%$ ). This is a very serious misrepresentation of the quantity of rare and/or protected species in the survey area.
- 8.1.4 The HKGC Tree Survey found **31** more TPIs (total **84**) than recorded in the EIA Tree Survey (**53**). The EIA Tree Survey therefore recorded only three-fifths of the total **number** of TPIs ( $53/84 = 63.1\%$ ). This is a serious misrepresentation of the quantity of TPIs in the survey area.
- 8.1.5 Of the **84** TPIs identified in the HKGC Tree Survey, **25** are TPIs due to their large size which is **5** more large TPIs than identified in the EIA Tree Survey (**20**). These **25** large TPIs are potential OVTs as defined in DEVB TC(W) No.5/2020 Registration and Preservation of Old and Valuable Trees. The EIA Tree Survey therefore recorded only four-fifths of the large TPIs ( $20/25 = 80\%$ ) in the survey area. This is a serious misrepresentation of the quantity of large TPIs on site which has significant implications for the planning of tree protection zones, and the consequent identification of remaining areas suitable for development of the PHD. In addition to the **25** large TPIs in the HKGC survey area, there are another **4** large TPIs identified in the EIA Tree Survey that are located outside the area re-surveyed in the HKGC Tree Survey, making a grand total of **29** Large TPIs in Sub Area 1. By objective comparison with existing OVTs in the Register on a like-for-like basis (see **Appendix B2**), it is assessed that **25 large TPIs** at Fanling are very likely (**16**) or likely (**9**) to meet the criteria to be registered. The only other locations in Hong Kong that have similar high density of large TPIs/ OVTs in such a small area are Kowloon Park (42 OVTs) and Victoria Park (14 OVTs).
- 8.1.6 Many trees shown on the EIA Tree Survey Plans are plotted in incorrect locations that could be clearly identified as being incorrect simply by eyeballing in relation to other physical features on site. In the HKGC Tree Survey Plans in **Appendix A3**, **63** tree locations are adjusted to show the corrected locations.
- 8.1.7 The HKGC Tree Survey measured DBH of all trees accurately using tape measure. The HKGC Tree Survey DBH measurements vary from the EIA Tree Survey measurements in degrees ranging from small to very large differences exceeding 300mm. An increase of **93.00m** total DBH of trees is measured in the HKGC Tree Survey (426.856m from 1514 trees) compared with the EIA Tree Survey (333.850m from 1104 trees). It is estimated an increase of, at most, 39.08m DBH may be attributable to tree growth since February 2021 (see **section 6.4** for explanation), meaning that the EIA Tree Survey underestimated the total DBH of trees on site in February 2021 by at least **53.20m** or **12.46%**. This is a significant misrepresentation of the tree quality on site.
- 8.1.8 The HKGC Tree Survey measured the height of 123 selected large trees and compared these measurements with the EIA Tree Survey data. The height dimensions in the EIA Tree Survey are consistently significantly less than the actual dimensions as recorded in the HKGC Tree Survey. A total of **493.0m** difference in height is recorded between the EIA Tree Survey (**1563.0m**) and the HKGC Tree Survey (**2056.0m**) over the 123 selected trees. This suggests the EIA Tree Survey measurements typically represent on average only three quarters ( $1563/2056 = 76.0\%$ ) of the actual heights of trees. In some instances, the height recorded in the EIA Tree Survey was less than half the actual tree height and errors in height dimensions of up **15.7m** are recorded. All these errors represent a very serious misrepresentation of the tree quality on site.
- 8.1.9 The HKGC Tree Survey accurately recorded with measuring tape the canopy spread of 253 selected trees in open areas and 54 selected trees growing in, and on the fringe of, woodland areas and compared these measurements with the EIA Tree Survey data. The canopy spreads in the EIA Tree Survey are consistently significantly less than those measured in the HKGC Tree Survey. The EIA Tree Survey measurements represent on average only **59.8%** of the actual canopy dimensions of trees in open areas; and only **66.3%** of the actual canopy dimensions of trees in woodland areas which is a very serious misrepresentation of the tree qualities in the survey area. This has significant implications for the planning of tree protection zones (TPZs) and the consequent area of remaining developable land outside the TPZs (see plans in **Appendix A5**). Development proposals based on the highly inaccurate EIA Tree Survey will seriously underestimate the necessary TPZs and seriously overestimate the remaining developable areas.
- 8.1.10 In the HKGC Tree Survey assessment of the **1514** trees surveyed, **143** trees are found to be of high amenity value, whereas in the EIA Tree Survey, out of **1104** tree surveyed, only **1** is identified as having high amenity value. Whilst there is some subjectivity involved in the assessment of amenity value, it is based on easily understood criteria (see **paragraph 3.5.7**) and given the considerable number of large and attractive trees in the survey area, including 29 large TPIs in Sub Area 1, the EIA Tree Survey assessment is a gross under-assessment and misrepresentation of the true amenity value of the existing trees.
- 8.1.11 Tree Protection Zones (TPZs) calculated in accordance with DEVB Greening, Landscape and Tree Management Section's Guidelines of Tree Preservation during Development, have been determined for the 25 large TPIs in the HKGC survey area, as well as for 4 other TPIs identified in the EIA Tree Survey that are located outside the area re-surveyed in the HKGC Tree Survey, and these TPZs for all 29 large TPIs are illustrated on the plans in **Appendix A5**. These plans show clearly that the proposed PHD layout is incompatible with the TPZs of **19** of the 29 large TPIs in the survey area and furthermore would inevitably require the removal of **16** of the 29 large TPIs due to clashes with building and road footprints. Each of these large TPIs is a potential OVT, subject to assessment under DEVB TC(W)5/2020, and removal of living OVTs is prohibited under DEVB TC(W)5/2020.
- 8.1.12 In conclusion, the very large number of serious omissions and errors in the EIA Tree Survey render it a wholly inaccurate survey that is a very serious misrepresentation (undervaluation) of both the quantity and quality of trees in the Survey area. The EIA Tree Survey is therefore not a reliable document upon which to base the objective assessment of the significance of tree impacts and landscape impacts caused by the proposed PHD, the identification of appropriate levels of tree compensation, the planning of TPZs, nor the consequent identification of remaining areas outside the TPZs that are suitable for development of the PHD.
- 8.1.13 The proposed PHD development would create far greater tree impacts and landscape impacts than were identified in the EIA, including the removal of 16 large TPIs and most of the Secondary Woodland of Ecological Importance, and it may be surmised that if this information had been made available to the Task Force for Land Supply in 2017-2018, the TFLS would not have earmarked this site for potential housing development.



- 8.1.14 As a result of the serious errors and omissions in the EIA Tree Survey and consequent error-strewn assessment in the LVIA (and notwithstanding the many other unrelated significant errors and omissions in the LVIA that have been previously identified in the Technical Review of the Landscape and Visual Impact Assessment of the Partial Development of Fanling Golf Course, dated June 2022) the EIA should be rejected because it cannot be considered a believable or reliable document and it does not provide the Advisory Council on the Environment and Director of Environmental Protection with a sound basis for a rational decision.



---

# Appendix A

## Drawings

A1 – EIA Tree Survey

A2 – Extent of Tree Survey

A3 – HKGC Tree Survey

A4 – Tree Survey Comparative Analysis

A5 – Tree Protection Zones



---

# Appendix A1

## EIA Tree Survey

HKGC2-ADD4-TS21 - Tree Survey Plan [EIA Submission] (Sheet 1 of 9)
HKGC2-ADD4-TS22 - Tree Survey Plan [EIA Submission] (Sheet 2 of 9)
HKGC2-ADD4-TS23 - Tree Survey Plan [EIA Submission] (Sheet 3 of 9)
HKGC2-ADD4-TS24 - Tree Survey Plan [EIA Submission] (Sheet 4 of 9)
HKGC2-ADD4-TS25 - Tree Survey Plan [EIA Submission] (Sheet 5 of 9)
HKGC2-ADD4-TS26 - Tree Survey Plan [EIA Submission] (Sheet 6 of 9)
HKGC2-ADD4-TS27 - Tree Survey Plan [EIA Submission] (Sheet 7 of 9)
HKGC2-ADD4-TS28 - Tree Survey Plan [EIA Submission] (Sheet 8 of 9)
HKGC2-ADD4-TS29 - Tree Survey Plan [EIA Submission] (Sheet 9 of 9)
HKGC2-ADD4-TS11 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 1 of 9)
HKGC2-ADD4-TS12 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 2 of 9)
HKGC2-ADD4-TS13 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 3 of 9)
HKGC2-ADD4-TS14 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 4 of 9)
HKGC2-ADD4-TS15 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 5 of 9)
HKGC2-ADD4-TS16 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 6 of 9)
HKGC2-ADD4-TS17 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 7 of 9)
HKGC2-ADD4-TS18 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 8 of 9)
HKGC2-ADD4-TS19 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 9 of 9)



---

## Appendix A2

# Extent of Tree Survey

HKGC2-ADD4-SE01 – Extent of Tree Survey



---

# Appendix A3

## HKGC Tree Survey

- HKGC2-ADD4-TS01 - HKGC Tree Survey Plan (Sheet 1 of 9)
- HKGC2-ADD4-TS02 - HKGC Tree Survey Plan (Sheet 2 of 9)
- HKGC2-ADD4-TS03 - HKGC Tree Survey Plan (Sheet 3 of 9)
- HKGC2-ADD4-TS04 - HKGC Tree Survey Plan (Sheet 4 of 9)
- HKGC2-ADD4-TS05 - HKGC Tree Survey Plan (Sheet 5 of 9)
- HKGC2-ADD4-TS06 - HKGC Tree Survey Plan (Sheet 6 of 9)
- HKGC2-ADD4-TS07 - HKGC Tree Survey Plan (Sheet 7 of 9)
- HKGC2-ADD4-TS08 - HKGC Tree Survey Plan (Sheet 8 of 9)
- HKGC2-ADD4-TS09 - HKGC Tree Survey Plan (Sheet 9 of 9)



# Appendix A4

## Tree Survey Comparative Analysis

- HKGC2-ADD4-TS31 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 1 of 9)
- HKGC2-ADD4-TS32 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 2 of 9)
- HKGC2-ADD4-TS33 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 3 of 9)
- HKGC2-ADD4-TS34 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 4 of 9)
- HKGC2-ADD4-TS35 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 5 of 9)
- HKGC2-ADD4-TS36 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 6 of 9)
- HKGC2-ADD4-TS37 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 7 of 9)
- HKGC2-ADD4-TS38 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 8 of 9)
- HKGC2-ADD4-TS39 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 9 of 9)
- HKGC2-ADD4-TS41 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 1 of 9)
- HKGC2-ADD4-TS42 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 2 of 9)
- HKGC2-ADD4-TS43 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 3 of 9)
- HKGC2-ADD4-TS44 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 4 of 9)
- HKGC2-ADD4-TS45 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 5 of 9)
- HKGC2-ADD4-TS46 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 6 of 9)
- HKGC2-ADD4-TS47 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 7 of 9)
- HKGC2-ADD4-TS48 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 8 of 9)
- HKGC2-ADD4-TS49 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 9 of 9)
- HKGC2-ADD4-TS51 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 1 of 9)
- HKGC2-ADD4-TS52 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 2 of 9)
- HKGC2-ADD4-TS53 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 3 of 9)
- HKGC2-ADD4-TS54 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 4 of 9)
- HKGC2-ADD4-TS55 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 5 of 9)
- HKGC2-ADD4-TS56 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 6 of 9)
- HKGC2-ADD4-TS57 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 7 of 9)
- HKGC2-ADD4-TS58 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 8 of 9)
- HKGC2-ADD4-TS59 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 9 of 9)





---

# Appendix A5

## Tree Protection Zones

HKGC2-ADD4-TPZ-01 - Remaining Developable Area after Preservation of Large TPIs  
HKGC2-ADD4-TPZ-02 - Remaining Developable Area after Preservation of Large TPIs & Secondary Woodland of Ecological Importance

---

## Appendix B

# Tree Assessment Schedules

B1 – HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

B2 – Assessment of the Likelihood for Large Trees of Particular Interest in Sub Area 1 to be Registered as Old and Valuable Trees

## Appendix B1

---

### HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule



## Appendix B2

---

# Assessment of the Likelihood for Large Trees of Particular Interest in Sub Area 1 to be Registered as Old and Valuable Trees

---

## Appendix C

# Tree Survey Photographs

C1 – Photographs of Trees Absent in EIA Tree Survey and Found in HKGC Tree Survey (Not Trees of Particular Interest)

C2 – Photographs of Trees Regarded as TPIs in Terms of Size in HKGC Tree Survey

C3 – Photographs of Trees Regarded as TPIs in Terms of Status as Rare and Protected Species in HKGC Tree Survey

## Appendix C1

---

### Photographs of Trees Absent in EIA Tree Survey and Found in HKGC Tree Survey (Not Trees of Particular Interest)

## Appendix C2

---

### Photographs of Trees Regarded as TPIs in Terms of Size in HKGC Tree Survey



## Appendix C3

---

### Photographs of Trees Regarded as TPIs in Terms of Status as Rare and Protected Species in HKGC Tree Survey



---

## Appendix A Drawings

A1 – EIA Tree Survey

A2 – Extent of Tree Survey

A3 – HKGC Tree Survey

A4 – Tree Survey Comparative Analysis

A5 - Tree Protection Zones














---



# Appendix A1


## EIA Tree Survey

HKGC2-ADD4-TS21 - Tree Survey Plan [EIA Submission] (Sheet 1 of 9)  
HKGC2-ADD4-TS22 - Tree Survey Plan [EIA Submission] (Sheet 2 of 9)  
HKGC2-ADD4-TS23 - Tree Survey Plan [EIA Submission] (Sheet 3 of 9)  
HKGC2-ADD4-TS24 - Tree Survey Plan [EIA Submission] (Sheet 4 of 9)  
HKGC2-ADD4-TS25 - Tree Survey Plan [EIA Submission] (Sheet 5 of 9)  
HKGC2-ADD4-TS26 - Tree Survey Plan [EIA Submission] (Sheet 6 of 9)  
HKGC2-ADD4-TS27 - Tree Survey Plan [EIA Submission] (Sheet 7 of 9)  
HKGC2-ADD4-TS28 - Tree Survey Plan [EIA Submission] (Sheet 8 of 9)  
HKGC2-ADD4-TS29 - Tree Survey Plan [EIA Submission] (Sheet 9 of 9)  
HKGC2-ADD4-TS11 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 1 of 9)  
HKGC2-ADD4-TS12 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 2 of 9)  
HKGC2-ADD4-TS13 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 3 of 9)  
HKGC2-ADD4-TS14 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 4 of 9)  
HKGC2-ADD4-TS15 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 5 of 9)  
HKGC2-ADD4-TS16 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 6 of 9)  
HKGC2-ADD4-TS17 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 7 of 9)  
HKGC2-ADD4-TS18 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 8 of 9)  
HKGC2-ADD4-TS19 Discrepancies in the Tree Survey Plan [EIA Submission] (Sheet 9 of 9)



-  POTENTIAL DEVELOPMENT AREA
-  SUB-AREA 1 OF POTENTIAL DEVELOPMENT AREA
-  EXISTING TREES OTHER THAN TREES OF PARTICULAR INTEREST TO BE RETAINED
-  EXISTING TREES OTHER THAN TREES OF PARTICULAR INTEREST TO BE REMOVED
-  TREES OF PARTICULAR INTEREST (MATURE TREE WITH DBH  $\geq 1m$ ) TO BE RETAINED
-  TREES OF PARTICULAR INTEREST (MATURE TREE WITH DBH  $\geq 1m$ ) TO BE REMOVED
-  TREES OF PARTICULAR INTEREST (MATURE TREE WITH DBH  $> 1m$ ) TO BE TRANSPLANTED
-  TREES OF PARTICULAR INTEREST (RARE/PROTECTED TREE SPECIES WITH DBH  $\geq 1m$ ) TO BE RETAINED
-  TREES OF PARTICULAR INTEREST (RARE/PROTECTED TREE SPECIES WITH DBH  $\geq 1m$ ) TO BE TRANSPLANTED
-  TREES OF PARTICULAR INTEREST (RARE/PROTECTED TREE SPECIES WITH DBH  $< 95mm$ ) TO BE RETAINED
-  TREES OF PARTICULAR INTEREST (RARE/PROTECTED TREE SPECIES WITH DBH  $< 95mm$ ) TO BE TRANSPLANTED




						<b>Job Title</b> TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				<b>Drawing No.</b>  HKGC2-ADD4-TS21		<div> <b>Urbis</b> Limited</div> <div>Planning, Urban Design, Landscape, Golf &amp; Environmental Consultant Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8600</div>		
						<b>Drawing Title</b> TREE SURVEY PLAN (EIA SUBMISSION) (SHEET 1 OF 9)				<b>Scale</b>  1:500 @A3				
<b>Amendment No.</b>	<b>Date</b>	<b>Description</b>	<b>Drawn by</b>	<b>Checked by</b>	<b>Approved by</b>	<b>Drawn by</b>	<b>AL</b>	<b>Checked by</b>	<b>BL</b>	<b>Approved by</b>	<b>AD</b>	<b>Date</b> APR 2023	<b>Job. No.</b> HKGC2-ADD4	


**Urbia**  **Limite**

Planning, Urban Design, Landscape, Golf & Environmental Consultants  
 Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8611





- LEGEND ACCORDING TO EIA SUBMISSION :
- POTENTIAL DEVELOPMENT AREA
  - SUB-AREA 1 OF POTENTIAL DEVELOPMENT AREA
  - EXISTING TREES OTHER THAN TREES OF PARTICULAR INTEREST TO BE RETAINED
  - EXISTING TREES OTHER THAN TREES OF PARTICULAR INTEREST TO BE REMOVED
  - TREES OF PARTICULAR INTEREST (MATURE TREE WITH DBH ≥ 1m) TO BE RETAINED
  - TREES OF PARTICULAR INTEREST (MATURE TREE WITH DBH ≥ 1m) TO BE REMOVED
  - TREES OF PARTICULAR INTEREST (MATURE TREE WITH DBH > 1m) TO BE TRANSPLANTED
  - TREES OF PARTICULAR INTEREST (RARE/PROTECTED TREE SPECIES WITH DBH ≥ 1m) TO BE RETAINED
  - TREES OF PARTICULAR INTEREST (RARE/PROTECTED TREE SPECIES WITH DBH ≥ 1m) TO BE TRANSPLANTED
  - TREES OF PARTICULAR INTEREST (RARE/PROTECTED TREE SPECIES WITH DBH < 95mm) TO BE RETAINED
  - TREES OF PARTICULAR INTEREST (RARE/PROTECTED TREE SPECIES WITH DBH < 95mm) TO BE TRANSPLANTED

						Job Title				TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				Drawing No.		<div><p>Planning, Urban Design, Landscape, Golf &amp; Environmental Consultants Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662</p></div>
														HKGC2-ADD4-TS22		
						Drawing Title				TREE SURVEY PLAN (EIA SUBMISSION) (SHEET 2 OF 9)				Scale		
														1:500 @A3		
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4	








						Job Title				Drawing No.				 <b>Planning, Urban Design, Landscape, Golf &amp; Environmental Consultants</b> Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662	
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS24					
						Drawing Title				Scale					
						TREE SURVEY PLAN (EIA SUBMISSION) (SHEET 4 OF 9)				1:500 @A3					
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4






















						Job Title				Drawing No.			
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS11			
						Drawing Title				Scale			
						DISCREPANCIES IN THE TREE SURVEY PLAN (EIA SUBMISSION) (SHEET 1 OF 9)				1:500 @A3			
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023
												Job. No.	HKGC2-ADD4




							Job Title				Drawing No.		<div> <b>Urban Limited</b> Planning, Urban Design, Landscape, Golf &amp; Environmental Consultants Urban Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662</div>		
							TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS12				
							Drawing Title				Scale				
							DISCREPANCIES IN THE TREE SURVEY PLAN (EIA SUBMISSION) (SHEET 2 OF 9)				1:500 @A3				
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4







						Job Title				TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				Drawing No.		 <b>Planning, Urban Design, Landscape, Golf &amp; Environmental Consultants</b> Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662
														HKGC2-ADD4-TS14		
						Drawing Title				DISCREPANCIES IN THE TREE SURVEY PLAN (EIA SUBMISSION) (SHEET 4 OF 9)				Scale		
														1:500 @A3		
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4	

Planning, Urban Design, Landscape, Golf & Environmental Consultants

Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662














LEGEND :

- POTENTIAL DEVELOPMENT AREA
- EIA TREE SURVEY BOUNDARY - SUB AREA 1
- HKGC TREE SURVEY BOUNDARY

- TREES REGARDED AS TPIS IN EIA TREE SURVEY AND CONFIRMED DURING THE SURVEY IN HKGC TREE SURVEY
- TREE REGARDED AS TPI IN EIA TREE SURVEY BUT DISQUALIFIED IN HKGC TREE SURVEY
- TREE NOT REGARDED AS TPI IN EIA TREE SURVEY BUT CONFIRMED IN HKGC TREE SURVEY TO BE ONE

- TREE IN EIA TREE SURVEY FOUND REMOVED/FELLED/COLLAPSED IN HKGC TREE SURVEY
- TREES IN EIA TREE SURVEY BUT FOUND DEAD IN HKGC TREE SURVEY
- TREE IN EIA TREE SURVEY THAT FOUND TO BE SAME AS ANOTHER IN HKGC TREE SURVEY
- TREE IN EIA TREE SURVEY THAT NOT BELONGS TO RARE AND PROTECTED SPECIES FOUND UNDERSIZED (LESS THAN 95MM DBH) IN HKGC TREE SURVEY
- UNDERSIZED RARE AND PROTECTED SPECIES FOUND DEAD IN HKGC TREE SURVEY

- TREE WITH SPECIES WRONGLY IDENTIFIED IN EIA TREE SURVEY AND CORRECTED IN HKGC TREE SURVEY
- TREE IN EIA TREE SURVEY FOUND MISSING IN URBIS TREE SURVEY
- TREE MISTAKENLY DRAWN ON EIA TREE SURVEY PLAN THAT SHARE THE TREE NUMBER WITH ANOTHER TREE
- TREE IDENTIFIED TO GENUS LEVEL IN EIA TREE SURVEY AND IDENTIFIED TO SPECIES LEVEL IN HKGC TREE SURVEY
- TREE WITH SPECIES WRONGLY IDENTIFIED IN EIA TREE SURVEY AND CORRECTED IN HKGC TREE SURVEY

Amendment No.	Date	Description	Drawn by	Checked by	Approved by


Job Title					
TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE					
Drawing Title					
DISCREPANCIES IN THE TREE SURVEY PLAN (EIA SUBMISSION) (SHEET 8 OF 9)					
Drawn by	AL	Checked by	BL	Approved by	AD
Date	APR 2023				

Drawing No.	HKGC2-ADD4-TS18
Scale	1:500 @A3
Job. No.	HKGC2-ADD4

Planning, Urban Design, Landscape, Golf & Environmental Consultants

Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662






LEGEND :

- POTENTIAL DEVELOPMENT AREA
- EIA TREE SURVEY BOUNDARY - SUB AREA 1
- HKGC TREE SURVEY BOUNDARY
- TREES REGARDED AS TPIS IN EIA TREE SURVEY AND CONFIRMED DURING THE SURVEY IN HKGC TREE SURVEY
- TREE REGARDED AS TPI IN EIA TREE SURVEY BUT DISQUALIFIED IN HKGC TREE SURVEY
- TREE NOT REGARDED AS TPI IN EIA TREE SURVEY BUT CONFIRMED IN HKGC TREE SURVEY TO BE ONE
- TREE IN EIA TREE SURVEY FOUND REMOVED/FELLED/COLLAPSED IN HKGC TREE SURVEY
- TREES IN EIA TREE SURVEY BUT FOUND DEAD IN HKGC TREE SURVEY
- TREE IN EIA TREE SURVEY THAT FOUND TO BE SAME AS ANOTHER IN HKGC TREE SURVEY
- TREE IN EIA TREE SURVEY THAT NOT BELONGS TO RARE AND PROTECTED SPECIES FOUND UNDERSIZED (LESS THAN 95MM DBH) IN HKGC TREE SURVEY
- UNDERSIZED RARE AND PROTECTED SPECIES FOUND DEAD IN HKGC TREE SURVEY
- TREE WITH SPECIES WRONGLY IDENTIFIED IN EIA TREE SURVEY AND CORRECTED IN HKGC TREE SURVEY
- TREE IN EIA TREE SURVEY FOUND MISSING IN URBIS TREE SURVEY
- TREE MISTAKENLY DRAWN ON EIA TREE SURVEY PLAN THAT SHARE THE TREE NUMBER WITH ANOTHER TREE
- TREE IDENTIFIED TO GENUS LEVEL IN EIA TREE SURVEY AND IDENTIFIED TO SPECIES LEVEL IN HKGC TREE SURVEY
- TREE WITH SPECIES WRONGLY IDENTIFIED IN EIA TREE SURVEY AND CORRECTED IN HKGC TREE SURVEY

KEY PLAN

						Job Title				Drawing No.		 <b>Planning, Urban Design, Landscape, Golf &amp; Environmental Consultants</b> Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662			
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS19					
						Drawing Title				Scale					
						DISCREPANCIES IN THE TREE SURVEY PLAN (EIA SUBMISSION) (SHEET 9 OF 9)				1:500 @A3					
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4

I:\HKGC2\JWG-GA\ADD4\HKGC2-ADD4-TS19.dwg, 21-04-2023 12:31 PM, andrew, DWG To PDF.pc3, 1:1




---

## Appendix A2

### Extent of Tree Survey

HKGC2-ADD4-SE01 – Extent of Tree Survey



						Job Title				Drawing No.				 <b>Planning, Urban Design, Landscape, Golf &amp; Environmental Consultants</b> Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662	
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-SE01					
						Drawing Title				Scale					
						EXTENT OF TREE SURVEY				1:500 @A3					
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4



---

# Appendix A3


## HKGC Tree Survey

- HKGC2-ADD4-TS01 - HKGC Tree Survey Plan (Sheet 1 of 9)
- HKGC2-ADD4-TS02 - HKGC Tree Survey Plan (Sheet 2 of 9)
- HKGC2-ADD4-TS03 - HKGC Tree Survey Plan (Sheet 3 of 9)
- HKGC2-ADD4-TS04 - HKGC Tree Survey Plan (Sheet 4 of 9)
- HKGC2-ADD4-TS05 - HKGC Tree Survey Plan (Sheet 5 of 9)
- HKGC2-ADD4-TS06 - HKGC Tree Survey Plan (Sheet 6 of 9)
- HKGC2-ADD4-TS07 - HKGC Tree Survey Plan (Sheet 7 of 9)
- HKGC2-ADD4-TS08 - HKGC Tree Survey Plan (Sheet 8 of 9)
- HKGC2-ADD4-TS09 - HKGC Tree Survey Plan (Sheet 9 of 9)















						Job Title	TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				Drawing No.	HKGC2-ADD4-TS03			
						Drawing Title	HKGC TREE SURVEY PLAN (SHEET 3 OF 9)				Scale	1:500 @A3			
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4




Planning, Urban Design, Landscape, Golf & Environmental Consultants  
Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662





KEY PLAN

- LEGEND :
- EIA TREE SURVEY BOUNDARY - SUB AREA 1
  - HKGC TREE SURVEY BOUNDARY
  - EXISTING TREE THAT PRESENT IN BOTH EIA AND HKGC TREE SURVEY
  - TREE REGARDED AS TPI (IN TERMS OF SIZE) IN EIA TREE SURVEY AND CONFIRMED IN HKGC TREE SURVEY
  - TREE REGARDED AS RARE AND PROTECTED SPECIES IN EIA TREE SURVEY AND CONFIRMED IN HKGC TREE SURVEY
  - TREE REGARDED AS TPI IN EIA TREE SURVEY BUT DISQUALIFIED IN HKGC TREE SURVEY
  - TREE NOT REGARDED AS TPI (IN TERMS OF SIZE) IN EIA TREE SURVEY BUT CONFIRMED IN HKGC TREE SURVEY TO BE ONE
  - TREE NOT REGARDED AS RARE AND PROTECTED SPECIES IN EIA TREE SURVEY BUT CONFIRMED IN HKGC TREE SURVEY TO BE ONE
  - TREE ALIVE IN EIA TREE SURVEY BUT FOUND DEAD IN HKGC TREE SURVEY
  - TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY
  - TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (TPI IN TERMS OF SIZE)
  - TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (RARE AND PROTECTED SPECIES)
  - TREE FOUND ABSENT IN EIA TREE SURVEY SCHEDULE BUT PRESENT IN EIA TREE SURVEY PLAN AND FOUND IN HKGC TREE SURVEY
  - TREE IDENTIFIED TO GENUS LEVEL IN EIA TREE SURVEY AND IDENTIFIED TO SPECIES LEVEL IN HKGC TREE SURVEY
  - T346 TREE WITH SPECIES WRONGLY IDENTIFIED IN EIA TREE SURVEY AND CORRECTED IN HKGC TREE SURVEY
  - T345 TREE WITH LOCATION WRONGLY PLACED IN EIA TREE SURVEY AND CORRECTED IN HKGC TREE SURVEY
  - T1401 TREE PRESENT IN EIA SCHEDULE, FOUND ON SITE IN URBIS TREE SURVEY BUT NOT IN THE EIA PLAN
  - T259 TREE THAT BELONGS TO INVASIVE SPECIES IN HKGC TREE SURVEY




				Job Title				Drawing No.			
				TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS04			
				Drawing Title				Scale			
				HKGC TREE SURVEY PLAN (SHEET 4 OF 9)				1:500 @A3			
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	Checked by	Approved by	AD	Date	Job. No.
						AL	BL			APR 2023	HKGC2-ADD4

Planning, Urban Design, Landscape, Golf & Environmental Consultants  
Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662










						Job Title						Drawing No.					
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE						HKGC2-ADD4-TS06					
						Drawing Title						Scale					
						HKGC TREE SURVEY PLAN (SHEET 6 OF 9)						1:500 @A3					
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4	<div>URBIA Limited</div> <div>Planning, Urban Design, Landscape, Golf &amp; Environmental Consultants</div> <div>Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662</div>	






LEGEND :					
--- EIA TREE SURVEY BOUNDARY - SUB AREA 1					
--- HKGC TREE SURVEY BOUNDARY					
●	EXISTING TREE THAT PRESENT IN BOTH EIA AND HKGC TREE SURVEY				
●	TREE REGARDED AS TPI (IN TERMS OF SIZE) IN EIA TREE SURVEY AND CONFIRMED IN HKGC TREE SURVEY				
●	TREE REGARDED AS RARE AND PROTECTED SPECIES IN EIA TREE SURVEY AND CONFIRMED IN HKGC TREE SURVEY				
●	TREE REGARDED AS TPI IN EIA TREE SURVEY BUT DISQUALIFIED IN HKGC TREE SURVEY				
●	TREE NOT REGARDED AS TPI (IN TERMS OF SIZE) IN EIA TREE SURVEY BUT CONFIRMED IN HKGC TREE SURVEY TO BE ONE				
●	TREE NOT REGARDED AS RARE AND PROTECTED SPECIES IN EIA TREE SURVEY BUT CONFIRMED IN HKGC TREE SURVEY TO BE ONE				
●	TREE ALIVE IN EIA TREE SURVEY BUT FOUND DEAD IN HKGC TREE SURVEY				
●	TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY				
●	TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (TPI IN TERMS OF SIZE)				
●	TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (RARE AND PROTECTED SPECIES)				
●	TREE FOUND ABSENT IN EIA TREE SURVEY SCHEDULE BUT PRESENT IN EIA TREE SURVEY PLAN AND FOUND IN HKGC TREE SURVEY				
●	TREE IDENTIFIED TO GENUS LEVEL IN EIA TREE SURVEY AND IDENTIFIED TO SPECIES LEVEL IN HKGC TREE SURVEY				
T346	TREE WITH SPECIES WRONGLY IDENTIFIED IN EIA TREE SURVEY AND CORRECTED IN HKGC TREE SURVEY				
T345	TREE WITH LOCATION WRONGLY PLACED IN EIA TREE SURVEY AND CORRECTED IN HKGC TREE SURVEY				
T1401	TREE PRESENT IN EIA SCHEDULE, FOUND ON SITE IN URBIS TREE SURVEY BUT NOT IN THE EIA PLAN				
T259	TREE THAT BELONGS TO INVASIVE SPECIES IN HKGC TREE SURVEY				

						Job Title				Drawing No.			
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS07			
						Drawing Title				Scale			
						HKGC TREE SURVEY PLAN (SHEET 7 OF 9)				1:500 @A3			
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023
										Job. No. HKGC2-ADD4			

Planning, Urban Design, Landscape, Golf & Environmental Consultants  
Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662





LEGEND :

- EIA TREE SURVEY BOUNDARY - SUB AREA 1
- - - - - URBIS SURVEY BOUNDARY
- EXISTING TREE THAT PRESENT IN BOTH EIA AND HKGC TREE SURVEY
- TREE REGARDED AS TPI (IN TERMS OF SIZE) IN EIA TREE SURVEY AND CONFIRMED IN HKGC TREE SURVEY

- TREE REGARDED AS RARE AND PROTECTED PECIES IN EIA TREE SURVEY AND CONFIRMED IN HKGC TREE SURVEY
- TREE REGARDED AS TPI IN EIA TREE SURVEY BUT DISQUALIFIED IN HKGC TREE SURVEY
- TREE NOT REGARDED AS TPI (IN TERMS OF SIZE) IN EIA TREE SURVEY BUT CONFIRMED IN HKGC TREE SURVEY TO BE ONE

- TREE NOT REGARDED AS RARE AND PROTECTED SPECIES IN EIA TREE SURVEY BUT CONFIRMED IN HKGC TREE SURVEY TO BE ONE
- TREE ALIVE IN EIA TREE SURVEY BUT FOUND DEAD IN HKGC TREE SURVEY
- TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY
- TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (TPI IN TERMS OF SIZE)

- TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (RARE AND PROTECTED SPECIES)
- TREE FOUND ABSENT IN EIA TREE SURVEY SCHEDULE BUT PRESENT IN EIA TREE SURVEY PLAN AND FOUND IN HKGC TREE SURVEY
- TREE IDENTIFIED TO GENUS LEVEL IN EIA TREE SURVEY AND IDENTIFIED TO SPECIES LEVEL IN HKGC TREE SURVEY

- T346 TREE WITH SPECIES WRONGLY IDENTIFIED IN EIA TREE SURVEY AND CORRECTED IN HKGC TREE SURVEY
- T345 TREE WITH LOCATION WRONGLY PLACED IN EIA TREE SURVEY AND CORRECTED IN HKGC TREE SURVEY
- T1401 TREE PRESENT IN EIA SCHEDULE, FOUND ON SITE IN URBIS TREE SURVEY BUT NOT IN THE EIA PLAN
- T259 TREE THAT BELONGS TO INVASIVE SPECIES IN HKGC TREE SURVEY

Amendment No.	Date	Description	Drawn by	Checked by	Approved by


Job Title	TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				
Drawing Title	HKGC TREE SURVEY PLAN (SHEET 8 OF 9)				
Drawn by	AL	Checked by	BL	Approved by	AD
Date	APR 2023				

Drawing No.	HKGC2-ADD4-TS08
Scale	1:500 @A3
Job. No.	HKGC2-ADD4



Planning, Urban Design, Landscape, Golf & Environmental Consultants  
Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662





				Job Title				Drawing No.			
				TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS09			
				Drawing Title				Scale			
				HKGC TREE SURVEY PLAN (SHEET 9 OF 9)				1:500 @A3			
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD
				Date				Job. No.			
				APR 2023				HKGC2-ADD4			

Planning, Urban Design, Landscape, Golf & Environmental Consultants  
Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662

---

## Appendix A4

# Tree Survey Comparative Analysis

HKGC2-ADD4-TS31 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 1 of 9)  
HKGC2-ADD4-TS32 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 2 of 9)  
HKGC2-ADD4-TS33 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 3 of 9)  
HKGC2-ADD4-TS34 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 4 of 9)  
HKGC2-ADD4-TS35 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 5 of 9)  
HKGC2-ADD4-TS36 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 6 of 9)  
HKGC2-ADD4-TS37 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 7 of 9)  
HKGC2-ADD4-TS38 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 8 of 9)  
HKGC2-ADD4-TS39 - HKGC Tree Survey Plan [Emphasize New Trees] (Sheet 9 of 9)  
HKGC2-ADD4-TS41 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 1 of 9)  
HKGC2-ADD4-TS42 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 2 of 9)  
HKGC2-ADD4-TS43 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 3 of 9)  
HKGC2-ADD4-TS44 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 4 of 9)  
HKGC2-ADD4-TS45 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 5 of 9)  
HKGC2-ADD4-TS46 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 6 of 9)  
HKGC2-ADD4-TS47 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 7 of 9)  
HKGC2-ADD4-TS48 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 8 of 9)  
HKGC2-ADD4-TS49 - HKGC Tree Survey Plan [Emphasize TPI in terms of Size] (Sheet 9 of 9)  
HKGC2-ADD4-TS51 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 1 of 9)  
HKGC2-ADD4-TS52 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 2 of 9)  
HKGC2-ADD4-TS53 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 3 of 9)  
HKGC2-ADD4-TS54 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 4 of 9)  
HKGC2-ADD4-TS55 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 5 of 9)  
HKGC2-ADD4-TS56 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 6 of 9)  
HKGC2-ADD4-TS57 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 7 of 9)  
HKGC2-ADD4-TS58 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 8 of 9)  
HKGC2-ADD4-TS59 - HKGC Tree Survey Plan [Emphasize Rare and Precious Species] (Sheet 9 of 9)
















- LEGEND :
- EIA TREE SURVEY BOUNDARY - SUB AREA 1
  - HKGC TREE SURVEY BOUNDARY
  - TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY
  - TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (RARE AND PROTECTED SPECIES)
  - TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (TPI IN TERMS OF SIZE)
  - EXISTING TREES

						Job Title				Drawing No.				 Planning, Urban Design, Landscape, Golf & Environmental Consultants Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662	
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS33					
						Drawing Title				Scale					
						HKGC TREE SURVEY PLAN (EMPHASIZE NEW TREES) (SHEET 3 OF 9)				1:500 @A3					
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4





						Job Title	TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				Drawing No.	HKGC2-ADD4-TS34			
						Drawing Title	HKGC TREE SURVEY PLAN (EMPHASIZE NEW TREES) (SHEET 4 OF 9)				Scale	1:500 @A3			
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4





Planning, Urban Design, Landscape, Golf & Environmental Consultants  
Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662











						Job Title				Drawing No.		 <b>Planning, Urban Design, Landscape, Golf &amp; Environmental Consultants</b> Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662			
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS36					
						Drawing Title				Scale					
						HKGC TREE SURVEY PLAN (EMPHASIZE NEW TREES) (SHEET 6 OF 9)				1:500 @A3					
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4





- LEGEND :
- EIA TREE SURVEY BOUNDARY - SUB AREA 1
  - - - HKGC TREE SURVEY BOUNDARY
  - TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY
  - TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (RARE AND PROTECTED SPECIES)
  - TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (TPI IN TERMS OF SIZE)
  - EXISTING TREES



						Job Title				Drawing No.			
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS37			
						Drawing Title				Scale			
						HKGC TREE SURVEY PLAN (EMPHASIZE NEW TREES) (SHEET 7 OF 9)				1:500 @A3			
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023
						Job. No.				HKGC2-ADD4			

Planning, Urban Design, Landscape, Golf & Environmental Consultants  
Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662

Urbis Limited


















						Job Title	TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				Drawing No.	HKGC2-ADD4-TS42			
						Drawing Title	HKGC TREE SURVEY PLAN (EMPHASIZE TPIS IN TERMS OF SIZE) (SHEET 2 OF 9)				Scale	1:500 @A3			
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4
























LEGEND :

- EIA TREE SURVEY BOUNDARY - SUB AREA 1
- HKGC TREE SURVEY BOUNDARY
- TREE REGARDED AS TPI (IN TERMS OF SIZE) IN EIA TREE SURVEY AND CONFIRMED IN HKGC TREE SURVEY
- TREE NOT REGARDED AS TPI (IN TERMS OF SIZE) IN EIA TREE SURVEY BUT CONFIRMED IN HKGC TREE SURVEY TO BE ONE
- TREE FOUND ABSENT IN EIA TREE SURVEY AND NEWLY SURVEYED IN HKGC TREE SURVEY (TPI IN TERMS OF SIZE)
- EXISTING TREES



						Job Title				Drawing No.		 <b>Urbis</b> Limited Planning, Urban Design, Landscape, Golf & Environmental Consultants Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662				
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS47						
						Drawing Title				Scale						
						HKGC TREE SURVEY PLAN (EMPHASIZE TPIS IN TERMS OF SIZE) (SHEET 7 OF 9)				1:500 @A3						
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD		Date	APR 2023	Job. No.	HKGC2-ADD4























						Job Title				Drawing No.				 Planning, Urban Design, Landscape, Golf & Environmental Consultants Urbis Limited, 11/F Siu On Centre, 188 Lockhart Road, Wan Chai, Hong Kong. Tel : 2802 3333 Fax : 2802 8662	
						TECHNICAL REVIEW of the TREE SURVEY prepared under CE17/2019(CE) TECHNICAL STUDY ON PARTIAL DEVELOPMENT OF FANLING GOLF COURSE				HKGC2-ADD4-TS53					
						Drawing Title				Scale					
						HKGC TREE SURVEY PLAN (EMPHASIZE RARE AND PRECIOUS SPECIES) (SHEET 3 OF 9)				1:500 @A3					
Amendment No.	Date	Description	Drawn by	Checked by	Approved by	Drawn by	AL	Checked by	BL	Approved by	AD	Date	APR 2023	Job. No.	HKGC2-ADD4


























---

## Appendix A5

### Tree Protection Zones

HKGC2-ADD4-TPZ-01 - Remaining Developable Area after Preservation of Large TPIs

HKGC2-ADD4-TPZ-02 - Remaining Developable Area after Preservation of Large TPIs & Secondary Woodland of Ecological Importance











---

## Appendix B

# Tree Assessment Schedules

B1 – HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

B2 – Assessment of the Likelihood for Large Trees of Particular Interest in Sub Area 1 to be Registered as Old and Valuable Trees

## Appendix B1

---

### HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements							(Good/Average/Poor)					(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form		Health condition		Structural condition			Amenity Value		Suitability for transplanting													
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan			
T01	T1	Lophostemon confertus	紅膠木	16	14.9#	1030	915	7	10.0	P		P	A		L		L	1,2,9	On slope, leaning, concrete crack at the opposite side of lean, climbers on trunk, strangled by Ficus virens	On slope, leaning, concrete crack at the opposite side of lean, climbers on trunk, strangled by Ficus virens, codominant branches, grow on narrow planter	B			Lophostemon confertus					
	T2	Sterculia lanceolata	假蒺藜		7.0		163		2.0		A		A		A		M		L		Codominant branches, climber, dead stub	I			Sterculia lanceolata				
	T3	Ligustrum sinense	山指甲		4.0		142		2.0		A		A		A		L		L		Low branching, one branch topped with epicormics growing on it	I			Ligustrum sinense				
	T4	Mangifera indica	芒果		3.0		120		2.0		A		A		A		L		L		Two trunks both topped	I			Mangifera indica				
	T5	Ligustrum sinense	山指甲		6.0		128		4.0		A		A		A		L		L		Shrubby looking with multiple stems	I			Ligustrum sinense				
	T6	Ligustrum sinense	山指甲		6.0		100		6.0		A		A		A		L		L		Shrubby looking with multiple stems	I			Ligustrum sinense				
	T7	Ligustrum sinense	山指甲		6.0		125		4.0		A		A		A		L		L		Codominant trunks, leaning	I			Ligustrum sinense				
	T8	Ligustrum sinense	山指甲		6.0		122		4.0		A		A		A		L		L		Leaning	I			Ligustrum sinense				
	T9	Cinnamomum burmannii	陰香		4.0		110		3.0		P		A		A		L		L		Topped	I			Cinnamomum burmannii				
T1842	T10	Archontophoenix alexandrae	假檳榔	4	5.1#	130	140	2		A	G	A	G	A		L	M		L	1	-				Archontophoenix alexandrae				
	T11	Dracaena cambodiana	海南龍血樹		4.0		200		5.0		G		G		A		M		M		Shrubby looking with multiple stems	I			Dracaena cambodiana				
	T12	Platycladus orientalis	側柏		4.0		110		2.0		A		A		A		M		M		DBH measured at about 100mm from ground	I			Platycladus orientalis				
T1843	T13	Dimocarpus longan	龍眼	10		520	740	6	13.0	A	G	A	A		A		L	H	L	1	Dead branch	Dead branch, minor galls on leaves, minor chlorotic leaves, minor leaves spots, fungal fruiting body				Dimocarpus longan			
	T14	Ligustrum sinense	山指甲		6.0		138		3.0		A		A		A		L		L		Shrubby looking with multiple stems	I			Ligustrum sinense				
	T15	Caryota mitis	短穗魚尾葵 (小魚尾葵)		4.0		193		4.0		A		A		A		M		L		Climber, crossing branch with HKGC T16	I			Caryota mitis				
	T16	Sterculia lanceolata	假蒺藜		6.0		110		4.0		A		A		A		M		L		Climber, topped, crossing branch with HKGC T15	I			Sterculia lanceolata				
	T17	Caryota mitis	短穗魚尾葵 (小魚尾葵)		8.0		239		4.0		A		A		A		M		L		Climber	I			Caryota mitis				
T790	T18	Dimocarpus longan	龍眼	7		270	220	5		A	G	A	G	A		M		L	4	Climber, wound at branch	Climber, wound at branch, crooked trunk, epicormics				Dimocarpus longan				
T791	T19	Cinnamomum burmannii	陰香	10		220	217	7		A	P	A		A		M		L	6	Co-dominant branches, epicormics, wound at trunk	Co-dominant branches, epicormics, wound at trunk, leaning, crooked branch				Cinnamomum burmannii				
T792	T20	Dimocarpus longan	龍眼	12		219	300	6		P		A		A		L	M		L	1,2	Co-dominant trunks	Co-dominant trunks, epicormics, suckers				Dimocarpus longan			
T793	T21	Cinnamomum burmannii	陰香	17		418	467	10		P	G	A	G	A		L	M		L	1,2	Epicormics, multiple trunks, exposed root, climber	Epicormics, multiple trunks, exposed root, climber				Cinnamomum burmannii			
	T22	Caryota mitis	短穗魚尾葵 (小魚尾葵)		7.0		98		4.0		A		A		A		M		L		Climber	I			Caryota mitis				
	T23	Caryota mitis	短穗魚尾葵 (小魚尾葵)		7.0		163		4.0		A		A		A		M		L		Climber	I			Caryota mitis				
	T24	Caryota mitis	短穗魚尾葵 (小魚尾葵)		7.0		100		4.0		A		A		A		M		L		-	I			Caryota mitis				
	T25	Caryota mitis	短穗魚尾葵 (小魚尾葵)		7.0		189		4.0		A		A		A		M		L		Climber	I			Caryota mitis				
T789	T26	Ficus microcarpa	細葉榕	16		820	900	12		A	G	A	G	A		M		L	7	Climber, wound at branch	Climber, wound at branch, on slope				Ficus microcarpa				
	T27	Caryota mitis	短穗魚尾葵 (小魚尾葵)		7.0		100		2.0		A		A		A		M		L		Stranded by aerial roots of HKGC T26	I			Caryota mitis				
T794	T28	Sterculia lanceolata	假蒺藜	8		160	177	6		A		A		A		M		L	6	Epicormics					Sterculia lanceolata		Y		
T795	T29	Caryota maxima	魚尾葵	5		100	95	2		A		A		A		M		L	6	-					Caryota maxima				
T788	T30	Cinnamomum camphora	樟	15		570	570	10		A		A		A		M		L	7	Bending, dead branches	Bending, dead branches, on slope, wrong location				Cinnamomum camphora		Y		
T796	T31	Ficus variegata	青果榕	20		330	323	6		A		A		A		M		L	6	-					Ficus variegata		Y		
T797	T32	Dimocarpus longan	龍眼	7		190	198	9		A		A		A		M		L	4	Co-dominant branches					Dimocarpus longan				
T787	T33	Cinnamomum camphora	樟	20		880	690	14		A		A		A		G		L	7	Exposed root	Buttress root				Cinnamomum camphora				
T800	T34	Sterculia lanceolata	假蒺藜	10		110	110	5		A		A		A		M		L	6	-					Sterculia lanceolata				

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey		A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey		B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey		C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey		F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey		G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey		H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey		H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey		I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey		J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)		J2: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey		K: Tree Found Absent in EIA Tree Survey Schedule but Present in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey		L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey		L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey		M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		N: Outside the Boundary of HKGC Tree Survey		P: Tree in EIA Tree Survey found missing in HKGC Tree Survey		Colour code for Scientific Name:		Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan		Others		Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements								(Good/Average/Poor)								(High/Medium/ Low)																															
Scientific name		Chinese Name		Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting																																	
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan																								
T799	T35	Dimocarpus longan	龍眼	10		180	180	7		A		A		A		M		L		4	Epicormics				Dimocarpus longan																										
T798	T36	Dimocarpus longan	龍眼	10		205	205	5		A		A		A		M		L		4	-				Dimocarpus longan																										
T801	T37	Caryota maxima	魚尾葵	9		105	105	2		A		A		A		M		L		6	-				Caryota maxima																										
T802	T38	Macaranga tanarius var. tomentosa	血桐	10		340	357	8		P		A		A		L		L		1,2	Moderate leaning, epicormics, climber	Moderate leaning, epicormics, climber			Macaranga tanarius var. tomentosa		Y																								
	T39	Caryota mitis	短穗魚尾葵 (小魚尾葵)		8.0		102		3.0		A		A		A		M		L			On slope	I		Caryota mitis																										
T803	T40	Sterculia lanceolata	假蘋婆	11		235	255	7		P		A		P		L		L		1,2	Co-dominant trunks, included bark				Sterculia lanceolata																										
T804	T41	Sterculia lanceolata	假蘋婆	10		145	156	5		A		A		A		M		L		6	Epicormics				Sterculia lanceolata																										
T806	T42	Celtis sinensis	朴樹	15		270	267	9		A		A	G	A		M		L		6	Crooked at branches				Celtis sinensis																										
T805	T43	Celtis sinensis	朴樹	15		505	494	8		A		A		A		M		L		7	Climber				Celtis sinensis																										
	T44	Caryota mitis	短穗魚尾葵 (小魚尾葵)		8.0		118		4.0		A		A		A		M		L			-	I		Caryota mitis																										
T807	T45	Dimocarpus longan	龍眼	11		155	155	5		A		A		A		M		L		4	-				Dimocarpus longan																										
T808	T46	Caryota maxima	魚尾葵	9		110	102	2		A		A		A		M		L		6	-				Caryota maxima																										
T809	T47	Syzygium jambos	蒲桃	10		155	155	7		P		A		P		L		L		1,2	Stub, decay, cavity at trunk, moderate leaning	Stub, decay, cavity at trunk, moderate leaning, epicormics			Syzygium jambos																										
	T48	Sterculia lanceolata	假蘋婆		8.0		340		5.0		P		A		A		M		L			Codominant branches, exposed roots	I		Sterculia lanceolata																										
	T49	Dimocarpus longan	龍眼		8.0		110		4.0		A		A		A		M		L			On slope	I		Dimocarpus longan																										
	T50	Caryota mitis	短穗魚尾葵 (小魚尾葵)		8.0		95		4.0		A		A		A		M		L			On slope, leaning	I		Caryota mitis																										
T810	T51	Dimocarpus longan	龍眼	11		210	212	6		P		A		A		L		L		1,2	Bending	Bending, on slope, leaning, incorrect species, should be Sterculia lanceolata		Y	Sterculia lanceolata																										
	T52	Livistona chinensis	蒲葵		5.0		150		5.0		A		A		A		M		L			On slope	I		Livistona chinensis																										
T811	T53	Celtis sinensis	朴樹	12		325	305	8		P		A		P		L		L		1,2	Bending, climber, cavity at trunk	Bending, climber, cavity of 15.5cm long x 8cm wide x 10cm deep at trunk, parasitic plant at crown			Celtis sinensis		Y																								
T812	T54	Macaranga tanarius var. tomentosa	血桐	9		210	213	4		P		P		A		L		L		1,2	Cavity at trunk, moderate leaning				Macaranga tanarius var. tomentosa		Y																								
	T55	Sterculia lanceolata	假蘋婆		6.0		180		6.0		P		A		A		M		L			On slope, leaning	I		Sterculia lanceolata																										
	T56	Mangifera indica	芒果		10.0		259		6.0		P		A		A		M		L			2 crooked trunks, climber	I		Mangifera indica																										
	T56A	Polyscias guilfoylei	銀邊南洋參 (福祿桐、假泡桐)		4.0		99		2.0		P		A		P		L		L			Heavy leaning, suckers, epicormics, multiple trunks	I		Polyscias guilfoylei																										
	T56B	Polyscias guilfoylei	銀邊南洋參 (福祿桐、假泡桐)		4.0		95		2.0		P		A		P		L		L			Heavy leaning, topped, epicormics, multiple trunks, suckers	I		Polyscias guilfoylei																										
	T56C	Schefflera arboricola	鵝掌藤		5.0		168		4.0		P		A		P		L		L			Shrubby, growing on raised planter, multiple trunks	I		Schefflera arboricola																										
	T56D	Nerium oleander	夾竹桃		5.0		110		4.0		A		A		A		M		L			Multiple trunks and shrubby which is normal for the species. Relatively less dense foliage due to shading.	I		Nerium oleander																										
T786	T57	Ficus virens	大葉榕	18	18.3#	2500	2458	22	29.0	G		A	G	A	G	H		L		-	Wound at trunk, decay on scaffold branches, multiple pruning wounds	Wound at trunk, decay on scaffold branches, multiple pruning wounds, epicormics throughout the crown, climber. All are minor	A		Ficus virens																										
T813	T58	Macaranga tanarius var. tomentosa	血桐	13		310	318	10		A		A	G	A		M		L		6	Epicormics	Epicormics, bark crack, leaning			Macaranga tanarius var. tomentosa																										
T814	T59	Caryota maxima	魚尾葵	8		110	130	2		A		A		A		M		L		6	-				Caryota maxima		Y																								
T815	T60	Lophostemon confertus	紅膠木	13		445	427	5		P		A		A		L		L		1,2,9	Moderate leaning				Lophostemon confertus		Y																								
T816	T61	Caryota maxima	魚尾葵	10		120	117	2		A		A	P	A	P	M	L	L		6	-	Almost dead, no leaves			Caryota maxima																										
T817	T62	Spathodea campanulata	火焰木	22		230	268	6		A		A		A		M		L		6	Wound at branches, epicormics	Wound at branches, epicormics, Gland (3/6/2022) measures 14.49mH, 0.25mDBH, 7.0mS			Spathodea campanulata		Y																								
T818	T63	Macaranga tanarius var. tomentosa	血桐	8		130	120	2		A		A		A		M		L		6	Epicormics, crooked at trunk	Epicormics, crooked at trunk, leaning			Macaranga tanarius var. tomentosa																										



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting											
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T819	T64	Caryota maxima	魚尾葵	8		110	107	2		A	P	A	P	A	P	M	L	L		6	-	Dying without leaves			Caryota maxima				
	T65	Caryota mitis	短穗魚尾葵 (小魚尾葵)		8.0		122		4.0		A		A		A		M		L			On slope	I		Caryota mitis				
T820	T66	Macaranga tanarius var. tomentosa	血桐	14		340	345	7		P		P		P		L		L		1,2	-	Dead with peeled-off bark			Macaranga tanarius var. tomentosa				
T821	T67	Caryota maxima	魚尾葵	9		105	100	2		A		A		A		M		L		6	-				Caryota maxima				
	T68	Caryota mitis	短穗魚尾葵 (小魚尾葵)		8.0		139		4.0		A		A		A		M		L			On slope	I		Caryota mitis				
	T69	Bauhinia variegata	宮粉羊蹄甲		8.0		222		5.0		P		A		P		M		L			Situated very close to fence, codominant branches, epicormics, one trunk topped	I		Bauhinia variegata				
	T70	Bauhinia variegata	宮粉羊蹄甲		6.0		101		3.0		A		A		P		L		L			On slope, codominant trunks	I		Bauhinia variegata				
	T71	Schefflera actinophylla	傘樹		9.4#		278		4.0		P		A		A		M		L			Multitrunk	I		Schefflera actinophylla				
	T72	Schefflera actinophylla	傘樹		5.0		101		4.0		P		A		A		M		L			2 trunks	I		Schefflera actinophylla				
	T73	Schefflera actinophylla	傘樹		4.0		161		4.0		P		A		A		M		L			2 trunks, both headed	I		Schefflera actinophylla				
	T74	Schefflera arboricola	鵝掌藤		5.0		120		5.0		P		A		P		M		L			Shrubby, scandent branches	I		Schefflera arboricola				
	T75	Caryota mitis	短穗魚尾葵 (小魚尾葵)		6.0		125		3.0		A		A		A		M		L			-	I		Caryota mitis				
	T76	Caryota mitis	短穗魚尾葵 (小魚尾葵)		6.0		127		3.0		A		A		A		M		L			-	I		Caryota mitis				
T822	T77	Macaranga tanarius var. tomentosa	血桐	8		140	145	5		P		A		A		L		L		1,2	-	On slope, crooked trunk, chlorotic leaves			Macaranga tanarius var. tomentosa				
T823	T78	Cinnamomum burmannii	陰香	9		270	280	7		A		A		A		M		L		6	-	On slope, leaning			Cinnamomum burmannii				
	T79	Cinnamomum burmannii	陰香		6.0		100		3.0		P		A		A		M		L			Leaning, on slope	I		Cinnamomum burmannii				
T824	T80	Macaranga tanarius var. tomentosa	血桐	13		195	180	6		P		A		A		L	M	L		1,2	Cavity at trunk, co-dominant trunks	Cavity at trunk, co-dominant trunks, on slope, leaning, wounded bark, chlorotic leaves			Macaranga tanarius var. tomentosa				
T825	T81	Ficus hispida	對葉榕	9		160	150	6		A		A		A		M		L		6	Epicormics, wound at trunk	Epicormics, wound at trunk, climber			Ficus hispida				
T826	T82	Ficus hispida	對葉榕	10		140	140	6		A		A		A		M		L		6	Co-dominant trunks				Ficus hispida				
T827	T83	Macaranga tanarius var. tomentosa	血桐	6		165	166	3		P		A		A		L		L		1,2	Moderate leaning, epicormics				Macaranga tanarius var. tomentosa				
T828	T84	Sterculia lanceolata	假蒺藜	5		150	150	5		A		A		A		M		L		6	Co-dominant trunks, crossing branches	Co-dominant trunks, crossing branches with T85			Sterculia lanceolata				
T785	T85	Cinnamomum camphora	樟	15	14.0#	900	780	12		P	A	A	G	A		L		L		1,2	Moderate leaning, co-dominant trunks	Minor lean, co-dominant trunks, cross trunk with T84, exposed roots			Cinnamomum camphora				
T784	T86	Senna siamea	鐵刀木	19	17.0#	840	640	8		P	A	A		P		L		L		1,2	Crack at trunk, wound at trunk, epicormics, co-dominant branches	Crack at trunk, wound at trunk, epicormics, co-dominant branches, leaning, on slope			Senna siamea		Y		
	T87	Livistona chinensis	蒲葵		4.0		110		4.0		A		A		A		M		L			Low trunks with many widespreading leaves	I		Livistona chinensis				
T829	T88	Bauhinia variegata	宮粉羊蹄甲	12		320	322	3		P		A		A		L		L		1,2	Epicormics, topped				Bauhinia variegata				
	T89	Caryota mitis	短穗魚尾葵 (小魚尾葵)		4.0		110		4.0		A		A		A		M		L			Multiple stems	I		Caryota mitis				
T836	T90	Cinnamomum burmannii	陰香	9		225	236	7		P		A		A		L		L		1,2	Climber, epicormics, sucker	Climber, epicormics, sucker, crooked trunk			Cinnamomum burmannii				
T837	T91	Bauhinia variegata	宮粉羊蹄甲	15		365	346	6		P		A		P		L		L		1,2	Co-dominant branches, moderate leaning, abnormal bark crack	Co-dominant branches, moderate leaning, abnormal bark crack, leaning			Bauhinia variegata				
T838	T92	Bauhinia variegata	宮粉羊蹄甲	16		320	328	7		P		A		A		L		L		1,2	Co-dominant trunks				Bauhinia variegata				
	T93	Cinnamomum burmannii	陰香		7.0		100		2.0		A		A		A		M		L			On slope	I		Cinnamomum burmannii				
T839	T94	Bauhinia variegata	宮粉羊蹄甲	9		185	328	2		P		A		P		L		L		1,2	Decay, epicormics				Bauhinia variegata				
T840	T95	Dimocarpus longan	龍眼	8		165	156	4		P		A		A		L		L		1,2	Stub, climber, fungal fruiting bodies at branches	Stub, climber, fungal fruiting bodies at branches, leaning, on slope			Dimocarpus longan				
	T96	Cinnamomum burmannii	陰香		8.0		96		3.0		A		A		A		M		L			Leaning, on slope	I		Cinnamomum burmannii				
T841	T97	Bauhinia variegata	宮粉羊蹄甲	12		410	380	3		P		A		P		L		L		1,2	Climber, decay				Bauhinia variegata				

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
EIA Tree No.	HKGC Tree No.	Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)						Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting																		
				in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey											
T848	T98	Cinnamomum burmannii	陰香	7		110	140	3		A		A		A		M		L	6	Climber	Climber, on slope			Cinnamomum burmannii					
T849	T99	Bauhinia variegata	宮粉羊蹄甲	15		240	260	5		A		A		A		M		L	6	Climber	Climber, on slope			Bauhinia variegata					
T850	T100	Bauhinia variegata	宮粉羊蹄甲	16		600	632	6		P		A		A		L		L	1,2	Climber, decay			Bauhinia variegata						
	T101	Lophostemon confertus	紅膠木		9.0		670		6.0		A		A		P		M	L		Tagged (T1A). Slight leaning, restricted roots			Lophostemon confertus						
T1833	T102	Eucalyptus exserta	窿緣桉	9		440	650	5		P		P		A		L		L	1,2	Moderate leaning, epicormics, crossing branches, fungal fruiting bodies	Potentially hazardous tree. Fungal fruiting bodies on trunk, leaning towards target (pedestrians, traffic and waiting vehicles at lights). Incorrect species, should be:	Y	Lophostemon confertus						
T54	T103	Eucalyptus exserta	窿緣桉	9		550	545	9	8.5	P		A		A	P	L		L	1,2	Gall on trunk			Eucalyptus exserta						
T53	T104	Eucalyptus exserta	窿緣桉	10		711	665	8	8.5	A		A		A		M		L	7	Co-dominant trunks			Eucalyptus exserta						
T52	T105	Delonix regia	鳳凰木	11		721	630	8	15.0	P	P	A		P	P	L	H	L	1,2	Co-dominant branches, included bark	Co-dominant branches, included bark, leaning trunks, asymmetric crown, prominent location.			Delonix regia					
T1834	T106	Eucalyptus exserta	窿緣桉	9		330	540	4	8.5	A		A	G	A		L	M	L	1	-			Eucalyptus exserta						
T1847	T107	Lophostemon confertus	紅膠木	8		360	150	5	9.5	P	A	A	G	A		L		L	1,2,9	Crossing branches with T1848, climber			Lophostemon confertus						
T1848	T108	Syzygium jambos	蒲桃	8		240	280	5	5.5	P	A	A	G	A		L		L	1,2	Crossing branches with T1847, co-dominant branches			Syzygium jambos						
	T109	Bridelia tomentosa	土蜜樹		5.0		130		3.5		P		P		A		L	L		Low LCR.			Bridelia tomentosa						
	T110	Ligustrum sinense	山指甲		2.0		110		1.0		P		P		P		L	L		Asymmetrical. crown shape.			Ligustrum sinense						
	T111	Dypsis lutescens	散尾葵		5.0		330		5.0		G		G		G		M	H		Small monocot.			Dypsis lutescens						
	T112	Dypsis lutescens	散尾葵		5.0		185		4.0		A		A		A		M	H		Small monocot.			Dypsis lutescens						
T1844	T113	Bridelia tomentosa	土蜜樹	6		230	280	4	5.0	A		A		A		L		L	1	-	Growing on slope.			Bridelia tomentosa					
	T114	Sterculia lanceolata	假蘋婆		5.0		115		4.0		A		A		A		M	M		New small tree.			Sterculia lanceolata						
	T115	Ligustrum sinense	山指甲		3.0		120		2.0		P		P		P		L	L		Topped.			Ligustrum sinense						
T1845	T116	Psidium guajava	番石榴	6		150	180	3	4.0	P		A		A		L		L	1,2	Moderate leaning	Self-corrected.			Psidium guajava					
	T117	Ligustrum sinense	山指甲		4.0		100		2.0		P		P		P		L	L		Broken and dead branch.			Ligustrum sinense						
	T118	Ligustrum sinense	山指甲		4.0		105		3.0		P		P		P		L	L		Broken and dead branch.			Ligustrum sinense						
	T119	Ligustrum sinense	山指甲		5.0		120		5.0		P		A		P		L	L		Broken and dead branch.			Ligustrum sinense						
	T120	Bridelia tomentosa	土蜜樹		6.0		180		6.0		P		P		A		L	L		Leaning.			Bridelia tomentosa						
	T121	Sterculia lanceolata	假蘋婆		5.0		120		4.0		P		A		A		L	L		Crooked trunk. Trunk wound.			Sterculia lanceolata						
	T122	Cinnamomum camphora	樟		4.0		100		3.0		P		A		A		L	L		Leaning.			Cinnamomum camphora						
T1835	T123	Terminalia mantaly	小葉欖仁	8	8.9#	240	280	4	10.0	A	G	A	G	A	G	L	M	L	M	1	-			Terminalia mantaly					
T1836	T124	Terminalia mantaly	小葉欖仁	8	13.9#	255	290	4	12.0	A	G	A	G	A	G	L	H	L	M	1	-			Terminalia mantaly					
T1837	T125	Terminalia mantaly	小葉欖仁	8	11.3#	255	285	4	9.5	A	G	A	G	A	G	L	H	L	M	1	-			Terminalia mantaly					
T1838	T126	Terminalia mantaly	小葉欖仁	8	9.3#	260	300	4	10.0	A	P	A		A		L	M	L	1	-	Poorest tree in the group of Terminalia .			Terminalia mantaly					
T1839	T127	Elaeocarpus decipiens	杜英	6	5.7#	275	290	4	7.5	P		A		A		L	M	L	1,2	Wound, epicormics, borer	Incorrect species. Should be: Litsea glutinosa.	Y	Litsea glutinosa						
T1840	T128	Elaeocarpus decipiens	杜英	6	5.4#	250	270	4	6.5	A		A		A		L	M	L	1	Co-dominant trunks, wound	Incorrect species. Should be: Litsea glutinosa .	Y	Litsea glutinosa						
T1841	T129	Elaeocarpus decipiens	杜英	6	5.0#	225	250	4	4.0	A	P	A	P	A	P	L	M	L	1	Co-dominant branches, wound	Incorrect species. Should be: Litsea glutinosa . Very poor health.	Y	Litsea glutinosa						
T02	T130	Delonix regia	鳳凰木	14	11.9#	660	660	11	13.0	P		P	P	L		L		1,2	Restricted root, fungal fruiting bodies, trunk embeded with fence, concrete crack	Restricted root, fungal fruiting bodies, trunk, embeded with fence, concrete crack, very asymmetric crown, crooked trunk, potential risks to nearby targets			Delonix regia						
	T131	Cinnamomum burmannii	陰香		6.0		200		4.0		P		A		A		L	L		Growing next to shed. Leaning.			Cinnamomum burmannii						



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey				
				Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting													
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan			
T1846	T132	Cinnamomum burmannii	陰香	6		180	200	3	4.0	A		A		A		L		L		1	-					Cinnamomum burmannii					
	T133	Eucalyptus camaldulensis	赤桉		26.7#		760		15.0		G		G		A		H		L			Large and mature. TPI by height.	J		Eucalyptus camaldulensis						
	T134	Senna siamea	鐵刀木		12.0		490		12.0		P		P		P		L		L			Co-dominant structure. Abrupt bends.	I		Senna siamea						
T883	T135	Syzygium jambos	蒲桃	11		325	300	7	6.5	P		A		A	P		L		L		1,2	Co-dominant trunks, moderate leaning			Severe lean.			Syzygium jambos			
T884	T136	Eucalyptus urophylla	尾葉桉	19		465	480	7		A		A		A		M		L		9	Climber	Basal decay, crooked trunk at top half of the tree, epicormics			Eucalyptus urophylla						
T885	T137	Cinnamomum burmannii	陰香	12		190	225	6		A	P	A		A		M	L	L		6	-	Asymmetrical crown shape.			Cinnamomum burmannii						
T886	T138	Cinnamomum burmannii	陰香	12		160	175	4		A		A		A		M		L		6	-	Asymmetrical crown shape.			Cinnamomum burmannii						
T887	T139	Macaranga tanarius var. tomentosa	血桐	10		320	345	7		P		A		P		L		L		1,2	Epicormics, dead branches, cavity at trunk, climber	Asymmetrical crown shape.			Macaranga tanarius var. tomentosa						
T888	T140	Ligustrum sinense	山指甲	5		120	140	4		A	P	A		A		M	L	L		6	Co-dominant branches	Topped.			Ligustrum sinense						
	T141	Cinnamomum burmannii	陰香		6.0		220		4.0		A		A		A		M		L			Leaning. On Slope.	I		Cinnamomum burmannii						
T03	T142	Celtis sinensis	朴樹	15	15.0#	1080	850	10	19.0	A		A		A		M		L		8	Parasitic plants all over the canopy, wound on branch	Decay at bark, detached root, fungal fruiting on trunk, bark wound, prominent tree at the position	B		Celtis sinensis						
	T143	Dimocarpus longan	龍眼		6.0		130		4.0		A		A		A		M		M			Juvenile tree on slope.	I		Dimocarpus longan						
	T144	Eucalyptus camaldulensis	赤桉		26.5#		750		10.0		G		A		A		H		L			Severe trunk wound. In contact with the adjacent building. TPI by height.	J		Eucalyptus camaldulensis						
	T145	Eucalyptus camaldulensis	赤桉		14.0		375		8.0		A		A		A		M		L			In contact with the adjacent building.	I		Eucalyptus camaldulensis						
	T146	Cinnamomum burmannii	陰香		5.0		445		4.0		P		P		P		L		L			Large failures.	I		Cinnamomum burmannii						
	T147	Macaranga tanarius var. tomentosa	血桐		5.0		205		5.0		P		P		P		L		L			Severe lean.	I		Macaranga tanarius var. tomentosa						
	T148	Macaranga tanarius var. tomentosa	血桐		5.0		190		5.0		P		P		P		L		L			Severe lean.	I		Macaranga tanarius var. tomentosa						
	T149	Senna siamea	鐵刀木		8.0		335		8.0		P		A		P		L		L			Leaning and abrupt bends.	I		Senna siamea						
	T150	Cinnamomum burmannii	陰香		7.0		205		5.0		P		A		A		L		L			Crooked trunk.	I		Cinnamomum burmannii						
	T151	Macaranga tanarius var. tomentosa	血桐		6.0		245		6.0		P		A		P		L		L			Severe lean.	I		Macaranga tanarius var. tomentosa						
	T152	Macaranga tanarius var. tomentosa	血桐		4.0		165		5.0		P		P		P		L		L			Severe lean.	I		Macaranga tanarius var. tomentosa						
	T153	Macaranga tanarius var. tomentosa	血桐		5.0		205		5.0		P		P		P		L		L			Severe lean.	I		Macaranga tanarius var. tomentosa						
	T154	Cinnamomum burmannii	陰香		7.0		235		7.0		A		A		A		M		L			Growing on slope.	I		Cinnamomum burmannii						
	T155	Dead Tree	死樹		6.0		270		8.0		P		P		P		L		L			Dead tree.	I		Dead Tree						
	T156	Dead Tree	死樹		8.0		550		8.0		P		P		P		L		L			Dead tree. Fungal fruiting bodies.	I		Dead Tree						
	T157	Canarium album	橄欖 (白欖)		15.0		325		8.0		A		A		A		M		L			Large and mature.	I		Canarium album						
	T158	Sterculia lanceolata	假蘋婆		4.0		110		2.0		P		A		P		L		L			Topped.	I		Sterculia lanceolata						
	T159	Celtis sinensis	朴樹		7.0		290		7.0		P		A		P		L		L			Severely crooked. Asymmetrical crown shape.	I		Celtis sinensis						
	T160	Cinnamomum burmannii	陰香		10.0		150		5.0		P		A		A		L		L			Asymmetrical crown shape.	I		Cinnamomum burmannii						
	T161	Cinnamomum burmannii	陰香		8.0		185		8.0		P		A		P		L		L			Severely crooked. Asymmetrical crown shape.	I		Cinnamomum burmannii						
	T162	Cinnamomum burmannii	陰香		9.0		210		6.0		P		A		A		L		L			Crooked branching.	I		Cinnamomum burmannii						
	T163	Eucalyptus camaldulensis	赤桉		14.0		690		10.0		A		A		A		M		L			Large and mature.	I		Eucalyptus camaldulensis						
T870	T164	Mangifera indica	芒果	15		140	200	4	5.5	A		A		A		M		L		6	-	Narrowly formed crown.			Mangifera indica						
	T165	Celtis sinensis	朴樹		12.0		505		12.0		G		G		A		H		L			Large and mature. Minor basal decay.	I		Celtis sinensis						

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)												
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting																	
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan		
T871	T166	Ficus microcarpa	細葉榕	10		470	540	13	13.0	A	G	A	G	A	M		L	M	7	Wound at trunk				Ficus microcarpa				
T873	T167	Ficus virens	大葉榕	8		364	380	7	10.0	P	A	P	A	A	L	M	L		1,2	Abnormal leaf size, sparse foliage, co-dominant trunks, wound at branch	Incorrect species. Should be: Ficus subpisocarpa.		Y	Ficus subpisocarpa				
T872	T168	Bauhinia variegata var. candida	白花草蓼甲	13		350	365	6	6.5	P	A	A		P	L	M	L		1,2	Crack at branch, co-dominant trunks, included bark, cavity at trunk	Crack at branch, co-dominant trunks, included bark, cavity at trunk, sign of pest, epicormics			Bauhinia variegata var. candida				
T874	T169	Ficus virens	大葉榕	10	11.2#	630	810	11	15.0	P	A	A	G	A	L	M	L		1,2	Multiple trunks, wound at trunk				Ficus virens				
T875	T170	Eriobotrya japonica	枇杷	5		115	165	4	3.5	A		A	G	A	M		L	M	4	-	Incorrect species. Should be: Mangifera indica. Small fruit tree.		Y	Mangifera indica				
T882	T171	Morus alba	桑	6		105	130	3	5.0	A		A	G	A	M		L	M	4	-	Small tree.			Morus alba				
T876	T172	Psidium guajava	番石榴	11		180	170	6	5.0	P		A		A	P	L		L		1,2	Wound at trunk			Psidium guajava				
T877	T173	Bauhinia variegata var. candida	白花草蓼甲	14		310	350	6	8.0	A		A	G	A	P	M		L		6	Co-dominant branches	Restricted root system, leaning.			Bauhinia variegata var. candida			
T878	T174	Psidium guajava	番石榴	12		326	348	10	8.0	P		A		A		L	L		1,2	Co-dominant trunks,moderate leaning, epicormics, stub				Psidium guajava				
T879	T175	Mangifera indica	芒果	8		280	360	6	9.0	A	G	A	G	A	M		L		6	Wound at branch, epicormics				Mangifera indica				
	T176	Mangifera indica	芒果		4.0		105		4.0		A		A		A	L		H			Small fruit tree.	I		Mangifera indica				
	T177	Dimocarpus longan	龍眼		5.0		125		5.0		P		A		A	L		L			Abnormal form.	I		Dimocarpus longan				
	T178	Clausena lansium	黃皮		4.0		135		4.0		A		A		A	L		H			Small fruit tree.	I		Clausena lansium				
	T179	Mangifera indica	芒果		5.0		175		6.0		G		G		A	M		H			Small fruit tree.	I		Mangifera indica				
T880	T180	Celtis sinensis	朴樹	11	10.7#	1100	715	10	15.5	A	G	A	G	P	M	H	L		2	Multiple trunks with included bark	Multiple trunks with included bark, on slope, lamppost next to the trunk and protrude to tree crown.	B		Celtis sinensis				
	T181	Artocarpus heterophyllus	波蘿蜜		6.0		140		4.0		A		A		A	L		L			Asymmetrical crown shape.	I		Artocarpus heterophyllus				
T04	T182	Melaleuca cajuputi subsp. cumingiana	白千層	11	14.7#	750	800	8	10.0	P	G	A	G	A	L	H	L		1,2,9	Gall on trunk	Gall on trunk, heaving root plate			Melaleuca cajuputi subsp. cumingiana				
T05	T183	Melaleuca cajuputi subsp. cumingiana	白千層	13	14.9#	1040	980	7	12.0	A	G	A	G	A	G	M	H	L		7,9	On berm		B		Melaleuca cajuputi subsp. cumingiana			
	T184	Celtis sinensis	朴樹		10.5#		655		12.0		A		G		A	M		L			Large and mature. Large failure wound. Horizontal branches.	I		Celtis sinensis				
T06	T185	Acacia confusa	台灣相思	12		650	700	8	10.0	P		A		A	P	L	M	L	1,2,9	Crooked, multiple trunks, moderate leaning	Large decay column. Asymmetric crown.			Acacia confusa				
T07	T186	Acacia confusa	台灣相思	9		645	605	10	10.6&	P		A		P	L		L		1,2,9	Co-dominant trunks, included bark, climber, cross branches, wound				Acacia confusa				
T655	T187	Melaleuca cajuputi subsp. cumingiana	白千層	9		240	310	3	4.0	A		A	G	A	M		L		9	-	Minor lean.			Melaleuca cajuputi subsp. cumingiana				
T664	T188	Melaleuca cajuputi subsp. cumingiana	白千層	7		210	270	2	4.5	P		A		A	L		L		1,2,9	Unbalanced crown				Melaleuca cajuputi subsp. cumingiana				
T665	T189	Melaleuca cajuputi subsp. cumingiana	白千層	11		300	370	3	3.5	P		A		P	L		L		1,2,9	Co-dominant branches, Tree protection tube on trunk flare				Melaleuca cajuputi subsp. cumingiana				
T666	T190	Melaleuca cajuputi subsp. cumingiana	白千層	8		220	290	2	3.0	A		A		A	M		L		9	-				Melaleuca cajuputi subsp. cumingiana				
T649	T191	Melaleuca cajuputi subsp. cumingiana	白千層	7	9.0#	310	370	4	5.5	A		A	G	A	M		L		9	-	Included union.				Melaleuca cajuputi subsp. cumingiana			
T650	T192	Melaleuca cajuputi subsp. cumingiana	白千層	10	11.0#	310	365	4	5.5	A		A	G	A	M		L		9	Multiple branches				Melaleuca cajuputi subsp. cumingiana				
T651	T193	Melaleuca cajuputi subsp. cumingiana	白千層	10	13.5#	310	400	5	5.0	A		A	G	A	M		L		9	-				Melaleuca cajuputi subsp. cumingiana				
T652	T194	Melaleuca cajuputi subsp. cumingiana	白千層	9		280	350	4	5.0	A		A	G	A	M		L		9	-				Melaleuca cajuputi subsp. cumingiana				
T653	T195	Melaleuca cajuputi subsp. cumingiana	白千層	10		305	370	3	4.5	A		A		A	M		L		9	Co-dominant branches				Melaleuca cajuputi subsp. cumingiana				
T654	T196	Melaleuca cajuputi subsp. cumingiana	白千層	10		320	410	4	6.5	A	G	A	G	A	G	M		L	9	-				Melaleuca cajuputi subsp. cumingiana				
T656	T197	Melaleuca cajuputi subsp. cumingiana	白千層	10		290	330	3	4.5	A		A		A	P	M		L	9	Co-dominant branches				Melaleuca cajuputi subsp. cumingiana				
T657	T198	Melaleuca cajuputi subsp. cumingiana	白千層	10		360	450	6	6.0	A	G	A	G	A	M		L		9	-				Melaleuca cajuputi subsp. cumingiana				
T659	T199	Melaleuca cajuputi subsp. cumingiana	白千層	10		320	420	4	5.0	P		A	G	P	L		L		1,2,9	Co-dominant branches, included bark				Melaleuca cajuputi subsp. cumingiana				



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

EIA Tree No.	HKGC Tree No.	Colour code in the schedule:	A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey but Found Dead in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting														
				in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T658	T200	Melaleuca cajuputi subsp. cumingiana	白千層	11		330	410	4	6.0	P		A	G	P		L		L		1,2,9	Co-dominant branches, included bark, tree protection tube on trunk flare					Melaleuca cajuputi subsp. cumingiana			
T660	T201	Melaleuca cajuputi subsp. cumingiana	白千層	11		310	375	3	3.5	A		A		A	P	M		L		9	-					Melaleuca cajuputi subsp. cumingiana			
T661	T202	Melaleuca cajuputi subsp. cumingiana	白千層	10		330	390	4	6.0	A		A	G	A		M		L		9	-					Melaleuca cajuputi subsp. cumingiana			
T662	T203	Melaleuca cajuputi subsp. cumingiana	白千層	10		350	440	5	5.0	A		A		A	P	M		L		9	Co-dominant branches					Melaleuca cajuputi subsp. cumingiana			
T663	T204	Melaleuca cajuputi subsp. cumingiana	白千層	12		310	380	3	4.0	A		A		A		M		L		9	-					Melaleuca cajuputi subsp. cumingiana			
T667	T205	Khaya senegalensis	非洲楝	10		420	515	8	13.5	P	G	A	G	A	G	L	H	L		1,2	Wound, gall	Attractive specimen tree. Minor crooked trunk.				Khaya senegalensis			
T668	T206	Litsea glutinosa	潺槁	7		310	325	7	8.5	A		A		A		M		L		6	-					Litsea glutinosa			
T669	T207	Litsea glutinosa	潺槁	6		195	205	4	8.5	P		A		P		L		L		1,2	Moderate leaning, topped branch, wound					Litsea glutinosa			
T670	T208	Ilex rotunda	鐵冬青	10		410	590	7	9.0	A		A	G	A		M		L		7	Co-dominant trunks	Wound at union.				Ilex rotunda			
T08	T209	Ilex rotunda	鐵冬青	10		640	650	15	18.5	A	G	G		A	G	M	H	L		7	-	Interesting form.				Ilex rotunda			
T920	T210	Eucalyptus camaldulensis	赤桉	12	20.3#	345	360	4	9.0	A		A		A		M		L		6	Dead twigs					Eucalyptus camaldulensis			
T921	T211	Acacia confusa	台灣相思	12	16.3#	610	630	6	13.0	A		A		A		M		L		7,9	Co-dominant branches, co-dominant trunks, dead branch, wound					Acacia confusa			
T919	T212	Eucalyptus camaldulensis	赤桉	9	16.1#	620	670	4	12.0	P		A		P		L		L		1,2	Co-dominant branches, bulge	Asymmetrical crown shape.				Eucalyptus camaldulensis			
T928	T213	Eucalyptus camaldulensis	赤桉	12	25.9#	540	540	6	15.0	A	G	A	G	A		M	H	L		7	-	TPI by height	C			Eucalyptus camaldulensis			
T927	T214	Eucalyptus camaldulensis	赤桉	12	17.4#	510	535	6	14.0	A	G	A	G	A		M	H	L		7	Wound, epicormics					Eucalyptus camaldulensis			
T917	T215	Eucalyptus camaldulensis	赤桉	8	17.0#	540	420	4	9.0	A		P		A	P	L	M	L		1,2	Fungal fruiting bodies on trunk, wound, abnormal leaf size					Eucalyptus camaldulensis			
T916	T216	Eucalyptus camaldulensis	赤桉	8	17.5#	405	410	4	11.0	A		A		A		M	H	L		7	Co-dominant branches	Asymmetrical crown shape.				Eucalyptus camaldulensis			
T925	T217	Eucalyptus camaldulensis	赤桉	10	22.5#	560	520	4	12.5	A		A	G	A		M	H	L		7	-	Leaning.				Eucalyptus camaldulensis			
T915	T218	Casuarina equisetifolia	木麻黃	4	14.0#	210	220	3	8.0	P		A		P		L	M	L		1,2	Broken branch, epicormics					Casuarina equisetifolia			
T924	T219	Eucalyptus camaldulensis	赤桉	10	24.3#	400	465	4	11.5	A		A	G	A	P	M	H	L		7	Co-dominant branches	Wound at union.				Eucalyptus camaldulensis			
T923	T220	Acacia confusa	台灣相思	7	15.2#	325	435	5	9.5	P		A		P		L		L		1,2,9	Gridling root, wound, co-dominant trunks	Included union.				Acacia confusa			
T922	T221	Casuarina equisetifolia	木麻黃	7		360	490	4	9.0	P		A		P		L		L		1,2	Broken branch	Broken central leader.				Casuarina equisetifolia			
T926	T222	Casuarina equisetifolia	木麻黃	7		330	370	4	11.0	A	P	A		A		M	L	L		6	-	Leaning.				Casuarina equisetifolia			
T1274	T223	Dead Tree	死樹	6		250	250	6		P		P		P		L		L		1,2	-	Fallen.				Dead Tree			
T1275	T224	Bauhinia variegata	豔粉羊蹄甲	6		220	250	3		A	P	A		A	P	L		L		6	-	Leaning. Trunk wound. Incorrect species, should be: Bauhinia x blakeana		Y		Bauhinia x blakeana			
	T225	Cinnamomum burmannii	陰香		6.0		105		4.0		P		A		P		L		L			Crooked trunk. Asymmetrical crown shape.	I			Cinnamomum burmannii			
	T226	Cinnamomum burmannii	陰香		6.0		105		4.0		P		A		P		L		L			Crooked trunk. Asymmetrical crown shape.	I			Cinnamomum burmannii			
	T227	Cinnamomum burmannii	陰香		6.0		100		4.0		P		A		P		L		L			Crooked trunk. Asymmetrical crown shape.	I			Cinnamomum burmannii			
T1273	T228	Cinnamomum burmannii	陰香	8		150	130	3		A	P	A		A	P	M	L	L		6	-	Severe lean. Asymmetrical crown shape.				Cinnamomum burmannii			
T214	T229	Melaleuca cajuputi subsp. cumingiana	白千層	12	18.2#	600	630	5		P	A	G		P		L	H	L		1,2,9	Severe leaning					Melaleuca cajuputi subsp. cumingiana			
T215	T230	Melaleuca cajuputi subsp. cumingiana	白千層	15	22.4#	700	670	4		A	G	A	G	A		M	H	L		7,9	Co-dominant trunks					Melaleuca cajuputi subsp. cumingiana			
T1268	T231	Cinnamomum burmannii	陰香	7		283	175	4		A	P	A		A		M	L	L		6	-	Co-dominant union.				Cinnamomum burmannii			
T1267	T232	Macaranga tanarius var. tomentosa	血桐	7		250	160	3		A	P	A		A	P	M	L	L		6	-	Severe lean.				Macaranga tanarius var. tomentosa			
T1266	T233	Celtis sinensis	朴樹	8		300	210	4		A		A		A		M		L		6	-					Celtis sinensis			

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		Colour code for Scientific Name:																																																			
		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey		A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey		B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey		C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey		F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey		G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey		H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey		H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey		I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey		J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)		J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)		K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey		L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey		L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		N: Outside the Boundary of HKGC Tree Survey		P: Tree in EIA Tree Survey found missing in HKGC Tree Survey		Colour code for Scientific Name:		Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey		Colour code for EIA Tree No.:		Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan		Others		Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)																																					
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting																																			
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan																									
T216	T234	Melaleuca cajuputi subsp. cumingiana	白千層	15	20.9#	700	890	3		A	G	A	G	A		M	H	L		7.9	-	Large forest tree.			Melaleuca cajuputi subsp. cumingiana																												
T1265	T235	Macaranga tanarius var. tomentosa	血桐	6		250	210	3		A	P	A		A	P	M	L	L		6	-	Incorrect species, should be Cinnamomum camphora.		Y	Cinnamomum camphora																												
T1264	T236	Cinnamomum burmannii	陰香	5		110	115	2		A	P	A		A	P	M		L		6	-	Severely topped.			Cinnamomum burmannii																												
T1258	T237	Leucaena leucocephala	銀合歡	6		300	320	1		A	P	A	A	A	P	L		L	L	5	Broken branch, slightly leaning	Tagged T1258. Severe lean. Topped.			Leucaena leucocephala	Y																											
T1259	T238	Cinnamomum burmannii	陰香	7		150	190	2		A		A		A		M		L		6	-	Trunk wound.			Cinnamomum burmannii																												
T1263	T239	Aquilaria sinensis	土沉香	2		20	15	2		A		A		A		M		M		-	-	Juvenile tree (seedling / whip).	A2		Aquilaria sinensis			Y																									
T1260	T240	Cinnamomum burmannii	陰香	8		230	260	6		A		A		A		M		L		6	Dead branch			Cinnamomum burmannii																													
T1262	T241	Cinnamomum burmannii	陰香	7		216	155	0.5		A	P	A		A		M	L	L		6	-	Crooked trunk. Leaning.			Cinnamomum burmannii																												
T1261	T242	Cinnamomum burmannii	陰香	7		200	140	2		A	P	A		A	P	M	L	L		6	-	Incorrect species, should be Macaranga tanarius var. tomentosa.		Y	Macaranga tanarius var. tomentosa																												
T1257	T243	Ligustrum sinense	山指甲	3		95	100	2		A	P	A	A	A	P	M	L	L		6	-	Multiple trunk, on slope, sucker			Ligustrum sinense																												
T1254	T244	Leucaena leucocephala	銀合歡	8		400	390	4		A	P	A	P	A	P	L		L		5	-	Not tagged.			Leucaena leucocephala	Y																											
T1256	T245	Aquilaria sinensis	土沉香	1		20	15	0.5		A		A		A		M		M		-	-	Juvenile tree (seedling / whip).	A2		Aquilaria sinensis			Y																									
T1255	T246	Macaranga tanarius var. tomentosa	血桐	7		130	115	3		A	P	A		A		M	L	L		6	-	Leaning. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa																												
T1270	T247	Cinnamomum burmannii	陰香	7		120	135	3		A	P	A		A		M	L	L		6	Broken branches	Trunk wound. Asymmetrical crown shape.			Cinnamomum burmannii																												
T1269	T248	Macaranga tanarius var. tomentosa	血桐	8		220	220	6		A	P	A	P	A	P	M	L	L		6	Wound at trunk	Fallen and dead.			Macaranga tanarius var. tomentosa																												
T1253	T249	Macaranga tanarius var. tomentosa	血桐	7		150	110	3		A	P	A		A	P	M	L	L		6	-	Severe lean. Large trunk wound.			Macaranga tanarius var. tomentosa																												
T1271	T250	Cinnamomum burmannii	陰香	6		160	125	2		A		A		A		M		L		6	-	Crooked trunk.			Cinnamomum burmannii																												
T1272	T251	Macaranga tanarius var. tomentosa	血桐	8		170	155	2		A	P	A		A	P	M	L	L		6	-	Severely crooked. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa																												
	T252	Cinnamomum burmannii	陰香		9.0		150		6.0		P		A		A		L		L			Asymmetrical crown shape.	I		Cinnamomum burmannii																												
	T253	Cinnamomum burmannii	陰香		9.0		120		4.0		P		A		A		L		L			Severely crooked.	I		Cinnamomum burmannii																												
	T254	Cinnamomum burmannii	陰香		8.0		95		3.0		P		A		A		L		L			Severely crooked.	I		Cinnamomum burmannii																												
T1251	T255	Leucaena leucocephala	銀合歡	7		283	240	7		A	P	A	A	A	P	L		L	L	5	-	Not tagged. Large failure.			Leucaena leucocephala	Y																											
T1252	T256	Leucaena leucocephala	銀合歡	8		361	370	5		A	P	A	A	A	P	L		L	L	5	-	Not tagged. Large failure.			Leucaena leucocephala	Y																											
T1249	T257	Macaranga tanarius var. tomentosa	血桐	8		210	200	2		A	P	A		A		M	L	L		6	Moderate leaning	Propping tree. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa																												
	T258	Cinnamomum burmannii	陰香		7.0		95		7.0		P		A		P		L		L			Severe lean.	I		Cinnamomum burmannii																												
T1250	T259	Leucaena leucocephala	銀合歡	7		320	275	5		A	P	A	A	A	P	L		L	L	5	Broken trunk	Fallen.			Leucaena leucocephala	Y																											
	T260	Canarium album	橄欖 (白欖)		9.0		100		3.0		A		A		A		M		L			Growing on steep slope.	I		Canarium album																												
T1248	T261	Cinnamomum burmannii	陰香	8		170	215	3		A	P	A		A		M	L	L		6	-	Asymmetrical crown shape.			Cinnamomum burmannii																												
T1247	T262	Cinnamomum burmannii	陰香	7		220	230	3	6.0&	A	P	A		A	P	M	L	L		6	-	Severe lean. Asymmetrical crown shape.			Cinnamomum burmannii																												
T1276	T263	Leucaena leucocephala	銀合歡	6		200	100	4		A	P	A	P	A	P	L		L		5	-	On slope, heavy leaning, heavy climber, epicormics, codominant branches			Leucaena leucocephala	Y																											
T1277	T264	Aquilaria sinensis	土沉香	2		60	75	2		A	P	A	P	A	P	M		M	L	-	Severe leaning	Damaged by fallen tree.	A2		Aquilaria sinensis			Y																									
T1280	T265	Macaranga tanarius var. tomentosa	血桐	7		200	145	1		A		A		A		M		L		6	-	Narrowly formed crown.			Macaranga tanarius var. tomentosa																												
T1281	T266	Microcos nervosa	布渣葉	7		200	150	2		A		A		A		M		L		6	-	Narrowly formed crown.			Microcos nervosa																												
T1278	T267	Aquilaria sinensis	土沉香	0.5		10	45	0.5		A		A		A		M		M		-	-	Juvenile tree (seedling / whip).	A2		Aquilaria sinensis			Y																									



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)												
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting										
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan
	T268	<i>Cinnamomum burmannii</i>	陰香		4.0		165		4.0		P		P		P		L		L			Severely damaged by a fallen tree.	I		<i>Cinnamomum burmannii</i>			
	T269	<i>Cinnamomum burmannii</i>	陰香		6.0		135		3.0		P		P		P		L		L			Damaged by fallen tree.	I		<i>Cinnamomum burmannii</i>			
T1301	T270	<i>Ligustrum sinense</i>	山指甲	5		95	105	3		A	P	A		A		M	L	L		6	-	Severe lean.			<i>Ligustrum sinense</i>			
T1300	T271	<i>Cinnamomum burmannii</i>	陰香	10		150	181	4		A		A		A	P	M	L	L		6	-	Severe lean.			<i>Cinnamomum burmannii</i>			
T1302	T272	<i>Bauhinia variegata</i>	宮粉羊蹄甲	12		310	290	4	6.5&	A		A		A	P	L	M	L		6	-	Leaning, incorrect species, should be: <i>Bauhinia x blakeana</i>		Y	<i>Bauhinia x blakeana</i>			
	T273	<i>Aquilaria sinensis</i>	土沉香		5.0		60		3.0		A		A		A		M		L			Crooked trunk.	J2		<i>Aquilaria sinensis</i>			
T1305	T274	<i>Cinnamomum burmannii</i>	陰香	11		170	165	3		A		A		A		M	L	L		6	-				<i>Cinnamomum burmannii</i>			
	T275	<i>Aquilaria sinensis</i>	土沉香		5.0		65		3.0		A		A		A		M		L			Crooked trunk.	J2		<i>Aquilaria sinensis</i>			
T1304	T276	<i>Acacia confusa</i>	台灣相思	10		250	220	5		P	P	A		A	P	L	L	L		1,2,9	Cavity, crooked trunk	Severe lean.			<i>Acacia confusa</i>			
T1303	T277	<i>Cinnamomum burmannii</i>	陰香	8	12.5#	270	310	5		A	P	A		A		M	L	L		6	-	Asymmetrical crown shape.			<i>Cinnamomum burmannii</i>			
	T278	<i>Aquilaria sinensis</i>	土沉香		4.0		50		4.0		P		P		P		M		L			Damaged by fallen tree.	J2		<i>Aquilaria sinensis</i>			
T1307	T279	<i>Leucaena leucocephala</i>	銀合歡	8		110	150	3		A	P	A	P	A	P	L		L	L	5	Slightly leaning	Severely topped.			<i>Leucaena leucocephala</i>	Y		
T1308	T280	<i>Ligustrum sinense</i>	山指甲	5		150	155	4		A		A		A		M	M	L		6	-				<i>Ligustrum sinense</i>			
T1309	T281	<i>Cinnamomum burmannii</i>	陰香	13		230	235	4		A	P	A		A		M	L	L		6	-	Crooked trunk.			<i>Cinnamomum burmannii</i>			
T1310	T282	<i>Cinnamomum burmannii</i>	陰香	8		100	85	2		A		A		A		M		L		6	-	incorrect species, should be <i>Aquilaria sinensis</i> .	C2	Y	<i>Aquilaria sinensis</i>			
T1311	T283	<i>Leucaena leucocephala</i>	銀合歡	12		300	340	5		A	A	A	A	A	P	L		L		5	Co-dominant trunks, included bark	Included union.			<i>Leucaena leucocephala</i>	Y		
T1306	T284	<i>Ligustrum sinense</i>	山指甲	5		200	200	4		A		A		A		M	L	L		6	Multiple trunks				<i>Ligustrum sinense</i>			
T1312	T285	<i>Leucaena leucocephala</i>	銀合歡	8		300	95	3		A	P	A	P	A	P	L		L		5	-	Low LCR.			<i>Leucaena leucocephala</i>	Y		
	T286	<i>Aquilaria sinensis</i>	土沉香		6.0		75		3.0		A		A		A		M		L			Crooked trunk.	J2		<i>Aquilaria sinensis</i>			
T1315	T287	<i>Leucaena leucocephala</i>	銀合歡	7		130	160	2		P	P	A	P	A	P	L		L	L	1,2	Cavity, co-dominant trunks	Severely topped.			<i>Leucaena leucocephala</i>	Y		
T1314	T288	<i>Cinnamomum burmannii</i>	陰香	5		100	135	3		A		A		A		M		L		6	Crooked trunk				<i>Cinnamomum burmannii</i>			
T1313	T289	<i>Leucaena leucocephala</i>	銀合歡	10		100	145	5		A	P	A	P	A	P	L		L	L	5	-	Appears to be dead.			<i>Leucaena leucocephala</i>	Y		
	T290	<i>Sterculia lanceolata</i>	假蘋婆		5.0		130		3.0		P		P		P		L		L			Asymmetrical crown spread.	I		<i>Sterculia lanceolata</i>			
	T291	<i>Leucaena leucocephala</i>	銀合歡		10.0		120		5.0		P		A		A		L		L			No tag.	I		<i>Leucaena leucocephala</i>	Y		
	T292	<i>Cinnamomum burmannii</i>	陰香		9.0		145		5.0		A		A		A		M		L			Growing on slope.	I		<i>Cinnamomum burmannii</i>			
	T293	<i>Leucaena leucocephala</i>	銀合歡		11.0		200		6.0		P		A		P		L		L			No tag.	I		<i>Leucaena leucocephala</i>	Y		
T1283	T294	<i>Leucaena leucocephala</i>	銀合歡	6		120	115	1		A	P	A	P	A	P	L		L	L	5	-	Large failure. Crooked.			<i>Leucaena leucocephala</i>	Y		
T1282	T295	<i>Leucaena leucocephala</i>	銀合歡	6		120	130	0.5		A	P	A	P	A	P	L		L	L	5	-	Decay column.			<i>Leucaena leucocephala</i>	Y		
T1284	T296	<i>Cinnamomum camphora</i>	樟	8		300	325	4		A	P	A	P	A	P	M	L	L	L	6	Dead branch, moderate leaning	Dead branch, moderate leaning, incorrect species, should be <i>Leucaena leucocephala</i> .		Y	<i>Leucaena leucocephala</i>	Y		
T1286	T297	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6		100	130	2		A	P	A	P	A	P	M	L	L		6	-	Dead branch. Severe lean.			<i>Macaranga tanarius</i> var. <i>tomentosa</i>			
	T298	<i>Leucaena leucocephala</i>	銀合歡		8.0		110		3.0		P		A		P		L		L			No tag.	I		<i>Leucaena leucocephala</i>	Y		
T1287	T299	<i>Leucaena leucocephala</i>	銀合歡	8		250	250	3		A	P	A	P	A	P	L		L	L	5	-	Severe lean.			<i>Leucaena leucocephala</i>	Y		
	T300	<i>Aquilaria sinensis</i>	土沉香		5.0		55		3.0		A		A		A		M		L			Crooked trunk.	J2		<i>Aquilaria sinensis</i>			
	T301	<i>Caryota mitis</i>	短穗魚尾葵 (小魚尾葵)		8.0		131		3.0		A		A		A		M		L			Leaning, on slope	I		<i>Caryota mitis</i>			

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:	A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	E: Tree in EIA Tree Survey but Found Dead in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey that found to be same as another in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	K: Tree Found Absent in EIA Tree Survey Schedule but Present in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)															
Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting																				
EIA Tree No.	HKGC Tree No.	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan				
T861	T302	Cinnamomum burmannii	陰香	16		180	225	5		A		A		A		M		L	6	Climber	Climber, on slope			Cinnamomum burmannii					
T862	T303	Bauhinia variegata	宮粉羊蹄甲	10		240	250	4		A		A		A		M		L	6	Climber	Climber, on slope, fence			Bauhinia variegata					
T860	T304	Cinnamomum burmannii	陰香	6		110	110	3		A		A		A		M		L	6	Climber, epicormics				Cinnamomum burmannii					
T859	T305	Dead Tree	死樹	10		390	343	0.5		P		P		P		L		L	1,2	Climber				Dead Tree					
T858	T306	Bauhinia variegata var. candida	白花羊蹄甲	12		355	388	5		P		A		A		L		L	1,2	Climber, co-dominant trunks	Climber, co-dominant trunks, on slope			Bauhinia variegata var. candida					
T857	T307	Macaranga tanarius var. tomentosa	血桐	7		210	196	2		P		P		A		L		L	1,2	Moderate leaning, epicormics				Macaranga tanarius var. tomentosa					
T856	T308	Dimocarpus longan	龍眼	8		110	105	5		A		A		A		M		L	4	-				Dimocarpus longan					
T855	T309	Cinnamomum burmannii	陰香	7		105	104	3		A		A		A		M		L	6	Wound at branch, epicormics	Wound at branch, epicormics, leaning			Cinnamomum burmannii					
T853	T310	Dimocarpus longan	龍眼	8		95	100	4		A		A		A		M		L	4	-				Dimocarpus longan					
T852	T311	Macaranga tanarius var. tomentosa	血桐	8		245	224	4		P		A		A		L		L	1,2	Moderate leaning, climber	Leaning, climber, on slope			Macaranga tanarius var. tomentosa					
T854	T312	Cinnamomum burmannii	陰香	10		120	145	2		P		P	A	P		L		L	1,2	Included bark, epicormics, dieback	Codominant trunks with included bark, epicormics, dieback, on slope			Cinnamomum burmannii					
T851	T313	Bauhinia variegata	宮粉羊蹄甲	10		250	247	2		P		A		P		L		L	1,2	Cavity at trunk, dead branches, crooked				Bauhinia variegata					
	T314	Cinnanomum burmannii	陰香		8.0		103		3.0		A		A		A		M		L		Dead branches				Cinnanomum burmannii				
T846	T315	Caryota maxima	魚尾葵	7		110	120	2		A		A		A		M		L	6	Climber				Caryota maxima					
T842	T316	Cinnamomum burmannii	陰香	13		160	183	5		A		A		A		M		L	6	Climber	Climber, on slope			Cinnamomum burmannii					
	T317	Ficus variegata	青果榕		8.0		103		3.0		P		P		P		L		L		Low LCR, scarce leaves, on slope, crooked trunk				Ficus variegata				
	T318	Ficus variegata	青果榕		8.0		107		3.0		P		P		P		L		L		Low LCR, scarce leaves, on slope, crooked trunk				Ficus variegata				
T865	T319	Cinnamomum burmannii	陰香	15		190	230	5		A		A		A		M		L	6	-				Cinnamomum burmannii					
T866	T320	Cinnamomum burmannii	陰香	12		150	186	4		A		A		A		M		L	6	-				Cinnamomum burmannii					
T867	T321	Cinnamomum burmannii	陰香	17		210	226	7		A		A		A		M		L	6	Climber				Cinnamomum burmannii					
T847	T322	Cinnamomum burmannii	陰香	7		105	106	2		A		A		A		M		L	6	Climber	Climber, sucker			Cinnamomum burmannii					
T863	T323	Cinnamomum burmannii	陰香	8		145	182	5		A		A		A		M		L	6	Bending	Bending, sucker, epicormics			Cinnamomum burmannii					
T864	T324	Cinnamomum burmannii	陰香	10		215	222	7		A	P	A		A		M		L	6	Co-dominant branches	Co-dominant branches, leaning, dead branches			Cinnamomum burmannii					
T834	T325	Cinnamomum burmannii	陰香	14		170	205	6		A		A		A		M		L	6	Sucker	Sucker, climber			Cinnamomum burmannii					
T833	T326	Cinnamomum burmannii	陰香	13		150	156	3		A		A		A		M		L	6	Climber	Climber, sucker			Cinnamomum burmannii					
T832	T327	Cinnamomum burmannii	陰香	9		120	150	6		A		A		A		M		L	6	-				Cinnamomum burmannii					
T843	T328	Dimocarpus longan	龍眼	8		140	145	5		A		A		A		M		L	4	-				Dimocarpus longan					
T835	T329	Bauhinia variegata	宮粉羊蹄甲	14		390	380	6		P		A		P		L		L	1,2	Climber, co-dominant branches, wound at trunk, decay	Climber, co-dominant branches, wound at trunk, decay cavity, on slope, leaning			Bauhinia variegata					
T845	T330	Dyopsis lutescens	散尾葵	6		130	149	3		A		A		A		M		L	6	-				Dyopsis lutescens					
T844	T331	Caryota mitis	短穗魚尾葵	8		188	208	6		A		A		A		M		L	6	-				Caryota mitis					
	T332	Caryota mitis	短穗魚尾葵 (小魚尾葵)		5.0		95		3.0		A		A		A		M		L						Caryota mitis				
T783	T333	Ficus variegata	青果榕	16		494	503	7		P		A		A		L	M	L	1,2	Co-dominant trunks, wound at trunk, decay				Ficus variegata					
T831	T334	Dimocarpus longan	龍眼	12		130	139	8		A		A		A		M		L	4	Co-dominant branches				Dimocarpus longan					
T830	T335	Bauhinia variegata	宮粉羊蹄甲	7		95	119	3		A		A		A		M		L	6	-				Bauhinia variegata					



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey				
EIA Tree No.	HKGC Tree No.	Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)						Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan		
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting																				
				In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey) (1)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey) (2)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)												
T1715	T336	Melaleuca cajuputi subsp. cumingiana	白千層	18	19.1#	500	770	5		A	G	A	G	A		M	H	L		7,9	-				Climber, on slope			Melaleuca cajuputi subsp. cumingiana		Y	
T1724	T337	Ficus hispida	對葉榕	6		170	170	3		A		A		A		M		L		6	-				On slope			Ficus hispida			
	T338	Bauhinia variegata	宮粉羊蹄甲		12.0		204				P		A		P		L		L						Leaning, uprooted	I		Bauhinia variegata			
	T339	Sterculia lanceolata	假蘋婆		6.0		97				P		A		A		M		L						Unsymmetric crown	I		Sterculia lanceolata			
T1721	T340	Ficus variegata	青果榕	9		190	310	5		A		A	G	A	G	M		L		6	-				Bent trunk			Ficus variegata			
T1722	T341	Ficus variegata	青果榕	10		380	523	2		P		A		P		L		L		1,2	Moderate leaning				Leaning, one main trunk topped. Incorrect species. Should be: Casuarina equisetifolia		Y	Casuarina equisetifolia			
	T342	Ficus variegata	青果榕		7.0		108				P		P		P		L		L						Crooked trunk, chlorotic leaves	I		Ficus variegata			
T1714	T343	Ficus hispida	對葉榕	6		140	207	4		A		A		A		M		L		6	-				On slope, leaning			Ficus hispida			
T1244	T344	Casuarina equisetifolia	木麻黃	8	17.5#	250	390	3	7.5	A		A	G	A		M		L		6	-				Codominant trunks at half height			Casuarina equisetifolia		Y	
T21	T344A	Melaleuca cajuputi subsp. cumingiana	白千層	14	19.2#	1000	970	6	13.2	A	G	A	G	P	G	M	H	L		9	Dead branches				Large and mature.	B		Melaleuca cajuputi subsp. cumingiana			
T1243	T345	Dead Tree	死樹	13	15.1#	560	730	6	8.5	P	A	P		P		L	M	L		1,2	-				Fungi, sparse foliage, on slope. Incorrect species, should be Casuarina equisetifolia.		Y	Casuarina equisetifolia		Y	
T56	T346	Eucalyptus exserta	窿緣桉	14	29.7#	1060	1040	8	21.0	A	G	A	G	A	G	M	H	L		9	On slope, epicormic growth				On slope, epicormic growth, climber	A		Eucalyptus exserta		Y	
T1245	T347	Ficus variegata	青果榕	8	14.8#	350	354	6	7.6	A	G	A	G	A		M	H	L		6	-				Climber, on slope, tree trunk next to drainage			Ficus variegata		Y	
T57	T348	Eucalyptus exserta	窿緣桉	14	26.3#	1060	850	8	18.0	A	G	A	G	A		M	H	L		9	On slope						Eucalyptus exserta		Y		
T75	T349	Casuarina equisetifolia	木麻黃	14	24.1#	690	745	8	12.0	A		A	G	A		M	H	L		7	Restricted root				Restricted root system, multiple trunks, epicormics, not marked in original tree survey plan			Casuarina equisetifolia			Y
T74	T350	Melaleuca cajuputi subsp. cumingiana	白千層	14	17.4#	830	890	7	7.7	A		A	G	A		M	H	L		7,9	Restricted root				Restricted root, codominant branches			Melaleuca cajuputi subsp. cumingiana			Y
	T351	Macaranga tanarius var. tomentosa	血桐		4.0		115				P		P		P		L		L						Leaning, on slope, chlorotic leaves	I		Macaranga tanarius var. tomentosa			
	T352	Ficus variegata	青果榕		6.0		141				P		A		P		M		L						Codominant branches, water pipe situated above branch union	I		Ficus variegata			
T1713	T353	Melaleuca cajuputi subsp. cumingiana	白千層	18		450	730	4		A		A		A		M	H	L		9	-						Melaleuca cajuputi subsp. cumingiana				
	T354	Sterculia lanceolata	假蘋婆		5.0		96				A		G		A		M		L						On slope	I		Sterculia lanceolata			
T1712	T355	Melaleuca cajuputi subsp. cumingiana	白千層	18	23.3#	950	1073	6	6.0	A	G	A	G	A		M	H	L		7,9	Co-dominant trunks with included bark, close to road						Melaleuca cajuputi subsp. cumingiana		Y		
T1726	T356	Celtis sinensis	朴樹	10		110	357	4	6.0	A		A		A		L		L		1	-				Climber, on slope			Celtis sinensis			
T1727	T357	Ficus hispida	對葉榕	8		250	240	4	6.0	A		A		A		L		L		1	-						Ficus hispida				
T1436	T358	Melaleuca cajuputi subsp. cumingiana	白千層	15		670	645	6	8.0	A		A	G	A		M	H	L		7,9	-						Melaleuca cajuputi subsp. cumingiana		Y		
T1437	T359	Casuarina equisetifolia	木麻黃	15		335	323	5	9.0	A		A		A		M	H	L		6	-						Casuarina equisetifolia		Y		
T1435	T360	Melaleuca cajuputi subsp. cumingiana	白千層	16	14.2#	600	775	6	12.0	A		A	G	A		M	H	L		7,9	Co-dominant trunks						Melaleuca cajuputi subsp. cumingiana				
T1438	T361	Casuarina equisetifolia	木麻黃	15	23.6#	420	483	5	12.0	A		A		A		M	H	L		7	-						Casuarina equisetifolia				
T1439	T362	Celtis sinensis	朴樹	7		178	206	5	8.5	A		A		A		M		L		6	-						Celtis sinensis				
T1440	T363	Celtis sinensis	朴樹	5		140	143	3	3.5	A		A		A		M		L		6	Wound at branches						Celtis sinensis				
T1441	T364	Casuarina equisetifolia	木麻黃	17		500	510	8	14.0	A	G	A		A	G	M	H	L		7	-						Casuarina equisetifolia				
T1442	T365	Bauhinia variegata	宮粉羊蹄甲	4		150	155	2	7.0	A		A		A		L	M	L		6	-				Incorrect species, should be Bridelia tomentosa.		Y	Bridelia tomentosa			
T1444	T366	Melaleuca cajuputi subsp. cumingiana	白千層	15	16.5#	770	680	7	11.0	A		A	G	A		M	H	L		7,9	-						Melaleuca cajuputi subsp. cumingiana				
T1443	T367	Sterculia lanceolata	假蘋婆	7		115	123	3	4.0	A		A		A		M		L		6	-						Sterculia lanceolata				
T1445	T368	Celtis sinensis	朴樹	5		470	140	3	5.0	A		A		A		M		L		7	-						Celtis sinensis				

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

EIA Tree No.	HKGC Tree No.	Colour code in the schedule:	A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	E: Tree in EIA Tree Survey but Found Dead in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey that found to be same as another in HKGC Tree Survey	G: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species found Dead in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey
		Species		Measurements						(Good/Average/Poor)				(High/Medium/ Low)															
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting											
				in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T1446	T369	Melaleuca cajuputi subsp. cumingiana	白千層	15		140	483	6	10.0	A		A	G	A		M	H	L		9	-				Melaleuca cajuputi subsp. cumingiana				
T1447	T370	Celtis sinensis	朴樹	7		180	173	4	7.0	A		A		A		M		L		6	-				Celtis sinensis				
	T371	Albizia lebbeck	大葉合歡		7.0		108		5.0		A		A		A		M		L			Low LCR, slight leaning	I		Albizia lebbeck				
T1448	T372	Celtis sinensis	朴樹	7		180	183	4	9.0	A		A		A		M		L		6	-				Celtis sinensis				
T1449	T373	Ligustrum sinense	山指甲	5		95	121	4	7.0	A		A		A		M		L		6	-				Ligustrum sinense				
T1450	T374	Bridelia tomentosa	土蜜樹	6		106	170	3	7.0	A		A		A		M		L		6	-				Bridelia tomentosa				
T1452	T375	Celtis sinensis	朴樹	6		95	98	3	3.0	A		A		A		M		L		6	-				Celtis sinensis				
T1451	T376	Melaleuca cajuputi subsp. cumingiana	白千層	14.0	17.9#	620	1000	7.0	12.0	A		A	G	A		M	H	L		7.9	-	Leaning, Tree of Particular Interest	C		Melaleuca cajuputi subsp. cumingiana				
T1454	T377	Casuarina equisetifolia	木麻黃	13		710	516	7	11.0	A	G	A		A		M		L		7	-				Casuarina equisetifolia				
T1453	T378	Bridelia tomentosa	土蜜樹	5		110	110	3	6.0	A		A		A		M		L		6	-				Bridelia tomentosa		Y		
T1455	T379	Celtis sinensis	朴樹	7		260	260	3	10.0	A		A		A		M		L		6	-				Celtis sinensis		Y		
T1457	T380	Melaleuca cajuputi subsp. cumingiana	白千層	14	20.2#	850	850	8	20.0	A	G	A	G	A		M	H	L		7.9	-	Codominant trunks. Standing out.			Melaleuca cajuputi subsp. cumingiana				
T1456	T381	Leucaena leucocephala	銀合歡	7		170	195	2	3.0	A	P	A	P	A	P	L	L	L	L	5	-	Leaning. Found dead during this survey	F		Dead Tree				
T1459	T382	Cinnamomum camphora	樟	9		720	710	9	14.0	A	G	A		A	G	M	H	L		7	Co-dominant trunks	Incorrect species, should be Ficus microcarpa		Y	Ficus microcarpa				
T1458	T383	Cinnamomum camphora	樟	10		505	320	7	10.0	A		A		A		M		L		7	-				Cinnamomum camphora				
T1460	T384	Cinnamomum camphora	樟	7		335	333	4	7.5	P		A		A		L		L		1,2	Epicormics, wound at trunk				Cinnamomum camphora				
T1461	T385	Cinnamomum camphora	樟	8		270	300	6	12.0	A		A		A		M		L		6	-				Cinnamomum camphora				
T1463	T386	Cinnamomum camphora	樟	8		225	260	5	8.0	A		A		A		M	M	L		6	-				Cinnamomum camphora				
T1462	T387	Ficus microcarpa	細葉榕	9		430	517	7	14.0	A	G	A		A	G	M	H	L		7	-				Ficus microcarpa				
	T388	Caryota mitis	短穗魚尾葵 (小魚尾葵)		5.0		259		4.6		A		A		A		M		M			-	I		Caryota mitis				
T1464	T389	Celtis sinensis	朴樹	10		450	498	6	14.2	A		A	G	A		M		L		7	-				Celtis sinensis				
T213	T390	Lagerstroemia indica	紫薇	4		156	173	2	6.0	P	A	A	G	A		L	M	L		1,2	Climber, multiple trunks	Climber, multiple trunks	A2		Lagerstroemia indica				
	T391	Terminalia mantaly 'Tricolour'	錦葉構仁		6.0		125		5.0		G		G		G		H		M			Outstanding form and health	I		Terminalia mantaly 'Tricolour'				
	T392	Terminalia mantaly 'Tricolour'	錦葉構仁		7.0		148		5.0		G		G		A		H		M			Outstanding form and health	I		Terminalia mantaly 'Tricolour'				
	T393	Terminalia mantaly 'Tricolour'	錦葉構仁		6.0		100		3.5		G		G		G		H		M			Outstanding form and health	I		Terminalia mantaly 'Tricolour'				
	T394	Terminalia mantaly 'Tricolour'	錦葉構仁		6.0		95		3.2		G		G		A		H		M			Outstanding form and health	I		Terminalia mantaly 'Tricolour'				
	T395	Terminalia mantaly 'Tricolour'	錦葉構仁		6.0		100		2.0		A		A		A		H		M			Outstanding form and health	I		Terminalia mantaly 'Tricolour'				
	T396	Caryota mitis	短穗魚尾葵 (小魚尾葵)		6.0		164		3.5		G		G		G		M		M			-	I		Caryota mitis				
	T397	Melaleuca cajuputi subsp. cumingiana	白千層		15.0		490		7.3		A		P		A		H		L			Strangled by Ficus virens , dieback, dead branches	I		Melaleuca cajuputi subsp. cumingiana				
	T398	Plumeria rubra	雞蛋花		4.0		140		3.6		A		A		A		M		L			Wound on a branch	I		Plumeria rubra				
	T399	Celtis sinensis	朴樹		9.0		370		9.0		A		G		A		M		L			Leaning, parasitic plant on tree crown	I		Celtis sinensis				
T1832	T400	Terminalia mantaly 'Tricolour'	錦葉構仁	9		225	240	4	7.0	A	G	A	G	A	G	L	H	L		1	-	Outstanding form and health			Terminalia mantaly 'Tricolour'				
T1716	T401	Cinnamomum camphora	樟	9		320	345	5		A		A		A		M		L		6	-	Crooked trunk, on slope			Cinnamomum camphora				
T1717	T402	Dimocarpus longan	龍眼	6		160	163	3		A		A		A		M		L		4	-	On slope, wound on root flare, leaning at upper half			Dimocarpus longan				



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)												
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting										
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan
	T403	<i>Sterculia lanceolata</i>	假蒴藁		6.0		98		4.0		P		P		P		L		L			Climber, on slope	I		<i>Sterculia lanceolata</i>			
T1718	T404	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18	22.7#	900	1060	6	7.0	A	G	A	G	A		M	H	L		7.9	On slope, multiple trunks with included bark, epicormic growth, close to road	On slope, multiple trunks with included bark, close to road, TPI by DBH	C		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>		Y	
T1719	T405	Dead Tree	死樹	4		190	170	1		P		P		A		L		L		1,2	Topped			Dead Tree				
T1720	T406	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	7		230	232	5		A	P	A		A		M		L		6	Co-dominant branches	Co-dominant branches, crooked trunk, leaning			<i>Macaranga tanarius</i> var. <i>tomentosa</i>			
T1725	T407	<i>Ficus hispida</i>	對葉榕	2		170	127	1		P		P		A		L		L		1,2	Topped, epicormics	Topped, epicormics, on slope			<i>Ficus hispida</i>			
T1723	T408	<i>Celtis sinensis</i>	朴樹	12		460	576	5		A		A	G	A		M		L		7	-	On slope, slight leaning			<i>Celtis sinensis</i>			
T1728	T409	<i>Bauhinia variegata</i>	宮粉羊蹄甲	8		330	341	5		P		A	P	A		L		L		1,2	Climber	Climber, sparse foliage, dieback, epicormics. Incorrect species. Should be <i>Macaranga tanarius</i> var. <i>tomentosa</i>		Y	<i>Macaranga tanarius</i> var. <i>tomentosa</i>			
T1729	T410	<i>Ficus hispida</i>	對葉榕	6		200	183	4		P		A		A		L		L		1,2	Climber	Climber, leaning			<i>Ficus hispida</i>			
T1730	T411	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18	21.8#	900	1165	5	9.5	P	A	A	G	P		L	H	L		1,2,9	Strangled by <i>Ficus microcarpa</i> , bulge at trunk, baseclose to road.	Strangled by <i>Ficus microcarpa</i> , bulge at trunk, baseclose to road. TPI by DBH	C		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
T1731	T412	<i>Ficus hispida</i>	對葉榕	12		275	284	4		P	A	A		A		L		L		1,2	Climber	On slope, codominant branches, leaning, incorrect species, should be: <i>Ficus variegata</i>		Y	<i>Ficus variegata</i>			
T1732	T413	<i>Ficus hispida</i>	對葉榕	12		230	253	4		P	A	A		A		L		L		1,2	Climber	On slope, climber, incorrect species, should be: <i>Ficus variegata</i>		Y	<i>Ficus variegata</i>			
	T414	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層		20.0		840		10.0		G		G		A		H		L			On slope, next to fence, minor leaning, codominant branches.	I		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
T1757	T415	<i>Casuarina equisetifolia</i>	木麻黃	20	30.4#	240	570	3		P	A	A		A		L	H	L		1,2	Climber	On slope, climber	C		<i>Casuarina equisetifolia</i>			
T1758	T416	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	20		360	280	5	1.0	P		A	P	A	P	L		L		1,2,9	Climber	Found dead in this survey	F		Dead Tree			
T1752	T417	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18		560	950	5		P	A	A	G	A		L	H	L		1,2,9	Climber, co-dominant trunks	Climber, co-dominant trunks, strangled by <i>Ficus microcarpa</i>			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
T1750	T418	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18		530	880	5		P	A	A	G	A		L	H	L		1,2,9	Climber	Climber, condominant branches, on slope			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
	T419	<i>Celtis sinensis</i>	朴樹		10.0		198		10.0		A		A		A		M		L			Epicormics	I		<i>Celtis sinensis</i>			
T1749	T420	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18		420	630	5		P	A	A	G	A		L	H	L		1,2,9	Climber	On slope, climber			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
T1740	T421	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18		320	630	4		P	A	A	G	A		L	H	L		1,2,9	Climber	On slope, climber			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>		Y	
T1742	T422	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	8		190	295	8		P		A	P	A		L	M	L		1,2	Climber	Climber, leaning, on slope, chlorotic leaves, dieback, bark cracks			<i>Macaranga tanarius</i> var. <i>tomentosa</i>		Y	
	T423	<i>Sterculia lanceolata</i>	假蒴藁		8.0		100		8.0		A		A		A		M		L			Climber	I		<i>Sterculia lanceolata</i>			
T1741	T424	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18		360	850	4		P	A	A	G	A		L	H	L		1,2,9	Climber	On slope, leaning, climber			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
T1743	T425	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18		410	600	4		P	A	A	G	A		L	H	L		1,2,9	Climber	On slope, climber			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
T1745	T426	<i>Cinnamomum camphora</i>	樟	14		380	300	6		P	A	A		A		L	M	L		1,2	Climber, multiple trunks	Climber, multiple trunks, leaning, incorrect species, should be <i>Sterculia lanceolata</i> .		Y	<i>Sterculia lanceolata</i>		Y	
	T427	<i>Sterculia lanceolata</i>	假蒴藁		10.0		200		10.0		A		A		A		M		L			Leaning	I		<i>Sterculia lanceolata</i>			
T1746	T428	<i>Cinnamomum camphora</i>	樟	14		330	330	4		P		A		A		L	M	L		1,2	Climber	Leaning, drooping branches, on slope, climber, incorrect species, should be <i>Sterculia lanceolata</i> .		Y	<i>Sterculia lanceolata</i>		Y	
T1763	T429	<i>Sterculia lanceolata</i>	假蒴藁	8		220	270	4		P	A	A		A		L	M	L		1,2	Climber				<i>Sterculia lanceolata</i>			
T1762	T430	<i>Lophostemon confertus</i>	紅膠木	16		330	487	4		P		A		A		L	M	L		1,2,9	Climber				<i>Lophostemon confertus</i>		Y	
T1764	T431	Dead Tree	死樹	10		360	348	1		P		P		P		L		L		1,2	Climber				Dead Tree			
T1778	T432	<i>Ficus hispida</i>	對葉榕	7		270	255	4		P		A		P		L		L		1,2	Climber, asymmetric crown	Climber, asymmetric crown, leaning			<i>Ficus hispida</i>			
T1780	T433	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16		430	750	4		P	A	A		A		L	H	L		1,2,9	Climber	Climber, heavy, on slope			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
T1766	T434	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18		390	560	5		P	A	A		A		L	H	L		1,2,9	Climber	Climber, leaning			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
T1767	T435	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	8		180	270	5		P		A		P		L	M	L		1,2	Climber, asymmetric crown				<i>Macaranga tanarius</i> var. <i>tomentosa</i>			
T1765	T436	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18	20.0#	430	430	5		P	A	A		A		L	H	L		1,2,9	Climber	Climber, leaning, codominant branches			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
EIA Tree No.	HKGC Tree No.	Species		Measurements					(Good/Average/Poor)					(High/Medium/ Low)					Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan			
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting																		
				in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey									
T1779	T437	Lophostemon confertus	紅膠木	10		300	300	3		P		A		A		L		L		1,2,9	Climber	Climber, found dead	F		Dead Tree				
	T438	Dead Tree	死樹		12.0		420		2.0		P		P		P		L		L			Dense climber	I		Dead Tree				
T1744	T439	Lophostemon confertus	紅膠木	8		200	240	2		P		A	P	A	P	L		L		1,2,9	Climber	Climber, found dead with absence of crown	F		Dead Tree				
T1747	T440	Michelia x alba	白蘭	14		250	350	5		P	A	A		A		L	M	L		1,2	Climber	Leaning, climber	A2		Michelia x alba				
T1748	T441	Lophostemon confertus	紅膠木	18		350	470	4		P		A	P	A	P	L		L		1,2,9	Climber	Climber, found dead with absence of crown	F		Dead Tree				
	T442	Lophostemon confertus	紅膠木		18.0		470		5.0		A		A		P		L		L			Leaning, climber	I		Lophostemon confertus				
	T443	Syzygium jambos	蒲桃		10.0		169		5.0		A		A		A		M		L			Leaning	I		Syzygium jambos				
	T444	Dead Tree	死樹		8.0		320		1.0		P		P		P		L		L				I		Dead Tree				
	T445	Dead Tree	死樹		5.0		264		1.0		P		P		P		L		L				I		Dead Tree				
T1751	T446	Melaleuca cajuputi subsp. cumingiana	白千層	16		270	510	3		P		A		A		L	M	L		1,2,9	Climber	Climber, codominant branches			Melaleuca cajuputi subsp. cumingiana		Y		
	T447	Dead Tree	死樹		5.0		190		1.0		P		P		P		L		L				I		Dead Tree				
	T448	Melaleuca cajuputi subsp. cumingiana	白千層		20.0		650		8.0		A		A		A		M		L			Heavy climber	I		Melaleuca cajuputi subsp. cumingiana				
	T449	Liquidambar formosana	楓香		12.0		128		8.0		A		A		A		M		L			Low live-crown ratio, climber	I		Liquidambar formosana				
	T450	Canarium album	橄欖 (白欖)		11.0		127		5.0		A		A		P		M		L			Low live-crown ratio	I		Canarium album				
T1759	T451	Cinnamomum camphora	樟	16		350	560	6		P	A	A		A		L	M	L		1,2	Climber, dead branch	Climber, dead branch, on slope			Cinnamomum camphora				
T1760	T452	Cinnamomum camphora	樟	16		250	270	4		P		A		P		L	M	L		1,2	Climber, Cross branch with T1760, leaning	Climber, Cross branch with T1760, leaning, on slope			Cinnamomum camphora				
T1761	T453	Cinnamomum camphora	樟	16		310	440	4		P		A	P	P		L	M	L		1,2	Climber, dead branch, Cross branch with T1760	Climber, dead branch, croos branch with T1760, fungal infection			Cinnamomum camphora				
	T454	Sterculia lanceolata	假蘋婆		6.0		139		3.0		A		A		A		L		L			On slope	I		Sterculia lanceolata				
	T455	Schefflera heptaphylla	鵝掌柴		6.0		106		6.0		P		A		P		L		L			Leaning, unsymetric crown	I		Schefflera heptaphylla				
T1666	T456	Sterculia lanceolata	假蘋婆	6		150	147	3		A		A		A		M		L		6	-	On slope			Sterculia lanceolata				
T1665	T457	Melaleuca cajuputi subsp. cumingiana	白千層	14		265	308	4		A	P	A		A		M		L		9	-	On slope, leaning			Melaleuca cajuputi subsp. cumingiana				
	T458	Melaleuca cajuputi subsp. cumingiana	白千層		6.0		110		3.0		P		P		P		L		L			Almost dead, epicormics on base, on slope	I		Melaleuca cajuputi subsp. cumingiana				
T1664	T459	Melaleuca cajuputi subsp. cumingiana	白千層	16		370	500	4		A		A		A		M		L		9	-	On slope			Melaleuca cajuputi subsp. cumingiana				
T1662	T460	Melaleuca cajuputi subsp. cumingiana	白千層	12		175	162	3		P		A		P		L	M	L		1,2,9	Crossing trunks with T1663	Crossing trunks with HKGC T461 (EIA T1663), climber			Melaleuca cajuputi subsp. cumingiana				
T1663	T461	Lophostemon confertus	紅膠木	16	26.7#	450	460	5		P		A		P		L	H	L		1,2,9	Crossing trunks with T1662	Crossing trunks with HKGC T460 (EIA T1662), climber, incorrect species, should be: Casuarina equisetifolia, TPI by height	C	Y	Casuarina equisetifolia				
T1652	T462	Cinnamomum burmannii	陰香	6		165	177	4		A		A		A		M		L		6	-	Leaning			Cinnamomum burmannii				
T1660	T463	Melaleuca cajuputi subsp. cumingiana	白千層	12		150	149	2		A		A		A		M		L		9	-				Melaleuca cajuputi subsp. cumingiana				
T1649	T464	Macaranga tanarius var. tomentosa	血桐	8		325	291	6		P		A		P		L		L		1,2	Crossing branches withT1651, Moderate leaning	Crossing branches withT1651, leaning, epicormics			Macaranga tanarius var. tomentosa				
T1650	T465	Lophostemon confertus	紅膠木	12		260	227	4		A		A		A		M		L		9	-				Lophostemon confertus				
T1651	T466	Melaleuca cajuputi subsp. cumingiana	白千層	16		510	590	5		A		A		A		M		L		7,9	-				Melaleuca cajuputi subsp. cumingiana				
T1647	T467	Macaranga tanarius var. tomentosa	血桐	6		300	298	6		A	P	A		A		M		L		6	Co-dominant trunks, wound	Co-dominant trunks, wound, climber			Macaranga tanarius var. tomentosa				
T1645	T468	Melaleuca cajuputi subsp. cumingiana	白千層	16		350	400	4		A		A		A		M		L		9	-				Melaleuca cajuputi subsp. cumingiana				
T1646	T469	Melaleuca cajuputi subsp. cumingiana	白千層	16		270	309	4		A		A		A		M		L		9	-				Melaleuca cajuputi subsp. cumingiana				



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)		Form	Health condition		Structural condition		Amenity Value		Suitability for transplanting														
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan			
T1648	T470	Melaleuca cajuputi subsp. cumingiana	白千層	16		300	340	4		A		A		A		M		L	9	-				Melaleuca cajuputi subsp. cumingiana					
T1661	T471	Melaleuca cajuputi subsp. cumingiana	白千層	18		625	450	6		A	P	A	P	A	P	M	L	L	7,9	-	On slope. Found dead in this survey	F		Dead Tree					
	T472	Sterculia lanceolata	假蒺藜		7.0		158		7.0		P		A		P		L	L			On slope	I		Sterculia lanceolata					
T1734	T473	Bauhinia variegata	宮粉羊蹄甲	8		160	134	4		P		A		A		L		L	1,2	Climber				Bauhinia variegata					
	T474	Dead Tree	死樹		3.0		270		1.0		P		P		P		L	L			On slope	I		Dead Tree					
T1733	T475	Lophostemon confertus	紅膠木	14		300	330	4		P		A		A		L		L	1,2,9	Climber				Lophostemon confertus					
	T476	Dead Tree	死樹		3.0		150		1.0		P		P		P		L	L			On slope	I		Dead Tree					
	T477	Cinnamomum burmannii	陰香		7.0		125		4.0		A		A		P		L	L				I		Cinnamomum burmannii					
T1644	T478	Cinnamomum camphora	樟	16		380	627	7	18.0&	A		A	G	A		M	H	L	6	-	Crooked trunk, on slope				Cinnamomum camphora				
	T479	Sterculia lanceolata	假蒺藜		7.0		105		4.0		A		A		P		L	L			Climber, low live-crown ratio, slope	I		Sterculia lanceolata					
	T480	Ficus hispida	對葉榕		6.0		96		4.0		P		A		P		L	L			On slope, climber	I		Ficus hispida					
	T481	Dead Tree	死樹		6.0		96		4.0		P		P		P		L	L				I		Dead Tree					
T1654	T482	Melaleuca cajuputi subsp. cumingiana	白千層	14		175	197	4		A		A		A		M		L	9	-				Melaleuca cajuputi subsp. cumingiana					
T1653	T483	Melaleuca cajuputi subsp. cumingiana	白千層	14		300	308	4		A		A		A		M		L	9	-	On slope				Melaleuca cajuputi subsp. cumingiana				
T1655	T484	Cinnamomum burmannii	陰香	5		150	149	4		A	P	A		A		M		L	6	-	Leaning, on slope				Cinnamomum burmannii				
T1658	T485	Melaleuca cajuputi subsp. cumingiana	白千層	14		275	218	4		A	P	A		A		M		L	9	-				Melaleuca cajuputi subsp. cumingiana					
T1656	T486	Melaleuca cajuputi subsp. cumingiana	白千層	16		360	398	4		A		A		A		M		L	9	-	Slight leaning, climber				Melaleuca cajuputi subsp. cumingiana				
T1657	T487	Melaleuca cajuputi subsp. cumingiana	白千層	16		340	398	4		A		A		A		M		L	9	-				Melaleuca cajuputi subsp. cumingiana					
T1659	T488	Melaleuca cajuputi subsp. cumingiana	白千層	12		155	192	3		A	P	A		A		M		L	9	-	Climber, leaning at half height				Melaleuca cajuputi subsp. cumingiana				
	T489	Cinnamomum burmannii	陰香		6.0		110		6.0		P		A		P		L	L			Leaning, drooping branches	I			Cinnamomum burmannii				
T1634	T490	Melaleuca cajuputi subsp. cumingiana	白千層	18		410	476	4		A		A		A		M		L	9	-	Climber				Melaleuca cajuputi subsp. cumingiana				
T1633	T491	Melaleuca cajuputi subsp. cumingiana	白千層	18		220	326	4		A		A		A		M		L	9	-					Melaleuca cajuputi subsp. cumingiana				
T1635	T492	Schefflera heptaphylla	鴨腳木	6		205	205	3		A		A		A		M		L	6	Co-dominant trunks, wound					Schefflera heptaphylla				
T1632	T493	Melaleuca cajuputi subsp. cumingiana	白千層	18		485	485	4		A		A		A		M		L	9	-					Melaleuca cajuputi subsp. cumingiana				
	T494	Sterculia lanceolata	假蒺藜		8.0		125		6.0		P		A		P		L	L			Climber	I			Sterculia lanceolata				
	T495	Ligustrum sinense	山指甲		8.0		140		8.0		P		A		A		L	L			Climber	I			Ligustrum sinense				
	T496	Dead Tree	死樹		4.0		95		4.0		P		P		P		L	L				I			Dead Tree				
T1628	T497	Macaranga tanarius var. tomentosa	血桐	7		170	183	5		P		A		A	P	L		L	1,2	Asymmetric crown	Asymmetric crown, on slope, leaning				Macaranga tanarius var. tomentosa				
T1643	T498	Macaranga tanarius var. tomentosa	血桐	8		200	212	6		P		A		A	P	L		L	1,2	Asymmetric crown ,climber	Asymmetric crown ,climber, dead stub, on slope, leaning				Macaranga tanarius var. tomentosa				
T1642	T499	Macaranga tanarius var. tomentosa	血桐	6		180	215	6		P		A		A	P	L		L	1,2	Asymmetric crown ,climber	Asymmetric crown ,climber, leaning, on slope				Macaranga tanarius var. tomentosa				
	T500	Macaranga tanarius var. tomentosa	血桐		6.0		140		6.0		P		A		P		L	L			Wound, leaning, dead stub	I			Macaranga tanarius var. tomentosa				
	T501	Ficus variegata	青果榕		6.0		170		4.0		A		G		A		L	L			On slope, low live-crown ratio	I			Ficus variegata				
	T502	Dead Tree	死樹		5.0		145		6.0		P		P		P		L	L			Climber, heavy leaning, on slope	I			Dead Tree				
	T503	Ficus variegata	青果榕		5.0		150		6.0		P		A		P		L	L			Heavy leaning, on slope	I			Ficus variegata				

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey				
				Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting													
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan				
T1608	T504	Macaranga tanarius var. tomentosa	血桐	10		300	404	6		A		A		A	P	M		L		6	Multiple trunks	Multiple trunks, on slope			Macaranga tanarius var. tomentosa						
	T505	Cinnamomum burmannii	陰香		7.0		110		4.0		P		A		P		L		L			Crooked at upper half, on slope	I		Cinnamomum burmannii						
T1641	T506	Macaranga tanarius var. tomentosa	血桐	9		240	310	6		P		A		A		L	M		L		1,2	Asymmetric crown ,climber	Asymmetric crown ,climber, horizontal branches, on slope			Macaranga tanarius var. tomentosa					
T1606	T507	Pinus elliptii	愛氏松	15		260	270	3		A		A		A		M		L		6	Climber	Climber, on slope, incorrect species, should be: Pinus massoniana.		Y	Pinus massoniana						
T1605	T508	Macaranga tanarius var. tomentosa	血桐	6		260	291	6		P		A		P		L		L		1,2	Co-dominant trunks, asymmetric crown, large wound	Co-dominant trunks, asymmetric crown, large wound, on slope, leaning, included bark			Macaranga tanarius var. tomentosa						
T1607	T509	Macaranga tanarius var. tomentosa	血桐	7		200	210	4		A	P	A		A		M		L		6	Climber	Climber, on slope, leaning			Macaranga tanarius var. tomentosa						
T1609	T510	Adenanthera microsperma	海紅豆	8		150	165	4		A		A		A		M		L		6	-	Climber, on slope, leaning, wound			Adenanthera microsperma						
T1610	T511	Melaleuca cajuputi subsp. cumingiana	白千層	18		500	577	5		A		A		A		M		L		7,9	-	On slope			Melaleuca cajuputi subsp. cumingiana						
T1612	T512	Melaleuca cajuputi subsp. cumingiana	白千層	14		280	275	4		A		A		A		M		L		9	-	On slope, climber			Melaleuca cajuputi subsp. cumingiana						
T1611	T513	Melaleuca cajuputi subsp. cumingiana	白千層	18	23.4#	520	700	6		A		A		A		M		L		7,9	-	On slope, climber, codominant trunks			Melaleuca cajuputi subsp. cumingiana						
T1613	T514	Melaleuca cajuputi subsp. cumingiana	白千層	14		240	235	4		A		A		A		M		L		9	-	Codominant trunks, on slope, climber			Melaleuca cajuputi subsp. cumingiana						
T1614	T515	Melaleuca cajuputi subsp. cumingiana	白千層	18		480	465	6		A		A		A		M		L		9	-	On slope, climber			Melaleuca cajuputi subsp. cumingiana						
T1615	T516	Macaranga tanarius var. tomentosa	血桐	8		160	161	5		A		A	P	A		M		L		6	-	Leaning, on slope, codominant trunks, climber, dead branches			Macaranga tanarius var. tomentosa						
T1616	T517	Melaleuca cajuputi subsp. cumingiana	白千層	18		600	553	6		A		A		A		M		L		7,9	-	Leaning, on slope, climber			Melaleuca cajuputi subsp. cumingiana						
T1617	T518	Melaleuca cajuputi subsp. cumingiana	白千層	18	21.3#	650	680	6		A		A		A		M		L		7,9	-	Leaning, climber			Melaleuca cajuputi subsp. cumingiana						
T1618	T519	Melaleuca cajuputi subsp. cumingiana	白千層	18		720	730	6		A		A		A		M		L		7,9	-	On slope, codominant trunks			Melaleuca cajuputi subsp. cumingiana						
T1619	T520	Macaranga tanarius var. tomentosa	血桐	7		175	215	5		A		A		A	P	M		L		6	Co-dominant branches	Codominant trunks, leaning, on slope, slightly uprooted			Macaranga tanarius var. tomentosa						
	T521	Cinnamomum burmannii	陰香		7.0		98		5.0		P		A		A		L		L			Crooked trunk	I		Cinnamomum burmannii						
T1620	T522	Macaranga tanarius var. tomentosa	血桐	8		180	235	6		P		A		A		L		L		1,2	Asymmetric crown	Asymmetric crown, leaning, climber			Macaranga tanarius var. tomentosa						
T1603	T523	Leucaena leucocephala	銀合歡	12		210	330	5		P		A	P	A		L		L		1,2,5	Moderate leaning, climber	Leaning, climber, bark crack, sparse foliage, leaning			Leucaena leucocephala	Y	Y				
T1600	T524	Macaranga tanarius var. tomentosa	血桐	10		280	253	6		A		A		A		M		L		6	Multiple trunks	Multiple trunks, climber			Macaranga tanarius var. tomentosa						
T1601	T525	Macaranga tanarius var. tomentosa	血桐	9		165	117	3		A		A		A	P	M		L		6	-	Low live-crown ratio, climber			Macaranga tanarius var. tomentosa						
T1602	T526	Macaranga tanarius var. tomentosa	血桐	9		210	361	6		A		A	P	A		M		L		6	-	Climber, multiple trunks, dieback			Macaranga tanarius var. tomentosa						
T1594	T527	Macaranga tanarius var. tomentosa	血桐	8		200	190	4		A		A	P	A		M		L		6	Climber	Heavy climber, dead branches, sparse foliage			Macaranga tanarius var. tomentosa						
	T528	Leucaena leucocephala	銀合歡		12.0		240		5.0		P		P		P		L		L			Leaning, dead branch, sparse foliage	I		Leucaena leucocephala	Y					
T1593	T529	Melaleuca cajuputi subsp. cumingiana	白千層	14		380	345	4		A		A		A		M		L		9	Co-dominant branches	Co-dominant branches, climber, on slope			Melaleuca cajuputi subsp. cumingiana						
T1590	T530	Casuarina equisetifolia	木麻黃	20	28.3#	520	445	5		A		A		A		M	H	L		7	-	On slope, crooked leader on top	C		Casuarina equisetifolia						
	T531	Sterculia lanceolata	假蘋婆		8.0		103		6.0		P		A		A		L		L			On slope, leaning, climber	I		Sterculia lanceolata						
T1589	T532	Macaranga tanarius var. tomentosa	血桐	6		120	135	4		A		A		A		M		L		6	-	On slope, leaning, sucker			Macaranga tanarius var. tomentosa						
T1592	T533	Macaranga tanarius var. tomentosa	血桐	10		160	150	3		A		A	P	A		M		L		6	Climber	Climber, on slope			Macaranga tanarius var. tomentosa						
	T534	Macaranga tanarius var. tomentosa	血桐		8.0		246		8.0		P		A		P		L		L			Two trunks, on slope, leaning	I		Macaranga tanarius var. tomentosa						
T1604	T535	Ficus variegata	青果榕	14		310	277	5		A		A		A		M		L		6	-	Climber, leaning			Ficus variegata						
T1585	T536	Macaranga tanarius var. tomentosa	血桐	8		120	112	4		A		A		A		M		L		6	-	On slope, leaning			Macaranga tanarius var. tomentosa						
T1587	T537	Macaranga tanarius var. tomentosa	血桐	9		160	185	4		A	P	A	P	A	P	M	L	L		6	-	No foliage, almost dead			Macaranga tanarius var. tomentosa						



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URIBS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey
		Species		Measurements					(Good/Average/Poor)					(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting												
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T1586	T538	Macaranga tanarius var. tomentosa	血桐	8		120	120	4		A		A		A		M		L	6	Climber				Macaranga tanarius var. tomentosa			
T1588	T539	Macaranga tanarius var. tomentosa	血桐	7		100	115	4		A		A		A		M		L	6	-				Macaranga tanarius var. tomentosa			
T1584	T540	Dead Tree	死樹	5		95	95	1		P		P		P		L		L	1,2	-	Appears only 2m high.			Dead Tree			
T1583	T541	Lophostemon confertus	紅膠木	12		150	158	2	6.0	P		A		P		L		L	1,2,9	Crooked branch, crossing branch with T1574	Crooked branch, crossing branch with HKGC T542			Lophostemon confertus			
T1574	T542	Lophostemon confertus	紅膠木	15		250	258	5		P		A		A		L		L	1,2,9	Crossing with tree, leaning	Crossing with tree, leaning, crossing branch with HKGC T541			Lophostemon confertus			
T1573	T543	Leucaena leucocephala	銀合歡	5		95	93	2		P		P		A		L		L	1,2,5	Leaning, sparse foliage	Leaning, sparse foliage, undersized and will be excluded in HKGC Tree Survey Count	H		Leucaena leucocephala	Y		
T1572	T544	Melaleuca cajuputi subsp. cumingiana	白千層	14		310	307	4		P		A		A		L		L	1,2,9	Epicormics	Epicormics, on slope			Melaleuca cajuputi subsp. cumingiana			
	T545	Dead Tree	死樹		8.0		103		4.0		P		P		P		L		L		-	I		Dead Tree			
	T546	Leucaena leucocephala	銀合歡		1.0		375		10.0		P		P		P		L		L		Collapsed, epicormics sprouting	I		Leucaena leucocephala	Y		
T1570	T547	Lophostemon confertus	紅膠木	18		480	487	8		A	G	A		G		A		M	9	-	Large and mature, cross trunk with HKGC T548			Lophostemon confertus			
T1569	T548	Lophostemon confertus	紅膠木	7	22.6#	120	111	5		P		A		A		L		L	1,2,9	Dead branch	Dead branch, cross trunk with HKGC T547			Lophostemon confertus			
T1571	T549	Lophostemon confertus	紅膠木	16		330	344	7		P		A		A		L		L	1,2,9	Crooked trunk				Lophostemon confertus			
T1581	T550	Cinnamomum burmannii	陰香	9		175	192	4		A		A		A		M		L	6	Co-dominant trunks	Co-dominant trunks, drooping branches			Cinnamomum burmannii		Y	
T1582	T551	Cinnamomum burmannii	陰香	7		125	130	4		A		A		A		M		L	6	-	Leaning, epicormics			Cinnamomum burmannii			
	T552	Macaranga tanarius var. tomentosa	血桐		12.0		182		7.0		P		A		P		L		L		On slope, leaning, codominant trunks, asymmetric crown, low live-crown ratio	I		Macaranga tanarius var. tomentosa			
T1595	T553	Macaranga tanarius var. tomentosa	血桐	10		160	152	3		A		A		A		M		L	6	-	Leaning, on slope, low live-crown ratio			Macaranga tanarius var. tomentosa			
T1596	T554	Acacia confusa	台灣相思	14		310	380	4		A		A		A	P	M		L	9	Co-dominant branches	Co-dominant branches, leaning, low live-crown ratio			Acacia confusa		Y	
T1597	T555	Casuarina equisetifolia	木麻黃	13		280	235	3		A		A		A		M		L	6	Climber	Climber, leaning on top			Casuarina equisetifolia			
T1580	T556	Macaranga tanarius var. tomentosa	血桐	6		140	110	3		P		A		A	P	L		L	1,2	Epicormics, Large wound	Epicormics, Large wound, leaning on top			Macaranga tanarius var. tomentosa			
T1598	T557	Leucaena leucocephala	銀合歡	12		300	310	4		P		A		A	P	L		L	1,2,5	Moderate leaning				Leucaena leucocephala	Y		
	T558	Macaranga tanarius var. tomentosa	血桐		12.0		300		10.0		P		A		P		L		L		Large cavity, heavy leaning	I		Macaranga tanarius var. tomentosa			
T1599	T559	Lophostemon confertus	紅膠木	10		210	135	2		P		A		A		L		L	1,2,9	Co-dominant trunks, dead branch				Lophostemon confertus			
T1579	T560	Lophostemon confertus	紅膠木	15		275	282	4		A	P	A		A		M		L	9	-	Leaning on top, asymmetric crown			Lophostemon confertus			
T1578	T561	Lophostemon confertus	紅膠木	20		560	480	4		A		A		A		M		L	7,9	Co-dominant branches	Co-dominant branches, slight leaning			Lophostemon confertus			
T1577	T562	Lophostemon confertus	紅膠木	20		300	370	4		A		A		A		M		L	9	-	Leaning			Lophostemon confertus			
T1575	T563	Lophostemon confertus	紅膠木	20		280	290	4		A		A		A		M		L	9	-	Leaning			Lophostemon confertus			
T1576	T564	Lophostemon confertus	紅膠木	14		140	120	3		A		A		A	P	M		L	9	-	Low live-crown ratio			Lophostemon confertus			
T1567	T565	Lophostemon confertus	紅膠木	17		380	500	7		A		A		A		M		L	9	-	Leaning, codominant trunks, on slope			Lophostemon confertus			
T1568	T566	Sterculia lanceolata	假蒺藜	6		110	120	5		A		A		A		M	M	L	6	-	On slope, epicormics, slightly leaning, crooked leader			Sterculia lanceolata			
	T567	Sterculia lanceolata	假蒺藜		10.0		104		6.0		P		A		P		L		L		On slope, leaning on top	I		Sterculia lanceolata			
	T568	Cratoxylum cochinchinense	黃牛木		9.0		120		7.0		P		A		P		L		L		Two trunks, climber	I		Cratoxylum cochinchinense			
T1566	T569	Dead Tree	死樹	5		120	162	1		P		P		P		L		L	1,2	-	On slope			Dead Tree			
	T570	Sterculia lanceolata	假蒺藜		7.0		95		8.0		P		A		P		L		L		On slope	I		Sterculia lanceolata			

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements				(Good/Average/Poor)						(High/Medium/ Low)														
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting												
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T1565	T571	Lophostemon confertus	紅膠木	13		380	470	6		P		A	P	A		L	M	L		1,2,9	Dead branch	Dead branche, on slope, leaning, climber, epicormics, multiple trunks			Lophostemon confertus			
T1564	T572	Lophostemon confertus	紅膠木	13		350	303	5		P		A		A		L	M	L		1,2,9	Crooked trunk	Crooked trunk, on slope, leaning, epicormics			Lophostemon confertus			
T1563	T573	Lophostemon confertus	紅膠木	12		560	722	8		P		A		A	P	L	M	L		1,2,9	Epicormics, dead branch, asymmetric crown	Epicormics, dead branch, asymmetric crown, on slope, leaning			Lophostemon confertus			
T1562	T574	Sterculia lanceolata	假蒴婆	6		120	115	4		A		A		A	P	M		L		6	Epicormics	Epicormics, leaning, crooked leader			Sterculia lanceolata			
T1561	T575	Dead Tree	死樹	8		110	112	1		P		P		P		L		L		1,2	-	Leaning			Dead Tree			
T1560	T576	Sterculia lanceolata	假蒴婆	6		100	131	4		P		A		A		L		L		1,2	Crooked trunk				Sterculia lanceolata			
	T577	Sterculia lanceolata	假蒴婆		8.0		122		8.0		P		A		P		L		L			Leaning, epicormics, on slope	I		Sterculia lanceolata			
T1526	T578	Lophostemon confertus	紅膠木	12		380	410	6		A		A		A		M		L		9	-	Leaning, on slope			Lophostemon confertus			
	T579	Glochidion lanceolarium	艾膠算盤子 (大葉算盤子)		8.0		105		5.0		P		A		P		L		L			On slope, low live-crown ratio	I		Glochidion lanceolarium			
	T580	Ficus variegata	青果榕		8.0		118		5.0		P		A		P		L		L			On slope, leaning, climbers	I		Ficus variegata			
	T581	Macaranga tanarius var. tomentosa	血桐		8.0		170		8.0		P		A		P		L		L			On slope, codominant trunks, climber	I		Macaranga tanarius var. tomentosa			
T1522	T582	Lophostemon confertus	紅膠木	10		320	412	9		A		A		A	P	M		L		9	-	Codominant trunks, on slope, poor branch architecture			Lophostemon confertus			
T1521	T583	Lophostemon confertus	紅膠木	15		330	353	8		A		A		A		M		L		9	-	Leaning, on slope, codominant trunks			Lophostemon confertus			
	T584	Sterculia lanceolata	假蒴婆		8.0		100		6.0		P		A		P		L		L			On slope, crooked leader	I		Sterculia lanceolata			
T1523	T585	Lophostemon confertus	紅膠木	17		490	583	10		A		A		A		M		L		9	-	On slope, two trunks			Lophostemon confertus			
T1524	T586	Sterculia lanceolata	假蒴婆	7		120	150	4		A		A		A	P	M		L		6	-	On slope, low live-crown ratio			Sterculia lanceolata			
T1525	T587	Sterculia lanceolata	假蒴婆	7		110	153	3		A		A		A		M		L		6	-	On slope, leaning			Sterculia lanceolata			
T1527	T588	Sterculia lanceolata	假蒴婆	5		95	113	2		P		A		A		L		L		1,2	Crooked trunk	Leaning, on slope, crooked trunk			Sterculia lanceolata			
	T589	Dead Tree	死樹		8.0		601		15.0		P		P		P		L		L			Collapsed but one branch erect	I		Dead Tree			
T1529	T590	Sterculia lanceolata	假蒴婆	4		100	110	3		P		A		A		L		L		1,2	-	Topped			Sterculia lanceolata			
T1528	T591	Sterculia lanceolata	假蒴婆	5		150	155	4		P		A		A		L		L		1,2	-	Codominant trunks, on slope			Sterculia lanceolata			
T1530	T592	Sterculia lanceolata	假蒴婆	6		95	110	3		A		A		A		M		L		6	-	On slope, crooked trunk			Sterculia lanceolata			
T1531	T593	Litsea glutinosa	潺槁	5		95	103	3	1.0	P		P		A	P	L		L		1,2	Crooked trunk, sparse foliage	Crooked trunk, sparse foliage, on slope, leaning, found dead in HKGC Tree Survey	P		Dead Tree			
T1534	T594	Lophostemon confertus	紅膠木	14		410	428	10		A		A		A		M		L		9	Asymmetric crown	Asymmetric crown, dead branches, on slope			Lophostemon confertus			
T1533	T595	Cinnamomum parthenoxylon	黃樟	5		340	340	8	11.5&	P		A		A		L		L		1,2	Asymmetric crown	Asymmetric crown, dead branches, on slope, crossing with HKGC T596, incorrect species, should be: Cinnamomum camphora.	Y		Cinnamomum camphora			
T1532	T596	Canarium album	橄欖	10		180	107	3		P		A		A		L		L		1,2	Wound on trunk, crossing with tree	Wound on trunk, crossing with HKGC T595, leaning on top, low live-crown ratio			Canarium album			
T1538	T597	Aporosa dioica	銀柴	5		95	110	5		P		A		A		L		L		1,2	Crooked trunk	Crooked trunk, two trunk, epicormics, on slope			Aporosa dioica			
T1535	T598	Cratoxylum cochinchinense	黃牛木	10	13.7#	270	402	6	11.0&	A		A		A		M	H	L		6	Multiple trunks	Multiple trunks, epicormics, on slope			Cratoxylum cochinchinense			
T1541	T599	Rhus succedanea	野漆樹	4		110	115	3		P		P		P		L		L		1,2	Sparse foliage, leaning	Sparse foliage, leaning, on slope			Rhus succedanea			
T1536	T600	Sterculia lanceolata	假蒴婆	9		130	212	4		A		A	P	A		M		L		6	Epicormics	Epicormics, dead branches, leaning on top, sparse foliage			Sterculia lanceolata			
T1285	T601	Vernicia montana	木油樹	7		230	150	4		A	P	A		A		M	L	L		6	-	Incorrect species, should be Cinnamomum burmannii. Asymmetrical crown shape.	Y		Cinnamomum burmannii			
T1288	T602	Dead Tree	死樹	6		280	190	0.5		P		P		P		L		L		1,2	-	Fallen and dead.			Dead Tree			
T1289	T603	Cinnamomum burmannii	陰香	8		180	135	5		A		A		A		M	M	L		6	-				Cinnamomum burmannii			
T1290	T604	Macaranga tanarius var. tomentosa	血桐	10		140	165	3		A	P	A		A	P	M	L	L		6	Climber	Leaning. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa			



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

EIA Tree No.		HKGC Tree No.		Scientific name		Chinese Name		Measurements								(Good/Average/Poor)				(High/Medium/ Low)				Remarks (EIA Tree Survey)								Remarks (HKGC Tree Survey if different from EIA Tree Survey)		Color Code by URBIS		Wrong Species?		Correct species		Invasive species?		Wrong Location?		Present in schedule, found on site but not in WSP's plan							
								Height (m)				DBH (mm)				Crown Spread (m)				Form		Health condition																								Structural condition		Amenity Value		Suitability for transplanting	
								in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)																							in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey			
								in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)		Remarks (HKGC Tree Survey if different from EIA Tree Survey)		Color Code by URBIS		Wrong Species?		Correct species		Invasive species?		Wrong Location?		Present in schedule, found on site but not in WSP's plan																
T1291	T605	Macaranga tanarius var. tomentosa	血桐	7		160	125	2		A	P	P		A	P	L		L	1,2	Climber, dieback	Dead tree.				Macaranga tanarius var. tomentosa																										
T1292	T606	Leucaena leucocephala	銀合歡	13		230	190	3		A	P	A		A	P	L		L	5	Climber	Leaning. Asymmetrical crown shape.				Leucaena leucocephala	Y																									
	T607	Cinnamomum burmannii	陰香		6.0		105		3.0		A		A		A		M		L		Growing on a slope.		I		Cinnamomum burmannii																										
T1295	T608	Macaranga tanarius var. tomentosa	血桐	11		180	180	2		A	P	A		A		M	L	L	6	-	Asymmetrical crown shape.				Macaranga tanarius var. tomentosa																										
T1296	T609	Macaranga tanarius var. tomentosa	血桐	8		120	105	2		A	P	A		A	P	M	L	L	6	-	Low LCR.				Macaranga tanarius var. tomentosa																										
	T610	Macaranga tanarius var. tomentosa	血桐		7.0		95		3.0		A		A		A		M		L		Growing on a slope.		I		Macaranga tanarius var. tomentosa																										
	T611	Litsea glutinosa	潺槁樹		5.0		95		4.0		A		A		A		M		L		Growing on a slope.		I		Litsea glutinosa																										
T1294	T612	Leucaena leucocephala	銀合歡	9		270	180	3		A	P	A	P	A	P	L		L	5	-	Severe lean. Near dead.				Leucaena leucocephala	Y																									
T1293	T613	Leucaena leucocephala	銀合歡	8		100	110	3		A	P	A	P	A	P	L		L	5	-	Climber in crown. Leaning.				Leucaena leucocephala	Y																									
T1298	T614	Macaranga tanarius var. tomentosa	血桐	8		200	195	3		A	P	A		A		M	L	L	6	-	Incorrect species. Should be: Leucaena leucocephala.			Y	Leucaena leucocephala	Y																									
T1299	T615	Macaranga tanarius var. tomentosa	血桐	7		220	200	4		P		A		A	P	L		L	1,2	Slightly leaning	Severe lean.				Macaranga tanarius var. tomentosa																										
	T616	Macaranga tanarius var. tomentosa	血桐		5.0		145		2.0		P		P		P		L		L		Dead top. Growing on a slope.		I		Macaranga tanarius var. tomentosa																										
T1385	T617	Cinnamomum camphora	樟	7		320	130	4		A	P	A		A	P	L		L	6	-	Asymmetrical crown shape. Abrupt branch bend.				Cinnamomum camphora																										
T1297	T618	Macaranga tanarius var. tomentosa	血桐	11		250	230	3		A	P	A	P	A	P	M	L	L	6	-	Incorrect species. Should be: Leucaena leucocephala. Dead top. Leaning. Over-extended.			Y	Leucaena leucocephala	Y																									
T1384	T619	Leucaena leucocephala	銀合歡	15		260	290	5		A		A	P	A		L		L	5	-	Two dead trunks. One broken trunk.				Leucaena leucocephala	Y																									
T1389	T620	Leucaena leucocephala	銀合歡	10		340	340	3		A	P	A		A	P	L		L	5	-	Severe lean. Propped.				Leucaena leucocephala	Y																									
	T621	Leucaena leucocephala	銀合歡		15.0		350		7.0		A		A		A		L		L		New tree not co-dominant trunk. Growing on a slope.		I		Leucaena leucocephala	Y																									
T1390	T622	Leucaena leucocephala	銀合歡	13		520	280		8.0	A	P	A		A	P	L		L	5	Co-dominant trunks	Two trees. Not co-dominant. Large failure.				Leucaena leucocephala	Y																									
	T623	Leucaena leucocephala	銀合歡		15.0		130		3.0		A		A		A		L		L		Low LCR.		I		Leucaena leucocephala	Y																									
	T624	Cinnamomum burmannii	陰香		8.0		105		5.0		P		A		A		L		L		Leaning. Asymmetrical crown shape.		I		Cinnamomum burmannii																										
	T625	Leucaena leucocephala	銀合歡		15.0		305		10.0		P		A		P		L		L		Crooked. Over-extended.		I		Leucaena leucocephala	Y																									
T1388	T626	Leucaena leucocephala	銀合歡	11		160	150	4		A	P	A		A	P	L		L	5	Topped	Regenerate from a stump				Leucaena leucocephala	Y																									
T1316	T627	Acacia confusa	台灣相思	10	14.0#	300	420	5	8.0&	A	P	A		A	P	M	L	L	9	-	Severe lean.				Acacia confusa																										
T1317	T628	Leucaena leucocephala	銀合歡	8		120	125	4		A	P	A		A		L		L	5	-	Incorrect species. Should be: Microcos nervosa . Asymmetrical crown shape.			Y	Microcos nervosa																										
T1318	T629	Leucaena leucocephala	銀合歡	7		140	155	3		A	P	A		A	P	L		L	5	-	Incorrect species. Should be: Microcos nervosa . Severe lean.			Y	Microcos nervosa																										
T1319	T630	Dead Tree	死樹	4		130	300	0.5		P		P		P		L		L	1,2	-	Tree is not dead. Should be: Leucaena leucocephala. Co-dominant trunks. One dead trunk. Crown spread much large than 0.5m			Y	Leucaena leucocephala	Y																									
T1320	T631	Leucaena leucocephala	銀合歡	8		100	100	2		A	P	A		A	P	L		L	5	-	Leaning. Poor trunk taper.				Leucaena leucocephala	Y																									
T1386	T632	Leucaena leucocephala	銀合歡	12		220	210	4		P		A		P		L		L	1,2,5	-	Leaning.				Leucaena leucocephala	Y																									
	T633	Cinnamomum burmannii	陰香		9.0		140		5.0		A		A		A		M		L		Growing on a slope.		I		Cinnamomum burmannii																										
	T634	Leucaena leucocephala	銀合歡		13.0		165		5.0		P		A		P		L		L		Crooked trunk.		I		Leucaena leucocephala	Y																									
	T635	Syzygium hancei (紅鱗蒲桃)	韓氏蒲桃 (紅鱗蒲桃)		6.0		105		8.5&		A		A		A		M		L		Narrow crown shape. Growing on a slope.		I		Syzygium hancei																										
T1321	T636	Sterculia lanceolata	假蒺藜	6		190	120	3		P		A		P		L		L	1,2	Broken trunk	Severe lean. Asymmetrical crown shape.				Sterculia lanceolata																										
	T637	Ligustrum sinense	山指甲		4.0		100		5.0		P		A		A		L		L		Multi-stemmed tree. Asymmetrical crown shape.		I		Ligustrum sinense																										
T1322	T638	Cinnamomum burmannii	陰香	8		260	215	4	9.0&	A		A	G	A		M		L	6	-	Moderate lean.				Cinnamomum burmannii																										

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
EIA Tree No.	HKGC Tree No.	Species		Measurements					(Good/Average/Poor)					(High/Medium/ Low)					Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan		
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting																	
											in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)									in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)
T1323	T639	Mangifera indica	芒果	12	12.5#	360	400	5		A		P	G	P		L	M	L		1,2	Co-dominant trunks, included bark	Large and mature.			Mangifera indica			
	T640	Cinnamomum burmannii	陰香		7.0		105		4.0		P		A		P		L		L			Growing on a slope. Crooked. Asymmetrical crown shape.	I		Cinnamomum burmannii			
T1325	T641	Leucaena leucocephala	銀合歡	9		310	270	3		A	P	A		A	P	L		L		5	Co-dominant trunks	Severe lean.			Leucaena leucocephala	Y		
T1324	T642	Leucaena leucocephala	銀合歡	14		270	255	3		A	P	A		A	P	L		L		5	-	Leaning.			Leucaena leucocephala	Y		
	T643	Leucaena leucocephala	銀合歡		6.0		265		3.0		P		P		P		L		L			Large trunk failure. Fungal fruiting bodies.	I		Leucaena leucocephala	Y		
T1383	T644	Leucaena leucocephala	銀合歡	14		280	300	3		A	P	A	P	A	P	L		L		5	-	Large trunk failure.			Leucaena leucocephala	Y		
T1380	T645	Leucaena leucocephala	銀合歡	14		170	195	7		A	P	A		A		L		L		5	-	Low LCR.			Leucaena leucocephala	Y		
	T646	Cinnamomum burmannii	陰香		4.0		125		3.0		P		P		P		L		L			Large trunk failure.	I		Cinnamomum burmannii			
T1379	T647	Leucaena leucocephala	銀合歡	11		200	275	6		A	P	A		A	P	L		L		5	-	Included co-dominant union. Bulge at root collar.			Leucaena leucocephala	Y		
T1382	T648	Leucaena leucocephala	銀合歡	18		330	335	5		A	P	A		A	P	L		L		5	-	Large failures. Deadwood.			Leucaena leucocephala	Y	Y	
	T649	Macaranga tanarius var. tomentosa	血桐		6.0		130		3.0		P		A		A		L		L			Growing on a slope. Narrow crown shape.	I		Macaranga tanarius var. tomentosa			
	T650	Cinnamomum burmannii	陰香		5.0		100		3.0		P		A		A		L		L			Growing on a slope. Asymmetrical crown shape.	I		Cinnamomum burmannii			
	T651	Macaranga tanarius var. tomentosa	血桐		5.0		110		4.0		P		P		P		L		L			Growing on a slope. Asymmetrical crown shape.	I		Macaranga tanarius var. tomentosa			
	T652	Leucaena leucocephala	銀合歡		5.0		95		3.0		P		P		P		L		L			Severely crooked.	I		Leucaena leucocephala	Y		
T1381	T653	Cinnamomum burmannii	陰香	9		150	150	2		A		A		A		M	L	L		6	-	Growing on steep slope.			Cinnamomum burmannii		Y	
T1378	T654	Leucaena leucocephala	銀合歡	10		120	175	3		A	P	A		A	P	L		L		5	-	Growing on steep slope. Leaning. Asymmetrical crown shape.			Leucaena leucocephala	Y		
T1377	T655	Cinnamomum burmannii	陰香	9		280	240	4		A	P	A		A	P	M		L		6	-	Large failure. Propping adjacent tree.			Cinnamomum burmannii			
T1376	T656	Leucaena leucocephala	銀合歡	11		240	220	5		A		A		A	P	L		L		5	-	Severe contact damage.			Leucaena leucocephala	Y		
T1375	T657	Leucaena leucocephala	銀合歡	8		240	170	3		A	P	A	P	A	P	L		L		5	Co-dominant trunks	Asymmetrical crown shape. Dead trunk.			Leucaena leucocephala	Y		
T1374	T658	Leucaena leucocephala	銀合歡	17		400	315	6		P		A		A	P	L		L		1,2,5	Co-dominant trunks, included bark	Severe lean. Co-dominant trunk removed.			Leucaena leucocephala	Y		
T1372	T659	Leucaena leucocephala	銀合歡	9		250	200	6		P		A	P	A	P	L		L		1,2,5	Conflict with fence, slightly leaning	Leaning. Asymmetrical crown shape.			Leucaena leucocephala	Y		
T1371	T660	Dead Tree	死樹	7		120	120	0.5		P		P		P		L		L		1,2	-	Dead tree.			Dead Tree			
T1370	T661	Leucaena leucocephala	銀合歡	6		110	125	3		P		A		A	P	L		L		1,2	Crossing trunk	Embedded in chain-link fence.			Leucaena leucocephala	Y		
T1329	T662	Cinnamomum burmannii	陰香	7		300	270	5		A	P	A	G	A	P	M	L	L		6	-	Contact wound. Severely crooked.			Cinnamomum burmannii			
T1328	T663	Leucaena leucocephala	銀合歡	12	15.7#	310	320	6		P		A		A	P	L		L		1,2	-	Co-dominant structure. Crooked trunk.			Leucaena leucocephala	Y		
T1327	T664	Leucaena leucocephala	銀合歡	13	15.4#	280	265	5		A	P	A		A	P	L		L		5	-	Asymmetrical crown shape. Crooked trunk.			Leucaena leucocephala	Y		
T1326	T665	Cinnamomum burmannii	陰香	10		250	245	4		A	P	A		A		M	L	L		6	-	Asymmetrical crown shape.			Cinnamomum burmannii			
T1330	T666	Celtis sinensis	朴樹	7		110	135	2		A	P	A		A		M	L	L		6	-	Asymmetrical crown shape.			Celtis sinensis			
T1331	T667	Leucaena leucocephala	銀合歡	8	12.0	440	360	5		A	P	A		A	P	L		L		5	-	Large deadwood.			Leucaena leucocephala	Y		
T1332	T668	Macaranga tanarius var. tomentosa	血桐	10		300	270	6	9.5&	P		P		P		L		L		1,2	Cavity, Decay			Macaranga tanarius var. tomentosa				
T1333	T669	Cinnamomum burmannii	陰香	6		150	140	3	6.0&	A	P	A		A	P	M	L	L		6	-	Leaning. Asymmetrical crown shape.			Cinnamomum burmannii			
T1367	T670	Macaranga tanarius var. tomentosa	血桐	7		100	110	4		A	P	A	P	A	P	M	L	L		6	-	Dead tree.			Macaranga tanarius var. tomentosa			
T1368	T671	Leucaena leucocephala	銀合歡	10		420	305	10		P		A		P		L		L		1,2	Co-dominant trunks	One trunk failed. One trunk cut.			Leucaena leucocephala	Y		
T1334	T672	Dead Tree	死樹	6		130	115	0.5		P		P		P		L		L		1,2	-	Fallen and dead.			Dead Tree			



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)												
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting										
EIA Tree No.	HKGC Tree No.			In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey) (1)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey) (2)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)	In EIA Tree Survey	In HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan		
T1335	T673	Leucaena leucocephala	銀合歡	14		320	350	6		A		A		A		L		L	5	-	Large tree.			Leucaena leucocephala	Y			
T1341	T674	Cinnamomum burmannii	陰香	7		130	140	4	4.5&	A		A		A		M		L	6	-	Asymmetrical crown shape.			Cinnamomum burmannii				
T1340	T675	Leucaena leucocephala	銀合歡	7		140	155	3		A	P	A		A		L		L	5	-	Leaning and self-corrected.			Leucaena leucocephala	Y			
T1369	T676	Cinnamomum burmannii	陰香	8		120	120	3		A		A		A		M		L	6	-				Cinnamomum burmannii				
	T677	Aquilaria sinensis	土沉香		4.0		90		4.0	A		A		A		M		M			J2	Juvenile tree / sapling.			Aquilaria sinensis			
T1336	T678	Macaranga tanarius var. tomentosa	血桐	6		160	160	3		A	P	A	P	A	P	M	L	L	6	-	Severe lean. Dead top.			Macaranga tanarius var. tomentosa				
T1337	T679	Dead Tree	死樹	7		200	270	0.5		P		P		P		L		L	1,2	-	Dead.			Dead Tree				
T1338	T680	Leucaena leucocephala	銀合歡	10		170	175	5		A		A		A		L		L	5	-	Asymmetrical crown shape. Leaning.			Leucaena leucocephala	Y			
T1339	T681	Leucaena leucocephala	銀合歡	8		120	135	4		A	P	A		A	P	L		L	5	-	Asymmetrical crown shape. Leaning.			Leucaena leucocephala	Y			
	T682	Cinnamomum burmannii	陰香		8.0		120		3.0		A		A		A		M		L		Growing on steep slope. Co-dominant and narrow union.	I		Cinnamomum burmannii				
	T683	Cinnamomum burmannii	陰香		6.0		130		4.0		P		A		A		L		L		Co-dominant and narrow union.	I		Cinnamomum burmannii				
T1342	T684	Leucaena leucocephala	銀合歡	8		140	175	3		A	P	A		A	P	L		L	5	-	Co-dominant structure. Leaning.			Leucaena leucocephala	Y			
T1343	T685	Macaranga tanarius var. tomentosa	血桐	7		190	190	4	6.5&	A	P	A		A	P	M	L	L	6	-	Severe lean. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa				
T1344	T686	Acacia confusa	台灣相思	23	20.9#	630	870	10	24.0\$	A		A		A	P	M		L	7,9	Co-dominant trunks	Incorrect species. Should be: Acacia auriculiformis . Tunk decay. Severely included union. Gland (3/6/2022) measures 18.60mH, 1.00mDBH, 19.1mS		Y	Acacia auriculiformis				
	T687	Melaleuca cajuputi subsp. cumingiana	白千層		8.0		170		4.0		A		A		A		M		L		Narrowly formed crown.	I		Melaleuca cajuputi subsp. cumingiana				
	T688	Sterculia lanceolata	假蘋婆		5.0		105		4.0		P		A		P		L		L		Severely asymmetrical crown shape.	I		Sterculia lanceolata				
	T689	Melaleuca cajuputi subsp. cumingiana	白千層		7.0		245		4.0		P		P		P		L		L		One dead trunk.	I		Melaleuca cajuputi subsp. cumingiana				
	T690	Melaleuca cajuputi subsp. cumingiana	白千層		6.0		105		3.0		P		A		A		L		L		Asymmetrical crown shape.	I		Melaleuca cajuputi subsp. cumingiana				
T1346	T691	Acacia confusa	台灣相思	20		520	670	9	12.5\$	A		A		A	P	M		L	7,9	-	Incorrect species. Should be: Acacia auriculiformis . Basal seams. Severely included union.		Y	Acacia auriculiformis				
T1347	T692	Melaleuca cajuputi subsp. cumingiana	白千層	10		140	210	3		A	P	A		A		M	L	L	9	-	Asymmetrical crown shape.			Melaleuca cajuputi subsp. cumingiana				
T1345	T693	Leucaena leucocephala	銀合歡	10		220	415	5		A	P	A		A	P	L		L	5	-	Failure of one trunk.			Leucaena leucocephala	Y			
T1348	T694	Melaleuca cajuputi subsp. cumingiana	白千層	14		220	330	3		A		A		A		M		L	9	-	Narrowly formed crown.			Melaleuca cajuputi subsp. cumingiana				
T1349	T695	Microcos nervosa	布渣葉	8		160	160	6		A	P	A		A		M	L	L	6	-	Asymmetrical crown shape.			Microcos nervosa				
T1350	T696	Melaleuca cajuputi subsp. cumingiana	白千層	11		200	230	3		A		A		A		M		L	9	-	Narrowly formed crown.			Melaleuca cajuputi subsp. cumingiana				
	T697	Cinnamomum burmannii	陰香		5.0		165		6.0		P		A		P		L		L		Asymmetrical crown shape. Multiple trunks.	I		Cinnamomum burmannii				
T1351	T698	Acacia confusa	台灣相思	16	18.0#	900	890	10	14.5\$	A		A		A	P	M		L	7,9	Co-dominant trunks	Incorrect species. Should be: Acacia auriculiformis .		Y	Acacia auriculiformis				
T1352	T699	Melaleuca cajuputi subsp. cumingiana	白千層	11		300	415	3		A		A		A		M		L	9	-	Narrowly formed crown.			Melaleuca cajuputi subsp. cumingiana				
	T700	Aquilaria sinensis	土沉香		5.0		95		3.0		P		A		A		M		M		Rare and protected.	J2		Aquilaria sinensis				
T1353	T701	Celtis sinensis	朴樹	6		100	135	3		A	P	A		A		M	L	L	6	-	Asymmetrical crown shape.			Celtis sinensis				
T1354	T702	Melaleuca cajuputi subsp. cumingiana	白千層	17		340	460	5		A		A		A		M		L	9	-	Narrowly formed crown.			Melaleuca cajuputi subsp. cumingiana				
T1356	T703	Ficus hispida	對葉榕	7		110	200	6		A	P	A	P	A	P	M	L	L	6	-	Severely asymmetrical crown shape. Smothered with climber.			Ficus hispida				
T1355	T704	Leucaena leucocephala	銀合歡	10		310	315	5		P		A	P	P		L		L	1,2	Slightly leaning	Stump remains with epicormic branches.			Leucaena leucocephala	Y			
T1357	T705	Leucaena leucocephala	銀合歡	10		250	185	5		P		A	P	A	P	L		L	1,2	-	Topped. Failed onto the fence.			Leucaena leucocephala	Y			
	T706	Sterculia lanceolata	假蘋婆		5.0		110		5.0		P		P		P		L		L		Severely asymmetrical crown shape. Smothered with climber.	I		Sterculia lanceolata				

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting											
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan		
T1358	T707	Macaranga tanarius var. tomentosa	血桐	7		95	210	5		A	P	A		A	P	M	L	L		6	Crooked	Severe lean. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa				
T1360	T708	Macaranga tanarius var. tomentosa	血桐	11		170	125	5		A	P	A		A	P	M	L	L		6	-	Severe lean. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa				
T1361	T709	Macaranga tanarius var. tomentosa	血桐	9		150	205	7		A	P	A		A	P	M	L	L		6	-	Severe lean. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa		Y		
T1359	T710	Macaranga tanarius var. tomentosa	血桐	8		140	225	6		A	P	A		A	P	M	L	L		6	-	Leaning. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa				
T1363	T711	Macaranga tanarius var. tomentosa	血桐	7		250	230	5		A		P	A		M	L	L		6	-	Multi-stemmed. Smothered with climber.			Macaranga tanarius var. tomentosa					
T1362	T712	Macaranga tanarius var. tomentosa	血桐	8		370	370	6		A	P	A		P		M	L	L		6	-	Fallen and covered by undergrowth.			Macaranga tanarius var. tomentosa				
T1364	T713	Macaranga tanarius var. tomentosa	血桐	7		120	190	5		A	P	A		A	P	M		L		6	-	Crooked branch. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa				
T1365	T714	Leucaena leucocephala	銀合歡	9		250	305	4	8.0	P		A		P		L		L		1.2	Uproot	Severe lean.			Leucaena leucocephala		Y		
T931	T715	Cinnamomum camphora	樟	10		570	600	6	11.0	P	A	A		A		L	M	L		1.2	Co-dominant branches, dead twigs, wound	Leaning and self-corrected. Deadwood.			Cinnamomum camphora				
T930	T716	Ilex rotunda	鐵冬青	7		360	370	4	8.0	A		A		A		M		L		6	Wound	Asymmetrical crown shape.			Ilex rotunda				
	T717	Cinnamomum camphora	樟		9.6#		810		14.5		P		A		P		M		L			Severe lean. Large and mature.	I		Cinnamomum camphora				
T09	T718	Cinnamomum parthenoxylon	黃樟	17	13.3#	920	830	20	17.5	A	G	P	A	P	G	L	H	L		1.2	Soil level change	Large tree, incorrect species, should be: Cinnamomum camphora		Y	Cinnamomum camphora				
T929	T719	Viburnum odoratissimum	珊瑚樹	3		215	230	3	4.5	P		A	G	P		L		L		1.2	Wound, cavity on trunk, decay on trunk			Viburnum odoratissimum					
T1366	T720	Cinnamomum burmannii	陰香	5		100	170	3	4.0	A	P	A		A	P	M	L	L		6	Co-dominant trunks	Narrowly formed crown. Co-dominant structure. Small multi-stemmed tree. Incorrect species, should be Ligustrum sinense.		Y	Ligustrum sinense				
	T721	Ficus hispida	對葉榕		5.0		100		5.0		P		A		A		L		L			Leaning. Asymmetrical crown shape.	I		Ficus hispida				
T932	T722	Melia azedarach	苦楝	5		210	415	4		P		A		A	P	L		L		1.2	Sapflow, climber	Co-dominant with severely included union.			Melia azedarach				
T934	T723	Macaranga tanarius var. tomentosa	血桐	4		140	200	3		A	P	A		A	P	M	L	L		6	Dead branch	Leaning. Asymmetrical crown shape.			Macaranga tanarius var. tomentosa				
T936	T724	Macaranga tanarius var. tomentosa	血桐	4		130	145	3		A		A	P	A		M	L	L		6	-	Smothered with climber.			Macaranga tanarius var. tomentosa		Y		
	T725	Leucaena leucocephala	銀合歡		5.0		95		3.0		P		P		A		L		L			Smothered with climber.	I		Leucaena leucocephala		Y		
	T726	Ficus microcarpa	細葉榕		4.0		230		4.0		A		G		A		M		M			Small multi-stemmed tree.	I		Ficus microcarpa				
T964	T727	Machilus sp.	浙江潤楠	8		420	445	5	10.0	A	G	A	G	A		M	H	L		7	Co-dominant trunks, wound	Large and mature. Further examination on leaves, fruits of the tree revealed that the tree is Machilus chekiangensis	M		Machilus chekiangensis				
T963	T728	Ficus microcarpa	細葉榕	4		300	285	4	5.0	A		A	P	A		M	L	L	M	6	Mechanical injury, climber	Small tree. Topped.			Ficus microcarpa				
T967	T729	Ficus microcarpa	細葉榕	4		160	390	4		A		A	G	A		M		L	M	6	Multiple trunks	Small tree. Topped.			Ficus microcarpa				
T962	T730	Ligustrum sinense	山指甲	4		290	360	4	5.0	P		A	P	P		L		L		1.2	Broken branch, sucker	Topped. Large deadwood.			Ligustrum sinense				
T961	T731	Ligustrum sinense	山指甲	4		120	120	3		P		A		P		L		L		1.2	Broken branch, sucker	Large dead branch.			Ligustrum sinense				
T11	T732	Cinnamomum camphora	樟	18	14.9#	860	955	15	20.0	A	G	A	G	A		M	H	L		7	-	Large and mature. Co-dominant structure.			Cinnamomum camphora				
	T733	Ficus microcarpa	細葉榕		3.0		300		4.0		A		G		A		L		M			Small multi-stemmed tree.	I		Ficus microcarpa				
T973	T734	Ficus microcarpa	細葉榕	4		180	380	4		A		A	G	A		M		L	M	6	Multiple trunks	Small multi-stemmed tree.			Ficus microcarpa				
T974	T735	Ligustrum sinense	山指甲	4		120	350	2		A	P	A		A		M	L	L		6	-	Small multi-stemmed tree. Deadwood.			Ligustrum sinense				
	T736	Ficus microcarpa	細葉榕		3.0		120		3.0		P		P		P		L		L			Crown dieback and dead branches.	I		Ficus microcarpa				
T972	T737	Lophostemon confertus	紅膠木	12		360	350	4		A		A		A		M		L		9	Dead branch	Narrowly formed crown.			Lophostemon confertus				
	T738	Ficus microcarpa	細葉榕		4.0		150		4.0		A		P		A		L		L			Crown dieback and dead branches.	I		Ficus microcarpa				
T965	T739	Syzygium jambos	蒲桃	7		280	290	3	8.0	P		A	G	P	P	L		L		1.2	Topped, epicormics	Asymmetrical crown shape.			Syzygium jambos				
T966	T740	Syzygium jambos	蒲桃	8		180	180	3	4.0	P		A		P		L		L		1.2	Decay on trunk base			Syzygium jambos					



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey		A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey		B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey		C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey		F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey		G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey		H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey		H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey		I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey		J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)		J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)		K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey		L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey		L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		N: Outside the Boundary of HKGC Tree Survey		P: Tree in EIA Tree Survey found missing in HKGC Tree Survey		Colour code for Scientific Name:		Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan		Others		Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements								(Good/Average/Poor)								(High/Medium/ Low)																															
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting																																	
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan																							
T755	T741	Callistemon viminalis	串錢柳	10		225	225	5	7.0	P		A		A		L		L		1,2	Co-dominant branches	Severe crown asymmetry.			Callistemon viminalis																										
T754	T742	Liquidambar formosana	楓香	20	17.6#	400	420	7	7.0	P	A	A	G	P	A	L	H	L		1,2	Girdling root	Large and mature. Minor girdling root.			Liquidambar formosana																										
T753	T743	Acacia confusa	台灣相思	7		150	160	3	7.0	P		A		P		L		L		1,2,9	Epicormics, wound at trunk, bending, decay	Severe lean. Over-extended.			Acacia confusa																										
T13	T744	Acacia confusa	台灣相思	16	15.7#	920	820	10	23.0	A	G	A	G	A	M		L		7,9	Climbers	Large and mature. Included union.			Acacia confusa																											
T756	T745	Sapium sebiferum	烏柏	17		280	290	4	7.0	A		A		A	M		L		6	Co-dominant branches	Failure wounds. Asymmetrical crown shape.			Sapium sebiferum																											
T12	T746	Acacia confusa	台灣相思	17		520	550	7	11.0	A	P	A	G	A	M		L		7,9	-	Large and mature. Asymmetrical crown shape.			Acacia confusa																											
T757	T747	Acacia confusa	台灣相思	19		375	390	6	10.0	P		A	G	P		L		L		1,2,9	Co-dominant branches, exposed dead wood, included bark	Severe lean.			Acacia confusa																										
T14	T748	Ficus microcarpa	細葉榕	14		500	730	15	15.0	A	G	G		A	M	H	L		7	-	Large and mature. Spreading crown shape.			Ficus microcarpa																											
T15	T749	Acacia confusa	台灣相思	12		570	760	12	19.0	A		A	G	A	M		L		7,9	Co-dominant trunks	Large and mature. Minor inclusions.			Acacia confusa																											
T752	T750	Acacia confusa	台灣相思	18		390	415	10	14.0	P		A	G	A		L		L	1,2,9	Cavity, dead branch	Asymmetrical crown shape.			Acacia confusa																											
T750	T751	Celtis sinensis	朴樹	5		115	110	3	3.0	A	P	A	P	A	M	L	L		6	Wound at branch	Girdling root. Basal decay.			Celtis sinensis																											
T749	T752	Acacia confusa	台灣相思	15		362	440	6	10.0	P		A	G	P		L		L	1,2,9	Fungal fruiting bodies, co-dominant trunks, wound at branch	Asymmetrical crown shape.			Acacia confusa																											
T748	T753	Acacia confusa	台灣相思	7		445	480	6	8.0	P		A	G	P		L		L	1,2,9	Moderate leaning, crack at trunk	Open crack at union.			Acacia confusa																											
T746	T754	Acacia confusa	台灣相思	14		300	310	5	8.0	P		A	G	A	P	L		L	1,2,9	Wound at trunk	Leaning.			Acacia confusa																											
T747	T755	Acacia confusa	台灣相思	14		354	345	4	3.5	P		P		P		L		L	1,2,9	Exposed dead wood, epicormics, co-dominant trunks, decay, crack in union, dieback			Acacia confusa																												
T745	T756	Acacia confusa	台灣相思	13		504	545	7	8.0	P		A	G	P		L		L	1,2,9	Multiple trunks, leaning, crossing branches	Open crack at union.			Acacia confusa																											
T914	T757	Litsea glutinosa	潺槁	4		250	260	4	7.0	P		A	P	P		L		L	1,2	Crack at branch, cross branch, wound	Leaning. Crown dieback.			Litsea glutinosa																											
T913	T758	Acacia confusa	台灣相思	12		520	550	5	13.0	P	A	A		A	L	M	L		1,2,9	Wound, dead twigs, exposed dead wood	Large failure wound. Included union.			Acacia confusa																											
T912	T759	Melaleuca cajuputi subsp. cumingiana	白千層	14		530	550	5	8.0	P	G	A	G	A	L	H	L		1,2,9	Cross branch with T17, Unbalanced crown, sucker	No visible root collar.			Melaleuca cajuputi subsp. cumingiana		Y																									
T17	T760	Melaleuca cajuputi subsp. cumingiana	白千層	16	17.1#	840	830	7	14.0	A	G	A	G	A	M	H	L		7,9	-	Large and mature.			Melaleuca cajuputi subsp. cumingiana																											
T911	T761	Melaleuca cajuputi subsp. cumingiana	白千層	14		520	530	5	8.0	P	A	A	G	A	L	H	L		1,2,9	Unbalanced crown, co-dominant branches, gridling root	Slightly asymmetrical crown shape.			Melaleuca cajuputi subsp. cumingiana		Y																									
T910	T762	Melaleuca cajuputi subsp. cumingiana	白千層	12		290	290	4	5.0	A		A		A	M	M	L		9	Co-dominant branches, dead stub, epicormics	Trunk cavity.			Melaleuca cajuputi subsp. cumingiana																											
	T763	Melaleuca cajuputi subsp. cumingiana	白千層		9.0		375		5.0		A		A		A		L			Co-dominant structure. Small trunk wound.		I		Melaleuca cajuputi subsp. cumingiana																											
T909	T764	Melaleuca cajuputi subsp. cumingiana	白千層	10		370	340	3	5.0	A		A		A	M	H	L		9	Dead branch	Large dead branch.			Melaleuca cajuputi subsp. cumingiana																											
T907	T765	Melaleuca cajuputi subsp. cumingiana	白千層	12		430	440	4	7.0	P	G	A		P	G	L	M	L	1,2,9	Gridling root	Minor girdling root.			Melaleuca cajuputi subsp. cumingiana																											
	T766	Melaleuca cajuputi subsp. cumingiana	白千層		7.0		135		2.0		A		A		A		L			Small tree next to T765.		I		Melaleuca cajuputi subsp. cumingiana																											
T908	T767	Melaleuca cajuputi subsp. cumingiana	白千層	12		380	390	3	7.0	A	P	A		A	M		L		9	Co-dominant branches	Asymmetrical crown shape.			Melaleuca cajuputi subsp. cumingiana																											
T18	T768	Melaleuca cajuputi subsp. cumingiana	白千層	16	18.2#	1300	1002	8	16.0	A	G	A	G	A	M	H	L		9	Co-dominant stems at low fork	Large and mature.	A		Melaleuca cajuputi subsp. cumingiana																											
T897	T769	Acacia confusa	台灣相思	9		420	445	6	11.0	P		A		A		L		L	1,2,9	Unbalanced crown, co-dominant branch, dead branch, crack	Asymmetrical crown shape.			Acacia confusa																											
T896	T770	Acacia confusa	台灣相思	7		440	450	5	12.0	P		A		A	P		L		1,2,9	Unbalanced crown, co-dominant trunks, dead branch	Large deadwood. Asymmetrical crown shape.			Acacia confusa																											
T513	T771	Acacia confusa	台灣相思		7.0		290		8.0		P		A		A		L			Appears to be T513 from the plan (not in schedule). Includ union with adaptive growth. Deadwood.		K		Acacia confusa																											
T514	T772	Casuarina equisetifolia	木麻黃 (牛尾松)		14.0		340		8.0		A		A		A		M			Appears to be T514 from the plan (not in schedule). Crooked at top.		K		Casuarina equisetifolia																											
T515	T773	Acacia confusa	台灣相思		10.0		500		15.0		A		P		P		L			Appears to be T515 from the plan (not in schedule). Large deadwood.		K		Acacia confusa																											
T512	T774	Acacia confusa	台灣相思		12.0		410		11.0		P		A		A		L			Appears to be T512 from the plan (not in schedule). Asymetrical crown shape. Deadwood.		K		Acacia confusa																											

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	E: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	F: Tree Found in EIA Tree Survey that found to be same as another in HKGC Tree Survey	G: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements					(Good/Average/Poor)					(High/Medium/ Low)															
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting																		
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan				
T511	T775	Casuarina equisetifolia	木麻黃 (牛尾松)		14.0		450		9.0		P		P		P		L		L				Casuarina equisetifolia						
T510	T776	Acacia confusa	台灣相思		12.0		400		7.0		P		P		P		L		L				Acacia confusa						
T509	T777	Casuarina equisetifolia	木麻黃 (牛尾松)		14.0		480		6.0		A		P		P		L		L				Casuarina equisetifolia						
T508	T778	Cinnamomum camphora	樟		13.0		340		12.0		P		A		A		L		L				Cinnamomum camphora						
T507	T779	Acacia confusa	台灣相思		13.0		520		15.0		P		P		P		L		L				Acacia confusa						
T19	T780	Acacia confusa	台灣相思	10		551	630	11	14.0	A		A		A	P	M	L	L		7,9	-		Co-dominant structure with severe inclusion and discolouration.			Acacia confusa			
T506	T781	Casuarina equisetifolia	木麻黃 (牛尾松)		15.0		350		9.0		A		A		A		M		L				Casuarina equisetifolia						
T505	T782	Melaleuca cajuputi subsp. cumingiana	白千層		8.0		260		5.0		A		A		A		M		L				Melaleuca cajuputi subsp. cumingiana						
T504	T783	Melaleuca cajuputi subsp. cumingiana	白千層		7.0		270		6.0		A		A		A		M		M				Melaleuca cajuputi subsp. cumingiana						
T503	T784	Melaleuca cajuputi subsp. cumingiana	白千層		7.0		340		5.0		G		A		A		M		M				Melaleuca cajuputi subsp. cumingiana						
T502	T785	Melaleuca cajuputi subsp. cumingiana	白千層		8.0		370		7.0		G		G		P		M		M				Melaleuca cajuputi subsp. cumingiana						
T501	T786	Melaleuca cajuputi subsp. cumingiana	白千層		7.0		380		5.5		G		G		A		M		L				Melaleuca cajuputi subsp. cumingiana						
T895	T787	Melaleuca cajuputi subsp. cumingiana	白千層	14		290	340	4	6.0	A		A		A		M		L		9	Wound at trunk, co-dominant branches			Co-dominant structure.			Melaleuca cajuputi subsp. cumingiana		
T891	T788	Melaleuca cajuputi subsp. cumingiana	白千層	16		350	415	5	7.0	A	G	A	G	A		M		L		9	-		Large and mature.			Melaleuca cajuputi subsp. cumingiana			
T894	T789	Melaleuca cajuputi subsp. cumingiana	白千層	14		320	385	5	6.0	A		A		A		M		L		9	-		Co-dominant structure.			Melaleuca cajuputi subsp. cumingiana			
T892	T790	Melaleuca cajuputi subsp. cumingiana	白千層	15		280	350	4	6.5	A	G	A	G	A		M		L		9	Co-dominant branches			Co-dominant structure. Included union.			Melaleuca cajuputi subsp. cumingiana		
T893	T791	Melaleuca cajuputi subsp. cumingiana	白千層	15		305	385	5	6.0	A	G	A	G	A		M		L		9	Multiple trunks			Co-dominant structure. Included union.			Melaleuca cajuputi subsp. cumingiana		
T890	T792	Cinnamomum camphora	樟	12		260	290	8	9.0	A	G	A		A	G	M		L		6	Dead branches			Minor deadwood.			Cinnamomum camphora		
T889	T793	Cinnamomum camphora	樟	13		390	385	8	10.0	A	G	A		A		M		L		6	-		Large pruning wounds.			Cinnamomum camphora			
	T794	Leucaena leucocephala	銀合歡		6.0		95		4.0		P		A		A		L		L				Juvenile self-set tree.	I		Leucaena leucocephala	Y		
T1117	T795	Celtis sinensis	朴樹	12		410	510	6		A	P	A	P	A	P	M	L	L		7	-		Dead tree. Basal fungal fruiting bodies.			Celtis sinensis			
T1118	T796	Celtis sinensis	朴樹	8		140	135	2		A	P	A	P	A	P	M	L	L		6	-		Tree appears to be dead.			Celtis sinensis			
T1119	T797	Cinnamomum camphora	樟	10		460	500	6		A	P	A		A		M		L		7	-		Leaning. Severely asymmetrical crown shape.			Cinnamomum camphora			
T1120	T798	Cratoxylum cochinchinense	黃牛木	10		265	280	3		A		A		A		M	H	L		6	-		Large and mature.			Cratoxylum cochinchinense			
T1111	T799	Celtis sinensis	朴樹	10		450	430	5		A		A		A		M		L		7	-		Small basal decay.			Celtis sinensis			
T1112	T800	Celtis sinensis	朴樹	8		110	105	2		A	P	A		A		M	L	L		6	-		Asymmetrical crown shape.			Celtis sinensis			
T1113	T801	Sterculia lanceolata	假蘋婆	7		100	110	2		A	P	A		A		M	L	L		6	-		Asymmetrical crown shape.			Sterculia lanceolata			
T1110	T802	Cratoxylum cochinchinense	黃牛木	11		240	240	4		A	P	A		A		M	H	L		6	-		Asymmetrical crown shape.			Cratoxylum cochinchinense			
	T803	Cratoxylum cochinchinense	黃牛木		5.0		100		1.0		A		A		A		M		L				Narrow crown shape.	I		Cratoxylum cochinchinense			
T1114	T804	Sterculia lanceolata	假蘋婆	6		100	110	3		A		A		A		M		L	M	6	-		Minor trunk crook.			Sterculia lanceolata			
T1115	T805	Syzygium sp.	蒲桃屬	6		100	100	2.5		P		A		P		L		L		1,2	Topped leader			Species confirmed to be Syzygium hancei.	M		Syzygium hancei		
T1116	T806	Macaranga tanarius var. tomentosa	血桐	5		100	110	2		P	A	A		P		L		L		1,2	Dead twigs, large wound at trunk			Large wound.			Macaranga tanarius var. tomentosa		
T20	T807	Cinnamomum camphora	樟	14	14.0#	700	590	12	12.0&	A	G	A	G	A		M	H	L		7	-		Large and mature.			Cinnamomum camphora			
	T808	Sterculia lanceolata	假蘋婆		8.0		240		5.0		A		A		A		M		L				Asymmetrical crown shape.	I		Sterculia lanceolata			



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URIBS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)												
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting																	
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan			
	T809	<i>Sterculia lanceolata</i>	假蒴藁		5.0		220		6.0		P		A		P		L		L									
T1121	T810	<i>Sterculia lanceolata</i>	假蒴藁	5		135	135	2		A		A		A		M		L		6	-				<i>Sterculia lanceolata</i>		Y	
T1122	T811	<i>Ilex rotunda</i>	鐵冬青	9		250	400	7		A	P	A	G	A		M		L		6	Hanger				<i>Ilex rotunda</i>			
T1123	T812	Dead Tree	死樹	5		160	155	0.5		P		P		P		L		L		1,2	-				Dead Tree			
T1124	T813	<i>Microcos nervosa</i>	布渣葉	5		150	195	3		A		A		A		M		L		6	-				<i>Microcos nervosa</i>			
T1125	T814	<i>Cratoxylum cochinchinense</i>	黃牛木	6		110	115	1		A		A		A		M		L		6	-				<i>Cratoxylum cochinchinense</i>			
	T815	<i>Microcos nervosa</i>	破布葉 (布渣葉)		5.0		100		5.0		A		A		A		M		L						<i>Microcos nervosa</i>			
T1126	T816	<i>Cinnamomum camphora</i>	樟	11		425	450	10		A		A	G	A	G	M	H	L		7	-				<i>Cinnamomum camphora</i>			
T1127	T817	<i>Aquilaria sinensis</i>	土沉香	2.5		20	20	0.5		A		A		A		M		M		-	-				<i>Aquilaria sinensis</i>			
T1109	T818	<i>Celtis sinensis</i>	朴樹	10		140	130	3		A	P	A		A		M	L	L		6	Wound at branch				<i>Celtis sinensis</i>			
T1108	T819	<i>Celtis sinensis</i>	朴樹	9		200	200	3		A		A	G	A		M		L		6	-				<i>Celtis sinensis</i>			
T1107	T820	<i>Cratoxylum cochinchinense</i>	黃牛木	13		450	465	7		A	G	A	G	A	G	M	H	L		7	Co-dominant trunks				<i>Cratoxylum cochinchinense</i>			
T1106	T821	<i>Sterculia lanceolata</i>	假蒴藁	8		105	100	4		A		A		A		M		L		6	-				<i>Sterculia lanceolata</i>			
	T822	<i>Celtis sinensis</i>	朴樹		12.0		320		10.0		A		A		A		M		L						<i>Celtis sinensis</i>			
	T823	<i>Sterculia lanceolata</i>	假蒴藁		6.0		105		3.0		A		A		A		M		L						<i>Sterculia lanceolata</i>			
T1039	T824	<i>Celtis sinensis</i>	朴樹	12	13.3#	420	430	7		A	G	A		A	G	M		L		7	Co-dominant branches, wound				<i>Celtis sinensis</i>			
T1040	T825	<i>Sterculia lanceolata</i>	假蒴藁	5		170	200	2		P		A	G	P		L		L		1,2	Cross branch, co-dominant trunk, wound				<i>Sterculia lanceolata</i>			
T1041	T826	<i>Celtis sinensis</i>	朴樹	5		95	85	3		P		A	P	A	P	L		L		1,2	Unbalanced crown				<i>Celtis sinensis</i>			
T1042	T827	<i>Celtis sinensis</i>	朴樹	6		130	150	4		P		A		P		L		L		1,2	Unbalanced crown, wound, exposed dead wood				<i>Celtis sinensis</i>			
T1043	T828	<i>Cratoxylum cochinchinense</i>	黃牛木	12	12.7#	340	355	5	7.0&	P	G	A	G	A	G	L	H	L	M	1,2	Co-dominant branches, drooping branch				<i>Cratoxylum cochinchinense</i>			
T1044	T829	<i>Sterculia lanceolata</i>	假蒴藁	5		185	145	4		A		A		A		M		L		6	Co-dominant trunks				<i>Sterculia lanceolata</i>			
	T830	<i>Syzygium hancei</i>	韓氏蒲桃 (紅鱗蒲桃)		7.0		125		3.0		A		A		A		M		L						<i>Syzygium hancei</i>			
	T831	<i>Syzygium hancei</i>	韓氏蒲桃 (紅鱗蒲桃)		7.0		105		3.0		A		A		A		M		L						<i>Syzygium hancei</i>			
	T832	<i>Sterculia lanceolata</i>	假蒴藁		7.0		140		4.0		A		A		A		M		L						<i>Sterculia lanceolata</i>			
T1128	T833	<i>Sterculia lanceolata</i>	假蒴藁	8		115	120	2		A		A		A		M	M	L		6	-				<i>Sterculia lanceolata</i>			
T1129	T834	<i>Sterculia lanceolata</i>	假蒴藁	5		95	95	3	9.5&	A	P	A		A		M	L	L		6	Hanger				<i>Sterculia lanceolata</i>			
T1130	T835	<i>Ilex rotunda</i>	鐵冬青	10		230	240	3		A	P	A		A		M	L	L		6	-				<i>Ilex rotunda</i>			
T1131	T836	<i>Cratoxylum cochinchinense</i>	黃牛木	11		125	130	2		A	P	A		A	P	M	L	L		6	-				<i>Cratoxylum cochinchinense</i>			
T1045	T837	<i>Celtis sinensis</i>	朴樹	8		160	175	4		A		A	P	A		M	L	L		6	Co-dominant branches				<i>Celtis sinensis</i>			
T1046	T838	<i>Eucalyptus robusta</i>	大葉桉	10		260	280	4	7.0&	A		A	G	A		M		L		9	Co-dominant branches			Y	<i>Syzygium hancei</i>			
T1047	T839	<i>Cratoxylum cochinchinense</i>	黃牛木	10	11.7#	290	300	4	8.0&	A	G	A		A	G	M	H	L		6	Co-dominant branches				<i>Cratoxylum cochinchinense</i>			
T1132	T840	<i>Sterculia lanceolata</i>	假蒴藁	9		170	165	3		A	P	A		A		M	L	L		6	-			Y	<i>Cratoxylum cochinchinense</i>			
T1133	T841	<i>Celtis sinensis</i>	朴樹	5		120	110	2		A	P	A		A		M	L	L		6	-			Y	<i>Ilex rotunda</i>			
T1134	T842	<i>Cinnamomum camphora</i>	樟	12		670	730	8		A		A	G	A	G	M	H	L		7	Dead branches				<i>Cinnamomum camphora</i>			

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)												
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting																	
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan
T1135	T843	Cinnamomum camphora	樟	13		355	360	4		A	P	A		A		M		L		6	-	Asymmetrical crown shape.			Cinnamomum camphora			
T1136	T844	Sterculia lanceolata	假蒺藜	9		235	230	6		A		A		A		M	M	L		6	Hanger	Crooked. No central leader.			Sterculia lanceolata			
T1137	T845	Cinnamomum camphora	樟	15		550	630	13		P	G	A		P	A	L	H	L		1,2	Gridling root	Severe root girdling.			Cinnamomum camphora			
T1138	T846	Ilex rotunda	鐵冬青	7		150	190	5		A	P	A		A		M	L	L		6	Co-dominant trunks	Asymmetrical crown shape.			Ilex rotunda			
T1139	T847	Ilex rotunda	鐵冬青	6		100	210	4		A	P	A		A		M	L	L		6	Multiple trunks	Asymmetrical crown shape.			Ilex rotunda			
T1140	T848	Cratoxylum cochinchinense	黃牛木	6		155	200	5		A		A		A		M	M	L		6	Co-dominant trunks				Cratoxylum cochinchinense			
	T849	Ligustrum sinense	山指甲		5.0		140		5.0		P		A		A		L		L			Small multi-stemmed tree.	I		Ligustrum sinense			
T1141	T850	Casuarina equisetifolia	木麻黃	14		300	305	4		A	P	A		A	P	M		L		6	-	Trunk wound. Asymmetrical crown shape.			Casuarina equisetifolia			
T1142	T851	Acacia confusa	台灣相思	10		385	380	7	8.5&	A	P	A		A	P	M	L	L		9	Co-dominant trunks	Asymmetrical crown shape.			Acacia confusa			
	T852	Acacia confusa	台灣相思		14.0		650		10.0&		P		A		P		L		L			Asymmetrical crown shape. Branch wound. Included union with exudate.	I		Acacia confusa			
	T853	Sterculia lanceolata	假蒺藜		5.0		100		3.0		A		A		A		M		L			Juvenile tree.	I		Sterculia lanceolata			
	T854	Cinnamomum burmannii	陰香		7.0		100		4.0		A		A		A		M		L			Co-dominant structure.	I		Cinnamomum burmannii			
	T855	Ilex rotunda	鐵冬青		9.0		235		8.0		P		A		P		L		L			Co-dominant structure. Asymmetrical crown shape. Cavity at union.	I		Ilex rotunda			
	T856	Syzygium hancei	韓氏蒲桃 (紅鱗蒲桃)		6.0		100		4.0		A		A		A		M		L			Juvenile tree.	I		Syzygium hancei			
	T857	Cratoxylum cochinchinense	黃牛木		8.0		155		6.0		P		A		A		L		L			Leaning. Asymmetrical crown shape.	I		Cratoxylum cochinchinense			
T1143	T858	Cratoxylum cochinchinense	黃牛木	9		145	150	5		A		A		A		M	M	L		6	-	Narrowly formed crown.			Cratoxylum cochinchinense			
T1144	T859	Syzygium jambos	蒲桃	7		95	90	3		A	P	A		A	P	M	L	L		6	-	Undersized and topped.	H		Syzygium jambos			
T1145	T860	Cratoxylum cochinchinense	黃牛木	13		225	225	5		A		A		A	G	M		L		6	Hanger	Large and mature.			Cratoxylum cochinchinense			
	T861	Aquilaria sinensis	土沉香		4.0		45		1.0		A		A		A		M		M			Climber in crown.	J2		Aquilaria sinensis			
T1147	T862	Ilex graciliflora	細花冬青	7		165	280	3	8.0	A		A		A		M		M	L	-	Co-dominant and crossing trunks with stable structure	Incorrect species. Species should be: Aporosa dioica	B	Y	Aporosa dioica			
T1148	T863	Ilex rotunda	鐵冬青	12		300	350	7		A		A		A		M		L		6	Co-dominant trunks	Narrow and stable union.			Ilex rotunda			
T1149	T864	Cratoxylum cochinchinense	黃牛木	10		100	110	2		A		A		A		M		L		6	-	Narrowly formed crown.			Cratoxylum cochinchinense			
T1150	T865	Dead Tree	死樹	3		95	0	0.5	2.0	P		P	A	P	A	L		L		1,2	-	Small multi-stemmed tree. Incorrect species, should be: Ligustrum sinense		Y	Ligustrum sinense			
T1151	T866	Cratoxylum cochinchinense	黃牛木	15		190	210	5		A		A		A		M		L		6	-	Narrowly formed crown.			Cratoxylum cochinchinense			
T1152	T867	Celtis sinensis	朴樹	11		255	255	4		A	P	A		A	P	M	L	L		6	-	Asymmetrical crown shape. Historical branch delamination.			Celtis sinensis			
T1153	T868	Ilex rotunda	鐵冬青	10		190	190	6		P		A		P		L		L		1,2	Crooked	Deadwood. Asymmetrical crown shape.			Ilex rotunda			
T1154	T869	Dimocarpus longan	龍眼	7		180	175	5		A		A		A	P	M		L		4	Hanger	Incorrect species. Species should be: Aporosa dioica. Topped.		Y	Aporosa dioica			
	T870	Cratoxylum cochinchinense	黃牛木		6.0		100		3.0		A		A		A		M		L			Small crooked tree.	I		Cratoxylum cochinchinense			
T1155	T871	Cratoxylum cochinchinense	黃牛木	14		240	200	3		A		A		A		M	H	L		6	-	Narrowly formed crown.			Cratoxylum cochinchinense			
T1156	T872	Cratoxylum cochinchinense	黃牛木	14		300	235	3		A		A		A		M	H	L		6	Co-dominant trunks	Co-dominant branches. Large and mature.			Cratoxylum cochinchinense			
T1157	T873	Dimocarpus longan	龍眼	10		155	160	5		A	P	A		A	P	M		L		4	-	Incorrect species. Species should be: Aporosa dioica. Topped.		Y	Aporosa dioica			
T1158	T874	Cratoxylum cochinchinense	黃牛木	16		280	300	6		A		A		A		M	H	L		6	-	Large and mature.			Cratoxylum cochinchinense			
T1159	T875	Cratoxylum cochinchinense	黃牛木	11		150	150	3		A		A		A		M		L		6	-	Crooked. Narrowly formed crown.			Cratoxylum cochinchinense			
T1160	T876	Cratoxylum cochinchinense	黃牛木	15		200	210	5		A		A		A		M	H	L		6	-	Large and mature.			Cratoxylum cochinchinense			



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)												
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting										
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T1161	T877	Ilex rotunda	鐵冬青	8		110	110	3		A	P	A		A		M	L	L		6	-				Ilex rotunda			
T1162	T878	Ilex rotunda	鐵冬青	7		155	155	2		P		A	P	P		L		L		1,2	Crooked, cross with other tree	Dead and fallen.			Ilex rotunda			
T1163	T879	Cinnamomum camphora	樟	15	17.0#	610	645	10	15.0\$	A	G	A	G	A		M	H	L		7	-				Cinnamomum camphora			
T1164	T880	Cratoxylum cochinchinense	黃牛木	10		195	200	3		A	G	A	G	A		M	H	L		6	-				Cratoxylum cochinchinense			
T1165	T881	Eucalyptus robusta	大葉桉	14		400	420	5		A	G	A		A	G	M	H	L		9	-				Eucalyptus robusta			
T1166	T882	Cratoxylum cochinchinense	黃牛木	13		285	295	7		A	G	A		A		M	H	L		6	Co-dominant trunks	Large and mature.			Cratoxylum cochinchinense			
T1167	T883	Eucalyptus camaldulensis	赤桉	14		320	330	6		A	G	A		A	G	M		L		6	-				Eucalyptus camaldulensis			
T1168	T884	Sterculia lanceolata	假蒺藜	6		140	140	5		A	P	A		A	P	M	L	L		6	-				Sterculia lanceolata			
T1169	T885	Celtis sinensis	朴樹	10	13.0#	390	400	8	10.5&	A	G	A		A	G	M	H	L		6	-				Celtis sinensis			
T1170	T886	Sterculia lanceolata	假蒺藜	5		160	160	5		A	P	A		A	P	M	L	L		6	-				Sterculia lanceolata			
T1101	T887	Bridelia tomentosa	土蜜樹	5		145	140	2		A	P	A		A		M	L	L		6	-		Y		Ilex rotunda			
T1102	T888	Cratoxylum cochinchinense	黃牛木	7		145	155	2		A		A		A		M		L		6	-				Cratoxylum cochinchinense		Y	
T1103	T889	Cratoxylum cochinchinense	黃牛木	10		270	190	3		A		A		A		M		L		6	Hanger	Large and mature.			Cratoxylum cochinchinense			
	T890	Melaleuca cajuputi subsp. cumingiana	白千層		19.7#		575		4		G		A		G		H	L	L			I			Melaleuca cajuputi subsp. cumingiana			
T1216	T891	Ilex rotunda	鐵冬青	7		140	155	4		A	P	A		A		M	L	L		6	-				Ilex rotunda			
T1217	T892	Ilex rotunda	鐵冬青	5		290	275	1	9.5&	A	P	A		A		M	L	L		6	-				Ilex rotunda			
T1212	T893	Celtis sinensis	朴樹	8		150	145	2		A	P	A		A		M	L	L		6	-				Celtis sinensis			
T1210	T894	Cratoxylum cochinchinense	黃牛木	8		250	250	4		A		A		A		M	H	L		6	-				Cratoxylum cochinchinense			
T1211	T895	Aquilaria sinensis	土沉香	3		50	35	0.5	1.0	A		A		A		M		M		-	-				Aquilaria sinensis			
T1209	T896	Cratoxylum cochinchinense	黃牛木	8		200	150	4		A		A		A		M	H	L		6	-				Cratoxylum cochinchinense			
T1208	T897	Ilex rotunda	鐵冬青	8		200	160	3		A	P	A	P	A	P	M	L	L		6	-		F		Dead Tree			
T1207	T898	Cratoxylum cochinchinense	黃牛木	10		260	300	5		A		A		A		M	H	L		6	-				Cratoxylum cochinchinense			
T1206	T899	Sterculia lanceolata	假蒺藜	10		200	215	3		A		A		A		M		L		6	-		Y		Aporosa dioica			
T1205	T900	Cratoxylum cochinchinense	黃牛木	11		195	205	3		A		A		A		M	H	L		6	-				Cratoxylum cochinchinense			
T1539	T901	Sterculia lanceolata	假蒺藜	6		95	142	3		P		A		A		L		L		1,2	Leaning				Sterculia lanceolata		Y	
T1540	T902	Sterculia lanceolata	假蒺藜	5		100	157	3		P		A		A		L		L		1,2	Epicormics	Epicormics, on slope, codominant trunks			Sterculia lanceolata		Y	
T1537	T903	Dead Tree	死樹	8		110	116	2		P		P		P		L		L		1,2	-				Dead Tree			
	T904	Litsea cubeba	木薑子 (山蒼樹)		8.0		120		5.0		P		A		P		L		L						Litsea cubeba			
	T905	Litsea cubeba	木薑子 (山蒼樹)		6.0		114		6.0		P		A		P		L		L						Litsea cubeba			
	T906	Acacia auriculiformis	耳葉相思 (耳葉相思)		12.0		130		6.0		P		A		P		M		L						Acacia auriculiformis			
T1555	T907	Lophostemon confertus	紅膠木	5		95	414	1		P		P		P		L		L		1,2,9	Broken leader	Broken leader, epicormics, on slope			Lophostemon confertus			
T1554	T908	Cratoxylum cochinchinense	黃牛木	9		120	128	5		A		A		A		M		L		6	-				Cratoxylum cochinchinense		Y	
T1546	T909	Acacia auriculiformis	耳葉相思	8		270	345	8		P		A		A		L		L		1,2,9	Leaning	Leaning, crossing branches with T906, swapped location with HKGC T908 (EIA T1554)			Acacia auriculiformis		Y	
T1556	T910	Acacia auriculiformis	耳葉相思	12		320	119	8		P		A		A	P	L		L		1,2,9	Leaning	Leaning, epicormics, incorrect species, should be: Bridelia tomentosa	Y		Bridelia tomentosa			

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:	A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	E: Tree in EIA Tree Survey but Found Dead in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey				
Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)																	
Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting															
		in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan						
EIA Tree No.	HKGC Tree No.																														
T1241	T911	Macaranga tanarius var. tomentosa	血桐	5		230	210	6		A	P	A		A		M		L		6	-				Topped with epicormics, therefore appears much smaller size than EIA tree survey.			Macaranga tanarius var. tomentosa			
	T912	Averrhoa carambola	楊桃		8.0		110		4.0		P		P		P		L		L							I		Averrhoa carambola			
T1242	T913	Aporosa dioica	銀柴	7		95	105	2		A		A		A		M		L		6	-				On slope			Aporosa dioica			
T1239	T914	Cratoxylum cochinchinense	黃牛木	9		220	245	3		P		A		P		L		L		1,2	Vertical crack at branch, dead branch	Vertical crack at branch, dead branch, two trunks, on slope				Cratoxylum cochinchinense					
T1234	T915	Macaranga tanarius var. tomentosa	血桐	8		150	169	3		A	P	A		A		M		L		6	-				Topped with epicormics, therefore appears much smaller size than EIA tree survey.			Macaranga tanarius var. tomentosa			
T1235	T916	Macaranga tanarius var. tomentosa	血桐	8		200	198	3		A	P	A		A		M		L		6	-				Topped with epicormics, therefore appears much smaller size than EIA tree survey.			Macaranga tanarius var. tomentosa			
T1236	T917	Macaranga tanarius var. tomentosa	血桐	6		215	228	3		A	P	A		A		M		L		6	Slightly leaning	Slightly leaning, topped with epicormics, therefore appears much smaller size than EIA tree survey.				Macaranga tanarius var. tomentosa					
T1237	T918	Macaranga tanarius var. tomentosa	血桐	6		195	176	3		A	P	A		A		M		L		6	Wound at stems, multiple stems	Wound at stems, multiple stems, topped with epicormics, therefore appears much smaller size than EIA tree survey.				Macaranga tanarius var. tomentosa					
T1231	T919	Macaranga tanarius var. tomentosa	血桐	15		120	122	0.5		A		A		A		M		L		6	-				Topped			Macaranga tanarius var. tomentosa			
T1232	T920	Cratoxylum cochinchinense	黃牛木	7		125	126	2		A		A		A		M		L		6	-				Poor branch architecture			Cratoxylum cochinchinense			
T1227	T921	Cratoxylum cochinchinense	黃牛木	10	12.6#	340	324	3	7.0&	A	G	A	G	A	G	M	H	L		6	-				Leaning on top			Cratoxylum cochinchinense			
T1230	T922	Cratoxylum cochinchinense	黃牛木	9		250	190	3		A		A		A		M		L		6	-				Leaning on top			Cratoxylum cochinchinense			
T1228	T923	Cratoxylum cochinchinense	黃牛木	10		250	206	3		A		A		A		M		L		6	-				Leaning on top			Cratoxylum cochinchinense			
T1229	T924	Cratoxylum cochinchinense	黃牛木	9		230	102	3		A		A		A		M		L		6	-				2-trunks, leaning on top, asymmetric crown			Cratoxylum cochinchinense			
T1233	T925	Sterculia lanceolata	假蒺藜	7		105	125	2		A		A		A		M		L		6	-				Leaning, climber			Sterculia lanceolata			
	T926	Ligustrum sinense	山指甲		6.0		152		6.0		P		G		P		L		L						Multiple trunk	I		Ligustrum sinense			
T1238	T927	Sterculia lanceolata	假蒺藜	6		200	182	4		A		A	G	A		M		L		6	-				Codominant trunks			Sterculia lanceolata			
T1225	T928	Cratoxylum cochinchinense	黃牛木	10		330	253	3		A	P	A		A		M		L		6	-				Leaning on top			Cratoxylum cochinchinense			
T1226	T929	Cratoxylum cochinchinense	黃牛木	10		250	360	3		A	P	A		A		M		L		6	-				Codominant trunks, one trunk crooked			Cratoxylum cochinchinense			
T1224	T930	Macaranga tanarius var. tomentosa	血桐	8		195	221	2		A		A		A		M		L		6	-				Topped without leaves, therefore appears much smaller size than EIA tree survey.			Macaranga tanarius var. tomentosa			
T1223	T931	Macaranga tanarius var. tomentosa	血桐	8		150	140	2		A		A		A		M		L		6	-				Topped without leaves, therefore appears much smaller size than EIA tree survey.			Macaranga tanarius var. tomentosa			
	T932	Microcos nervosa	破布葉 (布渣葉)		8.0		130		5.0		P		A		P		L		L						Codominant trunks, epicormics, leaning	I		Microcos nervosa			
T1222	T933	Cratoxylum cochinchinense	黃牛木	10		150	160	2		A		A		A		M		L		6	-						Cratoxylum cochinchinense				
T1221	T934	Cratoxylum cochinchinense	黃牛木	10		160	175	2		A	G	A		A		M		L		6	-				Dead branches			Cratoxylum cochinchinense			
T26	T935	Acacia confusa	台灣相思	10		461	571	7	13.0&	A		A		A		M		L		9	Co-dominant trunks						Acacia confusa				
T28	T936	Melaleuca cajuputi subsp. cumingiana	白千層	16	22.6#	686	1040	6	10.0	A		A	G	A		M	H	L		7,9	Parasitic by ficus	Co-dominant trunks, parasitic by Ficus microcarpa	C			Melaleuca cajuputi subsp. cumingiana					
T959	T937	Cratoxylum cochinchinense	黃牛木	8		165	170	2		A	G	A		A	G	M		L		6	-						Cratoxylum cochinchinense				
T960	T938	Melaleuca cajuputi subsp. cumingiana	白千層	12		420	394	4		A		A	G	A		M		L		9	-						Melaleuca cajuputi subsp. cumingiana				
T27	T939	Melaleuca cajuputi subsp. cumingiana	白千層	16	23.1#	1060	1011	8		A	G	A	G	A		M	H	L		9	Co-dominant stems	Large and maure.	A			Melaleuca cajuputi subsp. cumingiana					
	T940	Ilex rotunda	鐵冬青		8.0		291		8.0		P		A		P		L		L						Leaning, asymmetric crown	I		Ilex rotunda			
T951	T941	Cinnamomum camphora	樟	14	17.3#	585	630	6		P	G	A	G	P		L		L		1,2	Cavity on trunk, decay on trunk, wound, co-dominant branches	Cavity on trunk, Large and mature.				Cinnamomum camphora					
T952	T942	Melaleuca cajuputi subsp. cumingiana	白千層	14		600	591	4		A	G	A	G	A	G	M		L		7,9	Co-dominant branches	Large and maure.				Melaleuca cajuputi subsp. cumingiana					
T953	T943	Melaleuca cajuputi subsp. cumingiana	白千層	6		175	173	2		A		A		A		M		L		9	Epicormics						Melaleuca cajuputi subsp. cumingiana				
T22	T944	Melaleuca cajuputi subsp. cumingiana	白千層	14	18.7#	743	759	7		A	G	A	G	A		M	H	L		7,9	Co-dominant trunks	Co-dominant trunks, on slope				Melaleuca cajuputi subsp. cumingiana				Y	



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:	A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	E: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey
Species		Measurements					(Good/Average/Poor)					(High/Medium/ Low)															
Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)		Form	Health condition		Structural condition		Amenity Value		Suitability for transplanting														
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey If different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T954	T945	Melaleuca cajuputi subsp. cumingiana	白千層	10		240	254	3		A		A		A		M		L	9	-	Leaning on top			Melaleuca cajuputi subsp. cumingiana			
T955	T946	Cratoxylum cochinchinense	黃牛木	7		115	130	2		A		A		A		M		L	6	Co-dominant branches, dead twigs	Co-dominant branches, dead twigs, crooked leader			Cratoxylum cochinchinense		Y	
T957	T947	Melaleuca cajuputi subsp. cumingiana	白千層	12		370	370	3		A		A		A		M		L	9	Hanger			Melaleuca cajuputi subsp. cumingiana		Y		
T956	T948	Melaleuca cajuputi subsp. cumingiana	白千層	12		620	630	3		P	G	P		P		L		L	1,2,9	Dead branch, dead stub, cavity, decay on trunk base, sparse foliage	Low vitality.			Melaleuca cajuputi subsp. cumingiana		Y	
	T949	Bridelia tomentosa	土蜜樹		5.0		155		5.0		P		P		P		L		L		Topped, epicormics dominates the tree crown	I		Bridelia tomentosa			
	T950	Litsea glutinosa	潺槁樹		6.0		95		6.0		P		A		P		L		L		Leaning, dead stub	I		Litsea glutinosa			
	T951	Macaranga tanarius var. tomentosa	血桐		5.0		112		5.0		P		A		P		L		L		Leaning, dead branches	I		Macaranga tanarius var. tomentosa			
	T952	Sterculia lanceolata	假蘋婆		8.0		130		6.0		P		A		P		L		L		Two trunks	I		Sterculia lanceolata			
	T953	Litsea glutinosa	潺槁樹		8.0		153		6.0		P		A		P		L		L		Two trunks	I		Litsea glutinosa			
	T954	Litsea glutinosa	潺槁樹		8.0		171		6.0		P		A		P		L		L		Leaning	I		Litsea glutinosa			
T23	T955	Melaleuca cajuputi subsp. cumingiana	白千層	16		763	712	8		A		A	G	A		M	H	L	7,9	Co-dominant trunks				Melaleuca cajuputi subsp. cumingiana			
	T956	Ficus hispida	對葉榕		6.0		160		6.0		P		A		A		L		L		Three trunks	I		Ficus hispida			
T1240	T957	Melaleuca cajuputi subsp. cumingiana	白千層	10		600	570	6	7.0&	A	G	A	G	A	G	M	H	L	7,9	-	Large and mature.			Melaleuca cajuputi subsp. cumingiana			
T1557	T958	Aporosa dioica	銀柴	5		175	197	5		P		A		A		L		L	1,2	Multiple trunks				Aporosa dioica			
T1558	T959	Cratoxylum cochinchinense	黃牛木	6		95	110	5		P		A		A	P	L		L	1,2	-	Low live-crown ratio, on slope			Cratoxylum cochinchinense			
T1551	T960	Macaranga tanarius var. tomentosa	血桐	4		160	196	5	5.5&	A	P	A		A		M		L	6	Co-dominant trunks				Macaranga tanarius var. tomentosa			
T1552	T961	Acacia auriculiformis	耳果相思	11		350	360	8		P		A		A	P	L	M	L	1,2,9	Large wound on trunk, crossing with nearby tree	Large wound on trunk, crossing with nearby tree, on slope, leaning, cross branches with HKGC T962 (EIA T1553)			Acacia auriculiformis			
T1553	T962	Lophostemon confertus	紅膠木	14		400	508	10		A		A		A	P	M		L	9	Co-dominant trunks, crossing with nearby tree	Co-dominant trunks, crossing with nearby tree, leaning, on slope, cross branches with HKGC T961 (EIA T1552), dead stub			Lophostemon confertus			
T1548	T963	Lophostemon confertus	紅膠木	10		290	315	4		P		A		A		L		L	1,2,9	Co-dominant trunks	Codominant trunks, leaning, on slope, dead branches, epicormics			Lophostemon confertus			
T1547	T964	Acacia auriculiformis	耳果相思	15		280	316	6		A		A		A		M		L	9	-	Codominant trunks, on slope, slight dieback			Acacia auriculiformis			
T1544	T965	Lophostemon confertus	紅膠木	10		370	285	8		P		A		A		L		L	1,2,9	Co-dominant trunks	Codominant trunks, on slope, dead branches			Lophostemon confertus			
T1542	T966	Lophostemon confertus	紅膠木	7		230	230	6		A		A		A		M		L	9	Epicormics	Epicormics, dead branches, on slope			Lophostemon confertus			
T1543	T967	Lophostemon confertus	紅膠木	12		220	285	6		P		A		A		L		L	1,2,9	Dead branch	Dead branches, on slope			Lophostemon confertus			
T1545	T968	Lophostemon confertus	紅膠木	5		210	205	4		P		P		A	P	L		L	1,2,9	Asymmetric crown, dead branch	Asymmetric crown, dead branch, on slope			Lophostemon confertus			
	T969	Lophostemon confertus	紅膠木		6.0		226		8.0		P		A		P		L		L		Collapsed, epicormics sprouting	I		Lophostemon confertus			
T1559	T970	Rhus succedanea	野漆樹	4		100	125	2		A		A		A		M		L	6		On slope			Rhus succedanea			
	T971	Rhus succedanea	野漆樹		5.0		97		3.0		P		A		P		L		L		On slope, leaning, asymmetric crown	I		Rhus succedanea			
	T972	Lophostemon confertus	紅膠木		8.0		191		8.0		P		P		P		L		L		Root-plate momevent, heavy leaning, on slope, leaf spots, codominant branches	I		Lophostemon confertus			
	T973	Lophostemon confertus	紅膠木		8.0		130		6.0		P		A		P		L		L		On slope, leaning	I		Lophostemon confertus			
	T974	Macaranga tanarius var. tomentosa	血桐		7.0		100		5.0		A		A		A		M		L		On slope	I		Macaranga tanarius var. tomentosa			
	T975	Macaranga tanarius var. tomentosa	血桐		7.0		110		5.0		P		A		A		L		L		On slope, leaning, climber	I		Macaranga tanarius var. tomentosa			
	T976	Cratoxylum cochinchinense	黃牛木		8.0		95		6.0		A		A		A		M		L		On slope, codominant trunks	I		Cratoxylum cochinchinense			
T1549	T977	Zanthoxylum avicennae	荊欖花椒	4		150	168	6		A		A		A		M		L	6	-	On slope, codominant trunks branching at 1m, climber			Zanthoxylum avicennae			
T1550	T978	Lophostemon confertus	紅膠木	5		250	265	7		A		A		A		M		L	9	-	On slope, dieback			Lophostemon confertus			

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	E: Tree in EIA Tree Survey but Found Dead in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey			
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)															
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting													
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan				
T1514	T979	Lophostemon confertus	紅膠木	8		225	317	7	5.5	P		A		A		L		L		1,2,9	Co-dominant trunks	Co-dominant trunks, on slope, asymmetric crown, branching at 0.5m			Lophostemon confertus						
T1515	T980	Lophostemon confertus	紅膠木	6		255	329	7		A		A		A		M		L		9	Co-dominant trunks	Co-dominant trunks, branching at 0.5m			Lophostemon confertus						
T1513	T981	Lophostemon confertus	紅膠木	8		240	323	7		P		A		A		L		L		1,2,9	Co-dominant trunks, epicormics, crooked trunk	Co-dominant trunks, epicormics, crooked trunk, climber, branching at 0.3m			Lophostemon confertus						
	T982	Lophostemon confertus	紅膠木		4.0		113		4.0		P		A		P		L		L			Branching at 0.2m, codominant branches	I		Lophostemon confertus						
T1516	T983	Lophostemon confertus	紅膠木	12		210	308	6		A		A		A		M		L		9	Co-dominant trunks	Co-dominant trunks, branching at 0.2m, on slope			Lophostemon confertus						
T1517	T984	Lophostemon confertus	紅膠木	7		230	255	6		P		A		A		L		L		1,2,9	Asymmetric crown	Asymmetric crown, on slope, codominant trunks branching at 2m, horizontal branches			Lophostemon confertus						
T1518	T985	Lophostemon confertus	紅膠木	10		280	295	6		A		A		A		M		L		9	-	On slope, codominant trunks branching at 4m, dead branches			Lophostemon confertus						
T1520	T986	Lophostemon confertus	紅膠木	9		280	285	6		P		A		A		L		L		1,2,9	Asymmetric crown	Asymmetric crown, poor branch architecture, horizontal branches, dead trunk			Lophostemon confertus						
T1519	T987	Lophostemon confertus	紅膠木	17		290	420	9		A		A		A		M		L		9	-	On slope, dead branches			Lophostemon confertus						
	T988	Aquilaria sinensis	土沉香		1.5		15		1.0		P		P		P		M		M			On slope	J2		Aquilaria sinensis						
T1512	T989	Lophostemon confertus	紅膠木	9		320	363	7	4.5	A		A		A		M		L		9	Co-dominant trunks	Codominant trunks, on slope, asymmetric crown, dead branches			Lophostemon confertus						
	T990	Cinnamomum burmannii	陰香		6.0		130		6.0		P		A		P		L		L			Codominant trunks, on slope, asymmetric crown	I		Cinnamomum burmannii						
	T991	Macaranga tanarius var. tomentosa	血桐		8.0		121		6.0		P		P		P		L		L			Low live-crown ratio, on slope, wound, asymmetric crown	I		Macaranga tanarius var. tomentosa						
T1853	T992	Aquilaria sinensis	土沉香	3		30	67	1		A		A		A		M		M		-	-	Low branching	A2		Aquilaria sinensis						
T760	T993	Lophostemon confertus	紅膠木	13		190	510	5	9.6	P	A	A		A		L		L		1,2,9	Gall, wound at branch, co-dominant branches	Gall, wound at branch, co-dominant branches, on slope, asymmetric crown, leaning on top			Lophostemon confertus						
T29	T994	Lophostemon confertus	紅膠木	10		614	688	7	13.7	A	G	A	G	A		M		L		7,9	-	Large and mature, on slope.			Lophostemon confertus						
T761	T995	Lophostemon confertus	紅膠木	12		335	350	6	11.0	A	P	A		A		M		L		9	Co-dominant branches, exposed root	Co-dominant branches, exposed root, leaning, on slope, asymmetric crown			Lophostemon confertus						
T762	T996	Lophostemon confertus	紅膠木	8		370	355	6	12.8	A	G	A	G	A		M		L		9	Wound at trunk, co-dominant branches	Wound at trunk, on slope.			Lophostemon confertus						
T169	T997	Lophostemon confertus	紅膠木	10		335	606	5	12.4	A	P	A		A		M		L		9	Wound at branch, epicormics, broken stub	Wound at branch, epicormics, broken stub, on slope, codominant trunks, horizontal branches			Lophostemon confertus						
T763	T998	Lophostemon confertus	紅膠木	6		325	355	4	8.7	A		A		A		M		L		9	Wound at trunk, sucker, wound at trunk	Wound at trunk, sucker, wound at trunk, on slope, poor branch architecture			Lophostemon confertus						
T1511	T999	Lophostemon confertus	紅膠木	16		360	360	5		A		A		A		M	H	L		9	Broken leader	Broken leader, on slope, union at 8m high			Lophostemon confertus						
T1510	T1000	Lophostemon confertus	紅膠木	18	19.9#	420	448	8	6.5	A	G	A	G	A	G	M	H	L		9	Henger	Hanger, on slope, slight leaning			Lophostemon confertus						
T1509	T1001	Lophostemon confertus	紅膠木	10		350	362	4		P	A	A		P	A	L	M	L		1,2,9	Broken leader	Broken leander, codominant trunks, on slope, slight leaning			Lophostemon confertus						
T1508	T1002	Lophostemon confertus	紅膠木	16		380	443	6		P	A	A	G	A		L	H	L		1,2,9	Leaning	On slope, leaning			Lophostemon confertus						
T1507	T1003	Sterculia lanceolata	假蒴婆	5		100	137	4		A	P	A		A		M	L	L		6	Climber	On slope, leaning, codominant trunks, climbers			Sterculia lanceolata						
T1506	T1004	Lophostemon confertus	紅膠木	16		250	295	5		P		A	G	A		L	M	L		1,2,9	Broken leader	Broken leader, leaning on top			Lophostemon confertus						
T1505	T1005	Aquilaria sinensis	土沉香	5		150	150	3		A	P	A		A		M		M		-	Climber	Crooked, trunk, on slope, codominant branches on top, climber	A2		Aquilaria sinensis						
T1504	T1006	Lophostemon confertus	紅膠木	16		410	410	8	7.5	A	P	A		A		M		L		9	-	Sign of pest, leaning, on slope			Lophostemon confertus						
T1503	T1007	Leucaena leucocephala	銀合歡	9		120	175	5		P		A		A		L		L		1,2,5	Leaning				Leucaena leucocephala	Y					
	T1008	Macaranga tanarius var. tomentosa	血桐		5.0		100		5.0		P		A		P		L		L			On slope, heavy leaning, next to HKGC T1007 (EIA T1503)	I		Macaranga tanarius var. tomentosa						
	T1009	Leucaena leucocephala	銀合歡		8.0		320		10.0		P		P		P		L		L			Heavy leaning, on slope, epicormics, uprooted	I		Leucaena leucocephala	Y					
	T1010	Macaranga tanarius var. tomentosa	血桐		8.0		110		6.0		P		P		P		L		L			Crooked trunk, low live-crown ratio, on slope, wilting leaves, climber	I		Macaranga tanarius var. tomentosa						
	T1011	Schefflera heptaphylla	鵝掌柴		8.0		175		5.0		P		A		P		L		L			On slope, leaning, climber, low live-crown ratio	I		Schefflera heptaphylla						
	T1012	Macaranga tanarius var. tomentosa	血桐		8.0		162		6.0		P		P		P		L		L			Moderate leaning, on slope, asymmetric crown	I		Macaranga tanarius var. tomentosa						



[illegible]Page 31 of 52

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
EIA Tree No.	HKGC Tree No.	Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)				Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan		
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting													
		in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)						
	T1047	Melaleuca cajuputi subsp. cumingiana	白千層		16.0		500		6.0		A		A		A		M		L				Climbers	I		Melaleuca cajuputi subsp. cumingiana			
T1672	T1048	Melaleuca cajuputi subsp. cumingiana	白千層	12		240	350	3		A	P	A		A		M		L		9		Climber	Climber, leaning on top			Melaleuca cajuputi subsp. cumingiana			
	T1049	Macaranga tanarius var. tomentosa	血桐		9.0		133		6.0		P		P		P		L		L				Low live-crown ratio, chlorotic leaves	I		Macaranga tanarius var. tomentosa			
T1674	T1050	Ficus hispida	對葉榕	7		280	288	4		P		A		P		L		L		1,2		Climber, crossing branches, dead branch, multiple trunks			Ficus hispida				
	T1051	Bischofia javanica	秋楓		4.0		124		4.0		P		A		P		L		L				Leaning, on slope, asymmetric crown, codominant trunks	I		Bischofia javanica			
T1673	T1052	Melaleuca cajuputi subsp. cumingiana	白千層	8		260	350	3		P		A	P	P		L		L		1,2,9		Climber, crooked trunk, hanger	Heavy climber, crooked trunk, hanger, one dead leader, low live-crown ratio			Melaleuca cajuputi subsp. cumingiana			
T1675	T1053	Cinnamomum burmannii	陰香	6		100	123	4		A		A		A		M		L		6		Climber	Climber, crooked trunk, on slope, dead branches			Cinnamomum burmannii			
T1676	T1054	Ficus hispida	對葉榕	6		265	295	4		P		A		A		L		L		1,2		Asymmetric crown ,climber, co-dominant trunks, decay on trunk	Asymmetric crown ,climber, co-dominant trunks, decay on trunk, leaning			Ficus hispida			
T1678	T1055	Macaranga tanarius var. tomentosa	血桐	4		110	110	3		P		A		A	P	L		L		1,2		Asymmetric crown, dead branch	Asymmetric crown, dead branch, leaning, on slope, chlorotic leaves			Macaranga tanarius var. tomentosa			
T1677	T1056	Macaranga tanarius var. tomentosa	血桐	4		110	115	1		P		P		P		L		L		1,2		Topped, epicormics	Topped, epicormics, leaning, on slope, chlorotic leaves			Macaranga tanarius var. tomentosa			
T1679	T1057	Macaranga tanarius var. tomentosa	血桐	6		200	233	4		P		A		A	P	L		L		1,2		Moderate leaning, epicormics, dead branch	Moderate leaning, epicormics, dead branch, on slope, chlorotic leaves			Macaranga tanarius var. tomentosa			
T167	T1058	Melaleuca cajuputi subsp. cumingiana	白千層	14	18.8#	1050	697	6		A	G	A	G	A		M		L		9		On slope, climbers along tree trunk	On slope, climbers along tree trunk, codominant branches	B		Melaleuca cajuputi subsp. cumingiana			
T1681	T1059	Melaleuca cajuputi subsp. cumingiana	白千層	18		490	570	3		A		A	G	A		M		L		9		Climber, co-dominant branches				Melaleuca cajuputi subsp. cumingiana			
T1680	T1060	Ficus hispida	對葉榕	6		300	150	4		P		A	P	A	P	L		L		1,2		Climber, multiple trunks, asymmetric crown	Climber, multiple trunks, asymmetric crown, epicormics, topped, dead branches			Ficus hispida			
T1682	T1061	Aporosa dioica	銀柴	6		110	150	2		A		A		A		M		L		6		Climber				Aporosa dioica			
T1683	T1062	Melaleuca cajuputi subsp. cumingiana	白千層	18		450	500	3		A		A		A		M		L		9		Climber, co-dominant branches	Climber, co-dominant branches, dead branches			Melaleuca cajuputi subsp. cumingiana			
T166	T1063	Melaleuca cajuputi subsp. cumingiana	白千層	13	25.2#	1000	724	5		A	G	A	G	A		M	H	L		9		On slope	On slope, TPI by height	A		Melaleuca cajuputi subsp. cumingiana			
T1686	T1064	Celtis sinensis	朴樹	8		160	220	4		A	A	A	G	A		M		L		6		-	On slope, leaning, climber			Celtis sinensis			
T1735	T1065	Melaleuca cajuputi subsp. cumingiana	白千層	18		560	590	4		P		A		A		L	M	L		1,2,9		Climber	On slope, codominant trunks, climber			Melaleuca cajuputi subsp. cumingiana			
T1736	T1066	Melaleuca cajuputi subsp. cumingiana	白千層	12		255	370	4		P		A		A		L	M	L		1,2,9		Climber	On slope, leaning on top, climber			Melaleuca cajuputi subsp. cumingiana			
T1753	T1066A	Melaleuca cajuputi subsp. cumingiana	白千層	8		200	346	3		P	P	A	A	A	P	L	M	L		1,2,9		Climber	2 trunks, heavy climber, epicormics, on slope			Melaleuca cajuputi subsp. cumingiana			
T1755	T1066B	Melaleuca cajuputi subsp. cumingiana	白千層	18		410	470	5		P	P	A	A	A	P	L	M	L		1,2,9		Climber	On slope, heavy climber, epicormics, codominant branches			Melaleuca cajuputi subsp. cumingiana			
	T1066C	Casuarina equisetifolia	木麻黃 (牛尾松)		10.0		280		10.0		P		P		P		L		L				Heavy leaning, wound on trunk	I		Casuarina equisetifolia			
T1637	T1066D	Casuarina equisetifolia	木麻黃	14		280	422	6		A		A		A		M		L		6		Climber	Climber, leaning, buttress roots			Casuarina equisetifolia			
	T1066E	Macaranga tanarius var. tomentosa	血桐		4.0		105		5.0		P		P		P		L		L				Defoliated with epicormics only	I		Macaranga tanarius var. tomentosa			
	T1066F	Adenanthera microsperma	海紅豆 (孔雀豆)		4.0		126		5.0		P		P		P		L		L				Heavy climber, heavy leaning, severely crooked trunk	I		Adenanthera microsperma			
T1639	T1066G	Melaleuca cajuputi subsp. cumingiana	白千層	14		270	340	2		A		A		A		M		L		9		-	Epicormics, on slope			Melaleuca cajuputi subsp. cumingiana			
	T1066H	Ficus variegata	青果榕		6.0		106		4.0		P		A		P		L		L				Crooked trunk, on slope, low live-crown ratio	I		Ficus variegata			
T1737	T1067	Melaleuca cajuputi subsp. cumingiana	白千層	14		220	270	4		P		A		A		L	M	L		1,2,9		Climber	Climber, on slope, codominant trunks			Melaleuca cajuputi subsp. cumingiana			
T1738	T1068	Macaranga tanarius var. tomentosa	血桐	6		125	140	4		P		A		A		L		L		1,2		Climber				Macaranga tanarius var. tomentosa			
T1684	T1069	Melaleuca cajuputi subsp. cumingiana	白千層	18		500	580	4		A		A		A		M		L		7,9		-	Climber, on slope			Melaleuca cajuputi subsp. cumingiana			
T1685	T1070	Viburnum odoratissimum	珊瑚樹	6		160	147	3		P		A		P		L		L		1,2		Co-dominant trunks, crossing trunks	Co-dominant trunks, crossing trunks, on slope, leaning			Viburnum odoratissimum			
T1756	T1071	Sterculia lanceolata	假蒺藜	6		170	145	3		P	A	A	A	A	A	L	M	L		1,2		Climber	On slope, crooked trunk			Sterculia lanceolata		Y	
T1687	T1072	Ficus hispida	對葉榕	6		180	200	4		P		A		A	P	L		L		1,2		Climber, asymmetric crown	Climber, asymmetric crown, leaning, on slope, codominant trunks			Ficus hispida			



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:	A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
	Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
	Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting																		
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan			
T165	T1073	Melaleuca cajuputi subsp. cumingiana	白千層	13	21.0#	1050	796	5		A		A		A		M		L		9	On slope		B		Melaleuca cajuputi subsp. cumingiana			
	T1074	Celtis sinensis	朴樹		8.0		160		6.0		P		A		P		L		L				I		Celtis sinensis			
T1688	T1075	Melaleuca cajuputi subsp. cumingiana	白千層	16		520	247	4		A	P	A		A		M		L		7,9	-			Melaleuca cajuputi subsp. cumingiana				
	T1076	Ficus hispida	對葉榕		5.0		153		5.0		P		A		P		L		L				I		Ficus hispida			
	T1077	Melaleuca cajuputi subsp. cumingiana	白千層		16.3#		924		8.0		P		P		P		L		L				I		Melaleuca cajuputi subsp. cumingiana			
T1739	T1078	Macaranga tanarius var. tomentosa	血桐	7		255	322	5		P		A	p	A		L		L		1,2	Climber, co-dominant trunks	Climber, co-dominant trunks, sparse foliage			Macaranga tanarius var. tomentosa			
T1689	T1079	Sterculia lanceolata	假蘋婆	6		110	127	3		A	P	A		A		M		L		6	-			Sterculia lanceolata				
T164	T1080	Melaleuca cajuputi subsp. cumingiana	白千層	11	13.5#	970	892	6	7.0&	A	A	A	G	A		M		L		7,9	-			Melaleuca cajuputi subsp. cumingiana				
T1698	T1081	Ficus hispida	對葉榕	12		285	292	4		A	P	A		A	P	M		L		6	Co-dominant trunks	Codominant trunks, buttress, climbers			Ficus hispida			
T1699	T1082	Cinnamomum burmannii	陰香	8		180	200	4		A	P	A		A	P	M		L		6	Dead twigs, climber	Dead twigs, climber, asymmetr			Cinnamomum burmannii			
T1697	T1083	Sterculia lanceolata	假蘋婆	5		120	110	3		A	P	A	P	A	P	M		L		6	Climber	Climber, sparse foliage, on slope, leaning, asymmetric crown, horizontal branches			Sterculia lanceolata			
	T1084	Celtis sinensis	朴樹		7.0		95		9.0		P		P		P		L		L				I		Celtis sinensis			
T1696	T1085	Melaleuca cajuputi subsp. cumingiana	白千層	16		370	440	4		A	P	A		A	P	M		L		9	Climber	Leaning on top, climber			Melaleuca cajuputi subsp. cumingiana			
	T1086	Sterculia lanceolata	假蘋婆		9.0		105		6.0		P		P		P		L		L				I		Sterculia lanceolata			
T1695	T1087	Melaleuca cajuputi subsp. cumingiana	白千層	7		140	150	2		A	P	A		A		M		L		9	Climber	Heavy leaning, on slope, climber			Melaleuca cajuputi subsp. cumingiana			
T1694	T1088	Melaleuca cajuputi subsp. cumingiana	白千層	18		410	480	4		A	P	A		A		M		L		9	Climber	Leaning, epicormics, climber			Melaleuca cajuputi subsp. cumingiana			
T1693	T1089	Melaleuca cajuputi subsp. cumingiana	白千層	8		180	170	2		A	P	A		A		M		L		9	Climber	Climber, on slope, leaning			Melaleuca cajuputi subsp. cumingiana			
T1692	T1090	Melaleuca cajuputi subsp. cumingiana	白千層	14		180	210	2		A	P	A		A		M		L		9	Climber	Climber, on slope, leaning			Melaleuca cajuputi subsp. cumingiana			
T1691	T1091	Melaleuca cajuputi subsp. cumingiana	白千層	18	19.5#	630	796	5	6.0&	A	G	A	G	A		M		L		7,9	Climber	on slope, cross trunks with T1092			Melaleuca cajuputi subsp. cumingiana			
T1690	T1092	Ficus variegata	青果榕	12		380	420	4		A		A	G	A		M		L		6	Climber	Leaning, on slope, buttress root, cross trunks with T1091			Ficus variegata			
	T1093	Melaleuca cajuputi subsp. cumingiana	白千層		15.0		622		10.0		A		G		A		M		L				I		Melaleuca cajuputi subsp. cumingiana			
	T1094	Caryota mitis (小魚尾葵)	短穗魚尾葵 (小魚尾葵)		6.0		173		5.0		A		A		A		M		L				I		Caryota mitis			
T1700	T1095	Melaleuca cajuputi subsp. cumingiana	白千層	16		350	370	3		A	A	A	G	A		M		L		9	Climber	Climber, leaning on top, on slope			Melaleuca cajuputi subsp. cumingiana			
	T1096	Ilex rotunda	鐵冬青		5.0		105		4.0		P		A		P		L		L				I		Ilex rotunda			
T1701	T1097	Melaleuca cajuputi subsp. cumingiana	白千層	18		340	494	3		A		A	G	A		M		L		9	Climber	Climber, on slope			Melaleuca cajuputi subsp. cumingiana			
T1702	T1098	Melaleuca cajuputi subsp. cumingiana	白千層	18	20.4#	950	905	6		A		A	G	A		M		L		7,9	Climber	Climber, codominant trunks.			Melaleuca cajuputi subsp. cumingiana			
T1703	T1099	Sterculia lanceolata	假蘋婆	6		110	105	3		P		A		P		L		L		1,2	Climber, crossing branches	Climber, crossing branches, crooked trunks, drooping branches			Sterculia lanceolata			
T1704	T1100	Cinnamomum burmannii	陰香	8		190	210	4		P		P		A		L		L		1,2	Dead branch, climber, asymmetric crown	Dead branch, climber, asymmetric crown, on slope, leaning, epicormics			Cinnamomum burmannii			
T1488	T1101	Vernicia montana	木油樹	10		410	375	5		P		A		P		L		L		1,2	Uproot	Uprooted, epicormics, leaning			Vernicia montana			
T1470	T1102	Cinnamomum camphora	樟	14		330	697	8		A		A		A		M		L		6	-	Codominant trunks with union near the base, on slope, EIA T1470&T1471 should be the same tree			Cinnamomum camphora			
T1472	T1103	Sterculia lanceolata	假蘋婆	9		100	96	7		A		A		A		M		L		6	-	On slope, dead branches			Sterculia lanceolata			
T1473	T1104	Cinnamomum burmannii	陰香	11		200	340	8		A		A		A		M		L		6	-	Suckers, on slope, exposed roots			Cinnamomum burmannii			
T1476	T1105	Macaranga tanarius var. tomentosa	血桐	10		100	108	6		A		A		A		M		L		6	-	Crooked trunk, on slope			Macaranga tanarius var. tomentosa			
T1475	T1106	Macaranga tanarius var. tomentosa	血桐	11		110	112	7		A		A		A		M		L		6	-	On slope, low live-crown ratio, climber			Macaranga tanarius var. tomentosa			

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey
EIA Tree No.	HKGC Tree No.	Species		Measurements					(Good/Average/Poor)					(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting									
				in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T1480	T1107	Macaranga tanarius var. tomentosa	血桐	9		220	228	8		A		A		A		M		L	6	-	On slope, leaning trunk, dead branches			Macaranga tanarius var. tomentosa			
T1477	T1108	Adenanthera microsperma	海紅豆	12		130	140	6		A	P	A		A		M		L	6	-	Leaning on top, low live-crown ratio			Adenanthera microsperma			
T1478	T1109	Sterculia lanceolata	假蒺藜	8		160	193	4		A		A		A		M		L	6	-	Epicormics, crooked trunks			Sterculia lanceolata			
T1479	T1110	Cinnamomum camphora	樟	16		600	600	8		A	G	A	G	A		M		L	7	-	Large and mature.			Cinnamomum camphora			
T1481	T1111	Macaranga tanarius var. tomentosa	血桐	7		200	208	6		A	P	A		A		M		L	6	-	Codominant trunks, on slope, horizontal branches			Macaranga tanarius var. tomentosa			
T975	T1112	Machilus sp.	潤楠屬	4		190	205	3		A	P	A		A		M		L	6	-	On slope, leaning, asymmetric crown. Incorrect species, should be: Ilex rotunda		Y	Ilex rotunda			
T1809	T1113	Lophostemon confertus	紅膠木	10		240	472	6		A	P	A		A		L		L	1,9	-	On slope, leaning, asymmetric crown			Lophostemon confertus			
	T1114	Acacia auriculiformis	耳果相思 (耳葉相思)		6.0		140		6.0		P		A		P		L		L		On slope, heavy leaning	I		Acacia auriculiformis			
T16	T1115	Melaleuca cajuputi subsp. cumingiana	白千層	18	20.2#	1140	1256	11	14.0	A	G	A	G	A	G	M	H	L	9	Multiple trunks, girdling roots	Large and mature.	A		Melaleuca cajuputi subsp. cumingiana			
T35	T1116	Acacia confusa	台灣相思	10		410	531	11	10.0	A	G	A		A		M		L	9	-	included bark, leaning, climber			Acacia confusa			
T744	T1117	Acacia confusa	台灣相思	8		135	188	5	7.5	P		A		P		L		L	1,2,9	Topped, epicormics	Topped, epicormics, leaning, codominant trunks, included bark			Acacia confusa			
T743	T1118	Acacia confusa	台灣相思	13		410	431	7	14.0	A		A	P	A		M		L	9	Co-dominant trunks, dead branches	Co-dominant trunks, dead branches, dieback			Acacia confusa			
T742	T1119	Acacia confusa	台灣相思	14		528	460	7	10.0	P		A	P	A		L		L	1,2,9	Co-dominant trunks, exposed dead wood	Co-dominant trunks, exposed dead wood, dieback, multiple trunk,			Acacia confusa			
T739	T1120	Acacia confusa	台灣相思	9		266	290	5	11.0	A		A	P	A		M		L	9	Co-dominant trunks	Co-dominant trunks, leaning, dead branches			Acacia confusa			
T738	T1121	Acacia confusa	台灣相思	9		170	187	2	3.0	P		A		A		L		L	1,2,9	Wound at trunk	Wound on trunk, leaning			Acacia confusa			
T736	T1122	Acacia confusa	台灣相思	10		335	355	8	11.5	P		A		P		L		L	1,2,9	Cavity at trunk flare, decay, dead branches, co-dominant branches, climber	Cavity at trunk flare, decay, dead branches, co-dominant branches, climber, leaning, asymmetric crown, dieback			Acacia confusa			
T735	T1123	Casuarina equisetifolia	木麻黃	16		410	413	4	10.0	A	G	A		A		M		L	7	-	Large and mature.			Casuarina equisetifolia			
T24	T1124	Melaleuca cajuputi subsp. cumingiana	白千層	18	18.9#	1050	1080	8	14.0	P	G	A	G	P	G	L	H	L	1,2	Gridling root	Large and mature.	A		Melaleuca cajuputi subsp. cumingiana			
T25	T1125	Melaleuca cajuputi subsp. cumingiana	白千層	18	18.5#	849	930	7	9.0	A	G	A	G	A	G	M		L	7,9	-	Large and mature.			Melaleuca cajuputi subsp. cumingiana			
T741	T1126	Acacia confusa	台灣相思	14		449	487	7	12.0	A	P	A	P	A	P	M		L	9	Multiple trunks, mechanical injury	Multiple trunks, mechanical injury, heavy leaning, topped, dieback			Acacia confusa		Y	
T740	T1127	Acacia confusa	台灣相思	14		389	432	6	10.0	A	P	A		A		M		L	9	Co-dominant trunks, wound at trunk, stub	Co-dominant trunks, wound at trunk, stub, leaning, epicormics, slight dieback			Acacia confusa		Y	
T34	T1128	Acacia confusa	台灣相思	10		550	655	8	9.0	A	G	A	G	A		M		L	7,9	-	Large and mature.			Acacia confusa		Y	
T758	T1129	Casuarina equisetifolia	木麻黃	6		290	267	5	9.0	P		A		A	P	L		L	1,2	Co-dominant trunks, topped	Co-dominant trunks, topped, dead branches, on slope			Casuarina equisetifolia			
T759	T1130	Casuarina equisetifolia	木麻黃	6		230	225	6	6.0	A		A	P	A	P	M		L	6	Epicormics, bending	Epicormics, bending, drooping branches, suckers			Casuarina equisetifolia			
	T1131	Casuarina equisetifolia	木麻黃 (牛尾松)		8.0		207		5.5		G		G		A		M		L		Codominant trunks, on slope	I		Casuarina equisetifolia			
T1049	T1132	Cratogeomys cochinchinense	黃牛木	12	14.2#	280	290	4	8.0&	A	G	A	G	A	G	M	H	L	6	Co-dominant branches	Branching at 7m, on slope, standing out			Cratogeomys cochinchinense			
T1219	T1133	Ilex rotunda	鐵冬青	8		200	242	4		A		A		A		M		L	6	Dead twigs	Dead twigs, crooked trunk			Ilex rotunda			
T1218	T1134	Sterculia lanceolata	假蒺藜	4		100	103	2		A		A		A		M		L	6	-	Crooked trunk, epicormics, poor branch architecture			Sterculia lanceolata			
T1213	T1135	Sterculia lanceolata	假蒺藜	8		250	262	5		A	P	A		A		M		L	6	-	Multiple trunks, wound			Sterculia lanceolata			
T1214	T1136	Cinnamomum camphora	樟	9		400	315	5		A		A	G	A		M		L	7	-	Crooked trunk			Cinnamomum camphora			
T1215	T1137	Cinnamomum camphora	樟	9		400	361	6		A		A	G	A		M		L	7	-	Crooked trunk			Cinnamomum camphora			
T1220	T1138	Bauhinia variegata	宮粉羊蹄甲	8		180	195	2		A		A		A		L		L	6	Slightly leaning	Leaning, on slope, bark crack, epicormics			Bauhinia variegata			
T1198	T1139	Aquilaria sinensis	土沉香	2.5		30	10	0.5		A		A		A		M		M	-	-	Climber	A2		Aquilaria sinensis			
T1203	T1140	Aquilaria sinensis	土沉香	4		10	10	0.5		A		A		A		M		M	-	-	Epicormics	A2		Aquilaria sinensis			Y



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting											
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan			
T1197	T1141	Aquilaria sinensis	土沉香	2		30	10	0.5		A	P	A	P	A	P	M		M	-	-	Defoliated, almost dead	A2		Aquilaria sinensis					
T1202	T1142	Aquilaria sinensis	土沉香	4		10	10	0.5		A	P	A	P	A	P	M		M	-	-	No leaves, almost dead	A2		Aquilaria sinensis					
	T1143	Aquilaria sinensis	土沉香		1.0		10		0.5		A		A		A		M		M		On slope	J2		Aquilaria sinensis					
	T1144	Aquilaria sinensis	土沉香		2.0		10		1.0		P		A		A		M		M		On slope, topped	J2		Aquilaria sinensis					
T1204	T1145	Aquilaria sinensis	土沉香	4		10	10	0.5		A		A		A		M		M	-	-	Asymmetric crown, horizontal branches, sparse foliage	A2		Aquilaria sinensis					
T1195	T1146	Aquilaria sinensis	土沉香	4		30	30	0.5		A		A		A		M		M	-	-	Broken, found dead	H2		Dead Tree					
T1196	T1147	Aquilaria sinensis	土沉香	4.5		50	61	0.5		A	P	P		A		M		M	-	Moderate dieback	Moderate dieback, crooked, on slope, low live-crown ratio	A2		Aquilaria sinensis					
T1182	T1148	Sterculia lanceolata	假蒴藋	7		115	111	2		A	P	A		A		M		L	6	Slightly leaning	Leaning, epicormics, wound			Sterculia lanceolata					
T1192	T1149	Aquilaria sinensis	土沉香	3		80	82	1		A	P	A		A		M		M	-	-	Crooked, on slope	A2		Aquilaria sinensis					
T1183	T1150	Aquilaria sinensis	土沉香	6		105	102	2		A	P	A		A		M		M	-	Minor leaning	On slope, leaning, codominant trunks	A2		Aquilaria sinensis					
T1191	T1151	Aquilaria sinensis	土沉香	2.5		30	30	0.5		A	P	A		A		M		M	-	-	On slope, climber, sparse foliage	A2		Aquilaria sinensis					
T1178	T1152	Aporosa dioica	銀柴	8		105	126	3		A	P	A		A		M		L	6	-	On slope, crooked trunk, dieback			Aporosa dioica					
T1190	T1153	Aquilaria sinensis	土沉香	0.5		10	11	0.5		A	P	A		A		M		M	-	-	Leaning, climber	A2		Aquilaria sinensis					
T900	T1154	Melaleuca cajuputi subsp. cumingiana	白千層	10		400	387	4		A		A		A		M		L	9	Co-dominant trunks	Co-dominant trunks with union at base, climber			Melaleuca cajuputi subsp. cumingiana					
T899	T1155	Lophostemon confertus	紅膠木	4		185	162	4		P		A		P		L		L	1,2,9	Moderate leaning, co-dominant branches, dead twigs, uproot	Moderate leaning, co-dominant branches, dead twigs, uproot, incorrect species, should be Cleistocalyx nervosum			Lophostemon confertus					
T902	T1156	Melaleuca cajuputi subsp. cumingiana	白千層	6		235	232	2		P		A		A		L		L	1,2,9	Cross branch with T904	Cross branch with HKGC2 T1158, leaning, codominant trunks			Melaleuca cajuputi subsp. cumingiana					
T903	T1157	Melaleuca cajuputi subsp. cumingiana	白千層	6		120	140	3		A	P	A		A		M		L	9	-	On slope, epicormics, poor branch architecture			Melaleuca cajuputi subsp. cumingiana		Y			
T904	T1158	Melaleuca cajuputi subsp. cumingiana	白千層	10	15.0#	830	890	6	10.5&	P	A	A		P	A	L	H	L	1,2,9	Cross branch with T902, multiple trunk, included bark, dead branch	Cross branch with HKGC T1156, multiple trunk,			Melaleuca cajuputi subsp. cumingiana		Y			
T1186	T1159	Aquilaria sinensis	土沉香	9		150	146	2		A		A		A		M		M	-	-	On slope, low live-crown ratio	A2		Aquilaria sinensis					
T1194	T1160	Aquilaria sinensis	土沉香	4		10	42	0.5		A		A		A		M		M	-	-	Juvenile tree	A2		Aquilaria sinensis					
T1187	T1161	Sterculia lanceolata	假蒴藋	9		290	303	4		A	P	A		A		M		L	6	-	Codominant trunks, on slope, epicormics			Sterculia lanceolata					
T1188	T1162	Ilex rotunda	鐵冬青	6		180	176	5		A	P	A		A		M		L	6	-	Crooked trunk, codominant trunks, on slope			Ilex rotunda					
T1189	T1163	Melaleuca cajuputi subsp. cumingiana	白千層	10		230	235	3		A		A		A		M		L	9	-	On slope, asymmetric crown			Melaleuca cajuputi subsp. cumingiana					
	T1164	Melaleuca cajuputi subsp. cumingiana	白千層		16.0#		432		5.0		G		A		G		M		L		On slope. Found dead in this survey	I		Melaleuca cajuputi subsp. cumingiana					
T1179	T1165	Melaleuca cajuputi subsp. cumingiana	白千層	8		115	115	2		A	P	A		A		M		L	9	-	On slope, crooked trunks			Melaleuca cajuputi subsp. cumingiana					
T1177	T1166	Melaleuca cajuputi subsp. cumingiana	白千層	9		200	228	2		A	P	A		A		M		L	9	-	On slope, 2 trunks, one horizontal branches			Melaleuca cajuputi subsp. cumingiana					
T901	T1167	Lophostemon confertus	紅膠木	6		340	334	4		P		P		P		L		L	1,2,9	Broken branch, epicormics	Broken branch, epicormics, slight leaning, codominant trunks, dieback			Lophostemon confertus					
T1175	T1168	Cratoxylum cochinchinense	黃牛木	7		115	125	3		A	P	A		A		M		L	6	-	Crooked trunks, asymmetric crown			Cratoxylum cochinchinense					
T1176	T1169	Cinnamomum camphora	樟	11		400	420	8		A	P	A	G	A		M		L	7	Hanger	Codominant trunks, on slope, asymmetric crown			Cinnamomum camphora					
T1181	T1170	Melaleuca cajuputi subsp. cumingiana	白千層	14		200	183	3		A	P	A		A		M		L	9	-	Leaning, on slope, low live-crown ratio			Melaleuca cajuputi subsp. cumingiana					
T1184	T1171	Eucalyptus camaldulensis	赤桉	13		210	230	1		A		A		A		M		L	6	Broken stub	Broken stub, included bark, asymmetric crown			Eucalyptus camaldulensis					
	T1172	Syzygium hancei	韓氏蒲桃 (紅棘蒲桃)		10.0		126		5.0		A		A		P		M		L		On slope, slight dieback	I		Syzygium hancei					
T958	T1173	Machilus sp.	潤楠屬	8		175	263	4		A	P	A	P	A	P	M	L	L	6	Co-dominant branches	Co-dominant branches, found dead on site	F		Dead Tree					
T1180	T1174	Eucalyptus exserta	窿緣桉	14		530	540	6		A	G	A	G	A	G	M	H	L	7	-	Large and mature, incorrect species, should be Lophostemon confertus		Y	Lophostemon confertus					

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URIBS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements					(Good/Average/Poor)					(High/Medium/ Low)														
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting													
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan		
	T1175	<i>Aquilaria sinensis</i>	土沉香		0.5		10		0.5		A		A		A		M		M		Very new seedling	J2		<i>Aquilaria sinensis</i>				
T1174	T1176	<i>Cinnamomum camphora</i>	樟	9	12.1#	430	448	8	10.5&	A	G	A	G	A	G	M	H	L	7	Dead branch	Large and mature.			<i>Cinnamomum camphora</i>				
T1173	T1177	<i>Aporosa dioica</i>	銀柴	6		135	147	2		A	P	A	G	A		M		L	6	-	Crooked trunk, on slope			<i>Aporosa dioica</i>				
T1105	T1178	<i>Aporosa dioica</i>	銀柴	6		130	137	2		A	P	A	G	A		M		L	6	-	Leaning, asymmetric crown			<i>Aporosa dioica</i>				
T1171	T1179	<i>Aporosa dioica</i>	銀柴	6		150	173	2		A		A		A		M		L	6	-	Drooping branches, on slope, leaning			<i>Aporosa dioica</i>				
T1104	T1180	<i>Cratoxylum cochinchinense</i>	黃牛木	11		145	270	6		A	G	A		A		M		L	6	Dead twigs	codominant trunks, on slope, epicormics			<i>Cratoxylum cochinchinense</i>				
T1172	T1181	Dead Tree	死樹	7		160	167	2		P		P		P		L		L	1,2	-	Topped and therefore appears much smaller size than EIA tree survey			Dead Tree				
T905	T1182	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	8		225	225	3		A	P	A		A		M		L	9	Co-dominant branches	Co-dominant branches, moderate leaning, climber, asymmetric crown			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>				
T898	T1183	<i>Eucalyptus camaldulensis</i>	赤桉	14	21.6#	410	410	3		A	G	A	G	A	G	M	H	L	7	Hanger	Large and mature.			<i>Eucalyptus camaldulensis</i>				
T1185	T1184	<i>Casuarina equisetifolia</i>	木麻黃	7		195	195	3		P		A		P		L		L	1,2	Broken branch	Broken branch, leaning, on slope			<i>Casuarina equisetifolia</i>				
	T1185	<i>Aquilaria sinensis</i>	土沉香		8.0		180		6.0		P		A		P		M		M		Leaning on top, on slope	J2		<i>Aquilaria sinensis</i>				
	T1186	<i>Aquilaria sinensis</i>	土沉香		0.5		10		0.5		P		A		P		M		M		Seedling	J2		<i>Aquilaria sinensis</i>				
	T1187	<i>Aquilaria sinensis</i>	土沉香		1.5		10		1.0		P		A		P		M		M		Seedling	J2		<i>Aquilaria sinensis</i>				
	T1188	<i>Aquilaria sinensis</i>	土沉香		2.5		20		1.0		P		A		P		M		M		Seedling	J2		<i>Aquilaria sinensis</i>				
	T1189	<i>Aquilaria sinensis</i>	土沉香		3.0		30		1.5		P		A		P		M		M		Seedling	J2		<i>Aquilaria sinensis</i>				
	T1190	<i>Lophostemon confertus</i>	紅膠木		12.0		335		6.0		A		A		A		M		L		On slope, heavy climber	I		<i>Lophostemon confertus</i>				
T1638	T1191	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12		170	195	2		A		A		A		M		L	9	-	Epicormics, on slope, heavy climber, leaning on top			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>				
	T1192	<i>Clausena lansium</i>	黃皮		4.0		96		2.0		P		A		A		M		L		On slope, codominant branches which branch low, DBH measured at 0.5m height, tree full of epicormics	I		<i>Clausena lansium</i>				
	T1193	<i>Cinnamomum burmannii</i>	陰香		6.0		399		5.0		P		A		A		M		L		On slope, codominant branches with included bark, epicormics, slight dieback	I		<i>Cinnamomum burmannii</i>				
	T1194	<i>Leucaena leucocephala</i>	銀合歡		8.0		387		6.0		P		P		P		L		L		On slope, sparse foliage, codominant trunks, included bark, climber	I		<i>Leucaena leucocephala</i>	Y			
	T1195	<i>Leucaena leucocephala</i>	銀合歡		8.0		190		4.0		P		P		P		L		L		On slope, crooked trunk, climber, asymmetric crown, sparse foliage	I		<i>Leucaena leucocephala</i>	Y			
	T1196	<i>Cinnamomum burmannii</i>	陰香		6.0		145		4.0		P		A		P		L		L		On concrete, pruned branches, climber, epicormics, HKGC T1195 tree crown on top of this tree, multiple trunk, on slope	I		<i>Cinnamomum burmannii</i>				
	T1197	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐		4.0		182		4.0		P		P		P		L		L		Heavy leaning, on slope, crown epicormics, topped	I		<i>Macaranga tanarius</i> var. <i>tomentosa</i>				
	T1198	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐		6.0		111		6.0		P		P		P		L		L		On slope, leaning, bark wound, multiple trunk, epicormics	I		<i>Macaranga tanarius</i> var. <i>tomentosa</i>				
	T1199	<i>Cinnamomum burmannii</i>	陰香		6.0		133		6.0		A		A		A		M		L		Dead branches at low part of tree crown, on slope, slight leaning, crooked trunk, asymmetric crown, next to fence	I		<i>Cinnamomum burmannii</i>				
	T1200	<i>Cinnamomum burmannii</i>	陰香		6.0		118		6.0		P		A		A		M		L		On slope, leaning, crooked trunk, asymmetric crown	I		<i>Cinnamomum burmannii</i>				
	T1201	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層		10		520		6		A		G		A		M		L		Codominant stems with narrow union.	I		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>				
T51	T1202	<i>Caryota mitis</i>	短穗魚尾葵	6		188	185	2		A		A		A		M		L	M	6	-	Small multi-stemmed palm.			<i>Caryota mitis</i>			
T50	T1203	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	9		450	490	6		A		A		G		A		M		9	-	Crown reduced.			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
T49	T1204	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	9		370	500	2		A		A		G		A		M		9	-	Crown reduced.			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
T48	T1205	<i>Caryota mitis</i>	短穗魚尾葵	5		151	190	1		A		A		A		M		L	M	6	-	Small multi-stemmed palm.			<i>Caryota mitis</i>			
T47	T1206	<i>Caryota mitis</i>	短穗魚尾葵	5		156	205	1		A		A		A		M		L	M	6	-	Small multi-stemmed palm.			<i>Caryota mitis</i>			
T46	T1207	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	6		120	175	1		A		A		A		M		L		9	-	Co-codominant structure.			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>			
	T1208	<i>Melia azedarach</i>	苦楝		7.0		230		5.0		A		A		A		M		L		Stub cut.	I		<i>Melia azedarach</i>				



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey		A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey		B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey		C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey		F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey		G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey		H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey		H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey		I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey		J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)		J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)		K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey		L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey		L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey		M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		N: Outside the Boundary of HKGC Tree Survey		P: Tree in EIA Tree Survey found missing in HKGC Tree Survey		Colour code for Scientific Name:		Tree with Species Wrongly identified in EIA Tree Survey and Corrected in HKGC Tree Survey		Colour code for EIA Tree No.:		Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan		Others		Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)																																					
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting																																			
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan																									
	T1209	Melia azedarach	苦楝		3.0		100		2.0		P		A		P		L		L			Broken and crooked leader.	I		Melia azedarach																												
	T1210	Caryota mitis	短穗魚尾葵 (小魚尾葵)		4.0		140		2.0		A		A		A		L		L			Embedded in fence.	I		Caryota mitis																												
T45	T1211	Melaleuca cajuputi subsp. cumingiana	白千層	10		450	490	6		A		A		A		M		L		9	-	Narrow and co-codominant structure.			Melaleuca cajuputi subsp. cumingiana																												
	T1212	Cinnamomum burmannii	陰香		4.0		100		2.0		P		A		P		L		L			Severely topped.	I		Cinnamomum burmannii																												
	T1213	Cinnamomum burmannii	陰香		4.0		170		2.0		P		A		P		L		L			Severely topped.	I		Cinnamomum burmannii																												
T42	T1214	Melaleuca cajuputi subsp. cumingiana	白千層	12		750	650	7		P	A	A	G		A		L	H	L		1,2,9	-	Co-dominant structure.			Melaleuca cajuputi subsp. cumingiana																											
T43	T1215	Caryota mitis	短穗魚尾葵	6		200	325	2		A		A		A		M	L	L	M		6	-	Small multi-stemmed palm.			Caryota mitis																											
T41	T1216	Melaleuca cajuputi subsp. cumingiana	白千層	11	17.8#	700	880	7		A	G	A	G		A		M	H	L		7,9	-	Co-dominant structure.			Melaleuca cajuputi subsp. cumingiana																											
T38	T1217	Celtis sinensis	朴樹	11		420	450	8		P	A		A		P		L	M	L		1,2	Restricted root, decay on trunk, brid nest	Trunk wound with decay. Crown reduced (9 Mar 2023).			Celtis sinensis																											
T39	T1218	Caryota mitis	短穗魚尾葵	4		120	175	1		A		A		A		M		L	M		6	-	Small multi-stemmed palm.			Caryota mitis																											
	T1219	Dead Tree	死樹		4.0		95		2.0		P		P		P		L		L			Growing amongst another tree (Ligustrum sinense ).	I		Dead Tree																												
T44	T1220	Gordonia axillaris	大頭茶	6		115	95	4		A		A		A		M	L	L		6	-	Leaning tree.			Gordonia axillaris																												
	T1221	Bridelia tomentosa	土蜜樹		5.0		100		5.0		A		G		A		M		M			Minor lean.	I		Bridelia tomentosa																												
	T1222	Bridelia tomentosa	土蜜樹		5.0		220		6.0		G		A		A		H		M			Well positioned to provide shade for the seating.	I		Bridelia tomentosa																												
T37	T1223	Pterocarpus indicus	紫椴	10	16.5#	1343	1340	9	19.0	P		A		P		M	H	L		2	Multiple stems. Large area of decay and exposed dead wood on main stems, fungal fruiting bodies of Ganoderma sp. from lower trunk to 3 m of trunk, multiple large pruning	Veteran age-call. Large area of decay.	A		Pterocarpus indicus																												
T36	T1224	Pterocarpus indicus	紫椴	10	17.8#	2000	1275	14	24.0	A		A		A	P	M	H	L		8	Multiple stems. Large area of decay and exposed dead wood on main stems with borer holes. Multiple pruning wounds with epicormic growth.	Veteran age-call. Large area of decay. Obvious reaction wood development. Cobra installed.	A		Pterocarpus indicus																												
	T1226	Cinnamomum burmannii	陰香		5.0		110		3.0		A		A		A		M		L			Growing on slope. Crooked trunk.	I		Cinnamomum burmannii																												
	T1227	Ficus hispida	對葉榕		4.0		100		2.0		P		A		A		L		L			Co-dominant structure.	I		Ficus hispida																												
	T1228	Cinnamomum burmannii	陰香		6.0		199		6.0		P		A		A		M		L			Many epicormics, on slope, leaning, sucker, codominant trunks, included bark	I		Cinnamomum burmannii																												
	T1229	Cinnamomum burmannii	陰香		6.0		186		6.0		P		A		A		M		L			Epicormics, codominant branches, included bark, on slope, dieback at bottom of tree crown, asymmetric crown.	I		Cinnamomum burmannii																												
	T1230	Cinnamomum burmannii	陰香		6.0		163		6.0		P		A		A		M		L			Leaning, on slope, epicormics, sucker, asymmetric crown	I		Cinnamomum burmannii																												
	T1231	Cinnamomum burmannii	陰香		6.0		285		6.0		P		A		A		M		L			Leaning, on slope, codominant branches with included bark, epicormics, asymmetric crown	I		Cinnamomum burmannii																												
	T1232	Leucaena leucocephala	銀合歡		10.0		295		8.0		P		P		P		L		L			On slope, crooked trunk, leaning, epicormics, sparse foliage, asymmetric crown	I		Leucaena leucocephala	Y																											
	T1233	Cinnamomum burmannii	陰香		8.0		127		6.0		P		A		A		M		L			On slope, crooked, leaning, epicormics, asymmetric crown	I		Cinnamomum burmannii																												
	T1234	Cinnamomum burmannii	陰香		8.0		140		6.0		P		A		A		M		L			On slope, crooked trunk, climber	I		Cinnamomum burmannii																												
	T1235	Juniperus chinensis	圓柏		4.0		102		1.5		P		A		A		M		M			Very slightly leaning	I		Juniperus chinensis																												
	T1236	Juniperus chinensis	圓柏		4.0		130		1.5		A		A		A		M		M			DBH measured at 0.3m height, low branching	I		Juniperus chinensis																												
	T1237	Juniperus chinensis	圓柏		4.0		102		1.5		A		A		A		M		M			Doeback at lower part of tree	I		Juniperus chinensis																												
	T1238	Juniperus chinensis	圓柏		4.0		135		1.5		A		A		A		M		M			Epiphytic fern observed, slight leaning	I		Juniperus chinensis																												
	T1239	Juniperus chinensis	圓柏		4.0		120		1.5		A		A		A		M		M			Epiphytic fern observed	I		Juniperus chinensis																												
	T1240	Juniperus chinensis	圓柏		4.0		102		1.5		A		A		A		M		M			Very slight leaning, yellow leaves observed, epiphytic fern observed	I		Juniperus chinensis																												
	T1241	Juniperus chinensis	圓柏		4.0		116		1.5		A		A		A		M		M			Slight leaning, codominant branches, epiphytic fern observed, sucker	I		Juniperus chinensis																												
	T1242	Juniperus chinensis	圓柏		4.0		125		1.5		A		A		A		M		M			Slight leaning, epiphytic fern observed, codominant branches	I		Juniperus chinensis																												
	T1243	Juniperus chinensis	圓柏		4.0		142		1.5		A		A		A		M		M			Leaning, codominant branches, epiphytic fern, some withering leaves observed	I		Juniperus chinensis																												

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements					(Good/Average/Poor)					(High/Medium/ Low)															
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)			Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting												
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan			
	T1244	Juniperus chinensis	圓柏		4.0		136		1.5		A		A		A		M		M		Leaning, strap tied on one trunk causing scar on it, codominant branches	I		Juniperus chinensis					
	T1245	Juniperus chinensis	圓柏		4.0		110		1.5		A		A		A		M		M		Slight leaning, dead branches within crown	I		Juniperus chinensis					
	T1247	Aquilaria sinensis	土沉香		1.0		20		1.0		P		P		A		M		M		Seedling, sparse foliage	J2		Aquilaria sinensis					
T1200	T1248	Aquilaria sinensis	土沉香	0.3		10	10	0.3		A	P	A	P	A		M		M	-	-	Dieback, seedling	A2		Aquilaria sinensis					
	T1249	Aquilaria sinensis	土沉香		0.5		10		0.5		P		A		A		M		M		Codominant branches, seedling	J2		Aquilaria sinensis					
	T1250	Bridelia tomentosa	土蜜樹		4.0		98		3.0		P		A		P		L		L		Leaning, climber, codominant trunks	I		Bridelia tomentosa					
	T1251	Cinnamomum burmannii	陰香		5.0		135		5.0		A		A		A		M		L		Minor crown asymmetry. Growing on slope. Climber in crown.	I		Cinnamomum burmannii					
	T1252	Cinnamomum burmannii	陰香		6.0		150		6.0		A		A		A		M		L		Minor trunk crook.	I		Cinnamomum burmannii					
	T1253	Leucaena leucocephala	銀合歡		8.0		170		4.0		A		A		A		L		L		Growing on slope.	I		Leucaena leucocephala	Y				
	T1254	Leucaena leucocephala	銀合歡		7.0		285		5.0		P		P		P		L		L		Large failure. Crown smothered with climber.	I		Leucaena leucocephala	Y				
	T1255	Aquilaria sinensis	土沉香		2.0		35		1.0		A		A		A		M		M		Juvenile tree / sapling.	J2		Aquilaria sinensis					
	T1256	Aquilaria sinensis	土沉香		1.0		35		2.0		P		P		P		M		M		Juvenile tree / sapling.	J2		Aquilaria sinensis					
	T1257	Aquilaria sinensis	土沉香		0.5		10		0.5		A		A		A		M		M		Seedling.	J2		Aquilaria sinensis					
	T1258	Bridelia tomentosa	土蜜樹		5.0		115		5.0		P		A		P		L		L		Severe lean. Asymmetrical crown shape.	I		Bridelia tomentosa					
T1279	T1259	Macaranga tanarius var. tomentosa	血桐	7		200	200	1		A		A		A		M		L	6	-	Dead and fallen. Damaged by adjacent tree.			Macaranga tanarius var. tomentosa					
	T1260	Aquilaria sinensis	土沉香		3.0		60		2.0		A		A		A		M		M		Juvenile tree / sapling.	J2		Aquilaria sinensis					
	T1261	Leucaena leucocephala	銀合歡		5.0		325		5.0		P		P		P		L		L		Failed and propped by fence and adjacent tree.	I		Leucaena leucocephala	Y				
	T1262	Aquilaria sinensis	土沉香		3.0		135		2.0		P		P		P		M		L		Trunk wounds from damage by fallen tree. Asymmetrical crown shape.	J2		Aquilaria sinensis					
	T1263	Celtis sinensis	朴樹		8		350		6		A		P		A		M		L		Late into leaf. Prominently standing.	I		Celtis sinensis					
	T1264	Ligustrum sinense	山指甲		4.0		95		3.0		P		A		P		L		L		Large failure.	I		Ligustrum sinense					
	T1265	Ligustrum sinense	山指甲		4		110		4		P		A		A		L		L		Leaning. Epicormci branches at trunk base. Dead stub.	I		Ligustrum sinense					
	T1266	Cinnamomum burmannii	陰香		7		135		4		A		G		A		M		L		Epicormic branches.	I		Cinnamomum burmannii					
	T1267	Cinnamomum burmannii	陰香		8		250		5		A		G		A		M		L		Epicormic branches. Minor crown assymetry.	I		Cinnamomum burmannii					
	T1268	Sterculia lanceolata	假蘋婆		6		175		5		A		G		A		M		L		Minor lean. Minor asymmetrical crown shape.	I		Sterculia lanceolata					
	T1269	Syzygium hancei	韓氏蒲桃 (紅鱗蒲桃)		5.0		100		3.0		A		A		A		M		L		Asymmetrical crown shape. Crooked trunk.	I		Syzygium hancei					
	T1270	Cinnamomum burmannii	陰香		7		225		6		A		G		A		M		L		Minor lean.	I		Cinnamomum burmannii					
	T1271	Cinnamomum burmannii	陰香		7		220		6		A		G		A		M		L		Co-dominant structure.	I		Cinnamomum burmannii					
	T1272	Syzygium hancei	韓氏蒲桃		6		180		4		A		A		A		M		L		Co-dominant structure.	I		Syzygium hancei					
	T1273	Cinnamomum burmannii	陰香		4		155		3		P		A		P		L		L		Topped. Trunk wound.	I		Cinnamomum burmannii					
	T1274	Syzygium hancei	韓氏蒲桃		8		180		5		A		G		A		M		L		-	I		Syzygium hancei					
	T1275	Cinnamomum burmannii	陰香		8		215		5		P		G		A		L		L		Leaning.	I		Cinnamomum burmannii					
	T1276	Cinnamomum burmannii	陰香		5.0		100		3.0		P		A		A		L		L		Asymmetrical crown shape. Leaning.	I		Cinnamomum burmannii					
	T1277	Ligustrum sinense	山指甲		4.0		105		3.0		P		P		P		L		L		Dead top. Severely asymmetrical crown shape.	I		Ligustrum sinense					
	T1278	Cinnamomum burmannii	陰香		8		300		5		A		G		A		M		L		Minor crown asymmetry.	I		Cinnamomum burmannii					



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey		A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey		B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey		C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey		F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey		G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey		H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey		H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey		I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey		J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)		J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)		K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey		L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey		L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey		M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		N: Outside the Boundary of HKGC Tree Survey		P: Tree in EIA Tree Survey found missing in HKGC Tree Survey		Colour code for Scientific Name:		Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey		Colour code for EIA Tree No.:		Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan		Others		Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)																																					
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting																																			
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan																										
	T1279	<i>Cinnamomum burmannii</i>	陰香		7		220		5		A		G		A		M		L			Leaning, Crown asymmetry.	I		<i>Cinnamomum burmannii</i>																												
	T1280	<i>Cinnamomum burmannii</i>	陰香		6		180		4		A		G		A		M		L			Minor crown asymmetry.	I		<i>Cinnamomum burmannii</i>																												
	T1281	<i>Cinnamomum burmannii</i>	陰香		5.0		95		2.0		A		A		A		M		L			Juvenile tree.	I		<i>Cinnamomum burmannii</i>																												
	T1282	<i>Bridelia tomentosa</i>	土蜜樹		3.0		130		2.0		P		A		A		L		L			Dead branches and crown dieback.	I		<i>Bridelia tomentosa</i>																												
	T1283	<i>Syzygium hancei</i>	韓氏蒲桃		7		255		5		A		G		A		M		L			Branch wound.	I		<i>Syzygium hancei</i>																												
	T1284	<i>Cinnamomum burmannii</i>	陰香		4.0		100		2.0		A		G		A		M		L			Juvenile tree.	I		<i>Cinnamomum burmannii</i>																												
	T1285	<i>Ligustrum sinense</i>	山指甲		5		200		5		P		A		P		L		L			Multi-trunk, Leaning, Epicormic branches.	I		<i>Ligustrum sinense</i>																												
	T1286	<i>Bridelia tomentosa</i>	土蜜樹		6		120		3		P		A		P		L		L			Dead co-dominant branch. Topped.	I		<i>Bridelia tomentosa</i>																												
	T1287	<i>Bridelia tomentosa</i>	土蜜樹		6		110		4		P		A		P		L		L			Co-dominant structure. Topped.	I		<i>Bridelia tomentosa</i>																												
	T1288	<i>Ligustrum sinense</i>	山指甲		6		200		5		P		A		P		L		L			Multi-trunk, Dead at the top.	I		<i>Ligustrum sinense</i>																												
	T1289	<i>Cinnamomum burmannii</i>	陰香		5.0		120		2.0		A		A		A		M		L			Juvenile tree.	I		<i>Cinnamomum burmannii</i>																												
	T1290	<i>Cinnamomum burmannii</i>	陰香		4.0		100		2.0		A		A		A		M		L			Juvenile tree.	I		<i>Cinnamomum burmannii</i>																												
	T1291	<i>Delonix regia</i>	鳳凰木		12		770		10		A		A		A		M		L			Growing next to u-channel, Co-dominant strucutre, Wounds on branches.	I		<i>Delonix regia</i>																												
	T1292	<i>Bridelia tomentosa</i>	土蜜樹		5.0		130		4		A		A		A		M		L			Slightly crooked trunk.	I		<i>Bridelia tomentosa</i>																												
	T1293	<i>Bridelia tomentosa</i>	土蜜樹		4.0		120		2.0		A		A		A		M		L			Juvenile tree, Heading cuts.	I		<i>Bridelia tomentosa</i>																												
	T1294	<i>Cinnamomum burmannii</i>	陰香		6		130		5		A		A		A		M		L		-	-	I		<i>Cinnamomum burmannii</i>																												
	T1295	<i>Cinnamomum burmannii</i>	陰香		8		135		6		A		G		A		M		L			Pruned branches.	I		<i>Cinnamomum burmannii</i>																												
	T1296	<i>Cinnamomum burmannii</i>	陰香		5.0		120		3.0		P		G		A		L		L			Asymmetrical crown shape.	I		<i>Cinnamomum burmannii</i>																												
	T1297	<i>Cinnamomum burmannii</i>	陰香		5.0		100		2.0		P		G		A		L		L			Asymmetrical crown shape.	I		<i>Cinnamomum burmannii</i>																												
	T1298	<i>Cinnamomum burmannii</i>	陰香		5.0		120		3.0		P		G		A		L		L			Co-dominant structure.	I		<i>Cinnamomum burmannii</i>																												
	T1299	<i>Cinnamomum burmannii</i>	陰香		7		260		5		A		G		A		M		L			Pruned branches with large fracture.	I		<i>Cinnamomum burmannii</i>																												
	T1300	<i>Cinnamomum burmannii</i>	陰香		7.0		190		4.0		A		G		A		M		L			Large branch failure.	I		<i>Cinnamomum burmannii</i>																												
T1705	T1301	<i>Ficus variegata</i>	青果榕	15		260	300	4		A	P	A		A	M		L		6		Climber	Climber, on slope, leaning			<i>Ficus variegata</i>																												
T1706	T1302	<i>Cinnamomum camphora</i>	樟	6		110	132	3		P		A		A	L		L		1,2		Asymmetric crown, wound	Asymmetric crown, wound			<i>Cinnamomum camphora</i>		Y																										
T136	T1303	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14	20.0#	745	745	5		A	P	A		A	M	H	L		7,9		Co-dominant trunks	2 trunks, dead branches			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>																												
	T1304	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層		12.0		445		6.0		A		G		A	H		L			On slope		I		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>																												
T30	T1305	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14	23.3#	806	977	7		A		A	G	A	M	H	L		7,9		Climber, multiple trunks	Climber, multiple trunks, on slope, epicormics			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>		Y																										
T31	T1306	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14		707	750	6	8.0&	A	G	A	G	A	M	H	L		7,9		Co-dominant trunks	Co-dominant trunks, on slope			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>																												
T1707	T1307	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6		130	123	3		P		A		A	L		L		1,2		Asymmetric crown	Asymmetric crown, on slope, leaning			<i>Macaranga tanarius</i> var. <i>tomentosa</i>		Y																										
T1708	T1308	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6		190	200	5		A		A	G	A	M		L		6		Wound	Wound, on slope, leaning, epicormics			<i>Macaranga tanarius</i> var. <i>tomentosa</i>		Y																										
T1709	T1309	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	10		370	550	5		A		A		A	M	H	L		9		Climber	Climber, leaning, codominant trunks with one dead trunk			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>		Y																										
	T1310	<i>Celtis sinensis</i>	朴樹		7.0		120		6.0		P		P		P		L		L			Climber, dead stub, dead branches, wound on trunks	I		<i>Celtis sinensis</i>																												
T1710	T1311	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	4		160	110	3		P		A		A	P		L		1,2		Moderate leaning, climber, epicormics	Leaning, climber, epicormics, wound on trunk			<i>Macaranga tanarius</i> var. <i>tomentosa</i>																												
T1711	T1312	<i>Acacia confusa</i>	台灣相思	8		300	310	4		A	P	P	G	A		L		L		1,2,9		Dead branch	Dead branches, asymmetric crown			<i>Acacia confusa</i>																											

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey		A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey		B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey		C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey		F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey		G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey		H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey		H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey		I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey		J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)		J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)		K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey		L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey		L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		N: Outside the Boundary of HKGC Tree Survey		P: Tree in EIA Tree Survey found missing in HKGC Tree Survey		Colour code for Scientific Name:		Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan		Others		Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)																																			
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting																																	
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan																							
	T1313	<i>Rhus succedanea</i>	野漆樹		10.0		190		6.0		P		A		A		M		L			On slope, leaning	I		<i>Rhus succedanea</i>																										
	T1314	<i>Sterculia lanceolata</i>	假蘋婆		7.0		126		7.0		P		A		A		L		L			On slope, leaning	I		<i>Sterculia lanceolata</i>																										
T1772	T1315	<i>Ficus hispida</i>	對葉榕	3	5.0	235	245	4		P		A		P		L		L		1,2	Climber, asymmetric crown	Climber, asymmetric crown, heavy leaning			<i>Ficus hispida</i>																										
T1773	T1316	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	10		380	350	2		P		A		A		L		L		1,2,9	Climber, dead branch	Climber, dead branch, cross branches with HKGC T1317 (EIA T1771)			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>																										
T1771	T1317	<i>Sterculia lanceolata</i>	假蘋婆	6		105	110	3		P		A		P		L		L		1,2	Climber, asymmetric crown	Climber, asymmetric crown, leaning, cross branches with HKGC T1316 (EIA T1773)			<i>Sterculia lanceolata</i>																										
T1774	T1318	<i>Sterculia lanceolata</i>	假蘋婆	5		230	173	2		P		A		P		L		L		1,2	Climber, topped, crossing branches	Climber, topped, crossing branches, codominant branches			<i>Sterculia lanceolata</i>																										
T1775	T1319	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6		200	230	4		P		A		A		L		L		1,2	Climber	Climber, leaning			<i>Macaranga tanarius</i> var. <i>tomentosa</i>																										
T1776	T1320	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	8		225	225	6		P		A		A		L		L		1,2	Climber	Climber, leaning, on slope, crooked trunk			<i>Macaranga tanarius</i> var. <i>tomentosa</i>																										
T1777	T1321	<i>Ficus hispida</i>	對葉榕	8		145	145	3		P		A		A		L		L		1,2	Climber	Climber, leaning, on slope			<i>Ficus hispida</i>																										
T1770	T1322	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12		345	400	4		P		A		A		L		L		1,2,9	Climber, co-dominant trunks	-			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>																										
T1769	T1323	<i>Sterculia lanceolata</i>	假蘋婆	7		140	160	4		P		A		A		L		L		1,2	Climber	Climber, leaning			<i>Sterculia lanceolata</i>																										
T1768	T1324	<i>Sterculia lanceolata</i>	假蘋婆	7		110	120	3		P		A		A		L		L		1,2	Climber	Leaning, climber			<i>Sterculia lanceolata</i>																										
	T1325	<i>Zanthoxylum avicennae</i>	新櫟花椒 (新櫟)		6.0		105		6.0		P		A		P		L		L			Leaning, asymmetric crown, on slope	I		<i>Zanthoxylum avicennae</i>																										
	T1326	<i>Zanthoxylum avicennae</i>	新櫟花椒 (新櫟)		6.0		100		6.0		P		A		P		L		L			Leaning, on slope, asymmetric crown	I		<i>Zanthoxylum avicennae</i>																										
	T1327	<i>Ficus hispida</i>	對葉榕		7.0		189		7.0		P		A		P		L		L			Multiple trunks, climbers	I		<i>Ficus hispida</i>																										
	T1328	<i>Sterculia lanceolata</i>	假蘋婆		7.0		98		6.0		P		A		P		L		L			Leaning, low live-crown ratio	I		<i>Sterculia lanceolata</i>																										
	T1329	<i>Sterculia lanceolata</i>	假蘋婆		7.0		155		6.0		P		A		P		L		L			Leaning, low live-crown ratio, climber	I		<i>Sterculia lanceolata</i>																										
	T1330	<i>Adenanthera microsperma</i>	海紅豆 (孔雀豆)		12.0		260		8.0		P		A		P		L		L			Leaning leader, codominant branches, climbers	I		<i>Adenanthera microsperma</i>																										
	T1331	<i>Sterculia lanceolata</i>	假蘋婆		7.0		130		7.0		P		A		P		L		L			Leaning, climber, codominant branches	I		<i>Sterculia lanceolata</i>																										
	T1332	<i>Sterculia lanceolata</i>	假蘋婆		5.0		115		5.0		P		A		P		L		L			Leaning, codominant trunks, drooping branches	I		<i>Sterculia lanceolata</i>																										
T32	T1333	<i>Cinnamomum camphora</i>	樟	11	14.1#	850	885	10	18.0	A		A		A		M	H	L		6	-	Codominant trunk, climber, drooping branches			<i>Cinnamomum camphora</i>																										
	T1334	<i>Aporosa dioica</i>	銀柴		6.0		160		6.0		P		A		P		L		L			Lenaing, codominant branches, climbers, drooping branches	I		<i>Aporosa dioica</i>																										
	T1335	<i>Cratoxylum cochinchinense</i>	黃牛木		7.0		173		5.0		P		A		P		L		L			2 trunks, leaning	I		<i>Cratoxylum cochinchinense</i>																										
	T1336	<i>Sterculia lanceolata</i>	假蘋婆		6.0		105		6.0		P		A		P		L		L			Leaning, asymmetric crown, epicormics, wounds, drooping branches	I		<i>Sterculia lanceolata</i>																										
	T1337	<i>Cratoxylum cochinchinense</i>	黃牛木		7.0		137		5.0		P		A		P		L		L			Leaning on top, crooked trunks	I		<i>Cratoxylum cochinchinense</i>																										
	T1338	<i>Cratoxylum cochinchinense</i>	黃牛木		7.0		98		5.0		P		A		P		L		L			Pruned leader, epicormics	I		<i>Cratoxylum cochinchinense</i>																										
	T1339	<i>Cinnamomum camphora</i>	樟		7.0		180		8.0		P		A		P		L		L			Asymmetric crown, epicormcis, leaning, crooked trunks	I		<i>Cinnamomum camphora</i>																										
	T1340	<i>Sterculia lanceolata</i>	假蘋婆		10.0		264		10.0		P		A		P		M		L			Multiple trunks, suckersx, climber	I		<i>Sterculia lanceolata</i>																										
	T1341	<i>Sterculia lanceolata</i>	假蘋婆		10.0		223		8.0		A		A		P		M		L			Codominant branches, lenaing, on slope	I		<i>Sterculia lanceolata</i>																										
	T1342	<i>Sterculia lanceolata</i>	假蘋婆		10.0		190		8.0		A		A		P		M		L			Leaning, on slope, epicormics	I		<i>Sterculia lanceolata</i>																										
T675	T1343	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14		650	627	5	6.7	A	G	A	G	A		M	H	L		7,9	-	Large and mature.			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>																										
T676	T1344	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15		600	650	5	7.0	A	G	A	G	A	G	M	H	L		7,9	-	Large and mature.			<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>																										
T673	T1345	<i>Pinus massoniana</i>	馬尾松	8		210	310	4	7.4	A	P	A	G	A		M		L		6	Unbalanced crown	Unbalanced crown, on slope, leaning			<i>Pinus massoniana</i>																										
T672	T1346	<i>Pinus massoniana</i>	馬尾松	9		220	214	3	5.7	A	P	A		A		M		L		6	Unbalanced crown	Unbalanced crown, dead branches, on slope, leaning			<i>Pinus massoniana</i>																										



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey		A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey		B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey		C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One		D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey		F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey		G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey		H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey		H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey		I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey		J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)		J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)		K: Tree Found Absent in EIA Tree Survey Schedule but Present in the EIA Tree Survey Plan and Found in HKGC Tree Survey		L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey		L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey		N: Outside the Boundary of HKGC Tree Survey		P: Tree in EIA Tree Survey found missing in HKGC Tree Survey		Colour code for Scientific Name:		Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey		Tree present in EIA schedule, found on site in URIBS Tree Survey but not in the EIA plan		Others		Tree that Belongs to Invasive Species in HKGC Tree Survey																																																																																																																																								
EIA Tree No.	HKGC Tree No.	Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)						Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan																																																																																																																																																													
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)	Form	Health condition	Structural condition	Amenity Value	Suitability for transplanting	Remarks in EIA Tree Survey	Remarks in HKGC Tree Survey	Remarks in EIA Tree Survey	Remarks in HKGC Tree Survey	Remarks in EIA Tree Survey	Remarks in HKGC Tree Survey	Remarks in EIA Tree Survey	Remarks in HKGC Tree Survey	Remarks in EIA Tree Survey	Remarks in HKGC Tree Survey									Remarks in EIA Tree Survey	Remarks in HKGC Tree Survey																																																																																																																																																											
				in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	E: Tree in EIA Tree Survey but Found Dead in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	K: Tree Found Absent in EIA Tree Survey Schedule but Present in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URIBS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey				
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)															
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting													
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan				
T1081	T1381	Lophostemon confertus	紅膠木	8		270	280	4		A		A		A		M		L	9	Dead twigs	Dead twigs, dieback, on slope, leaning, suckers, bark peeled off, codominant trunks			Lophostemon confertus							
T1099	T1382	Lophostemon confertus	紅膠木	10		200	307	3		A		A		A		M		L	9	Co-dominant branches	Co-dominant branches, on slope, leaning, climbers, dead branches, epicormics			Lophostemon confertus							
T1082	T1383	Lophostemon confertus	紅膠木	8		380	396	4		A		A	P	A		M		L	9	Dead twigs, co-dominant trunks	Dead twigs, co-dominant trunks, horizontal branches, galls, asymmetric crown, sparse foliage, on slope			Lophostemon confertus							
T1083	T1384	Lophostemon confertus	紅膠木	7		470	568	5		A	P	A		A		M		L	9	Epicormics	Climber, on slope, epicormics			Lophostemon confertus							
T1086	T1385	Acacia confusa	台灣相思	12		530	619	6		A		A	G	A		M		L	7.9	Epicormics, co-dominant trunks	Epicormics, co-dominant trunks with included bark, on slope, leaning, asymmetric crown			Acacia confusa							
T1087	T1386	Acacia confusa	台灣相思	8		245	237	1		P		P	G	P		L		L	1,2,9	Dieback, epicormics, moderate leaning	Moderate lean, on slope, crooked trunk, asymmetric crown			Acacia confusa							
T1088	T1387	Lophostemon confertus	紅膠木	10	13.3#	600	642	7	11.5\$	A	G	A	G	A	P	M	H	L	7.9	Co-dominant trunks	Trunk wound, on slope.			Lophostemon confertus							
T1089	T1388	Lophostemon confertus	紅膠木	12		650	637	5		A		A		A		M		L	7.9	Sucker, sparse foliage	Sucker, sparse foliage, on slope			Lophostemon confertus							
T1097	T1389	Lophostemon confertus	紅膠木	10		220	250	2		A		A	G	A		M		L	9	Epicormics	Epicormics, leaning on top			Lophostemon confertus							
T1090	T1390	Lophostemon confertus	紅膠木	10		290	390	4		A		A	G	A		M		L	9	Co-dominant branches	Co-dominant branches, on slope, leaning, asymmetric crown,			Lophostemon confertus							
T1091	T1391	Lophostemon confertus	紅膠木	8	11.8#	390	413	4	8.0&	A	G	A	G	A		M		L	9	Co-dominant branches, wound	Co-dominant branches, on slope, large and mature.			Lophostemon confertus							
T1092	T1392	Lophostemon confertus	紅膠木	8		340	336	4	7.0	A	P	A		A		M		L	9	Co-dominant branches	Co-dominant branches, leaning , on slope, asymmetric branches, epicormics			Lophostemon confertus							
T1093	T1393	Lophostemon confertus	紅膠木	8		300	312	5		A	P	A		A		M		L	9	Co-dominant branches	Co-dominant branches, on slope, leaning, drooping branches			Lophostemon confertus							
T1098	T1394	Lophostemon confertus	紅膠木	12		450	450	4		A	P	A		A		M		L	9	Wound	Wounded, climber, poor branch architecture, dead branches, epicormics			Lophostemon confertus							
T76	T1395	Lophostemon confertus	紅膠木	9		662	652	4		A	G	A	G	A		M		L	7.9	-				Lophostemon confertus							
T1096	T1396	Lophostemon confertus	紅膠木	7		280	273	5		A	P	A		A		M		L	9	-	Epicormics, leaning, on slope, dead branches, horizontal branches			Lophostemon confertus							
T1095	T1397	Lophostemon confertus	紅膠木	8		370	368	4		A	A	A	G	A		M		L	9	Co-dominant branches	Co-dominant branches, asymmetric crown, on slope			Lophostemon confertus							
T1094	T1398	Lophostemon confertus	紅膠木	6		220	198	4		A	P	A		A		M		L	9	Co-dominant trunks	Co-dominant trunks, asymmetric crown, horizontal branches, epicormics			Lophostemon confertus							
	T1399	Leucaena leucocephala	銀合歡		9.0		154		5.0		P		A		P		L	L		Codominant trunks, on slope, leaning, asymmetric crown		I		Leucaena leucocephala	Y						
T1036	T1400	Zanthoxylum avicennae	新櫟花椒	4		135	139	3		P		A		P		L		L	1,2	Co-dominant branches, included bark	Co-dominant branches, included bark, epicormics, leaning, on slope, asymmetric crown			Zanthoxylum avicennae							
T1038	T1401	Cinnamomum burmannii	陰香	4		95	130	3		A		A		A		M		L	6	Dead twigs	Dead twigs, on slope, leaning, codominant trunks, incorrect species, should be Cinnamomum camphora		Y	Cinnamomum camphora			Y				
T122	T1402	Zanthoxylum avicennae	新櫟花椒	6		148	217	2		A		A	G	A		M		L	6	Multiple trunks	Multiple trunks, on slope, climber			Zanthoxylum avicennae							
T123	T1403	Aquilaria sinensis	土沉香	6		170	188	4		A	G	A		A	G	M		M	-	On slope, minor dead branches	On slope, minor dead branches	A2		Aquilaria sinensis							
	T1404	Lophostemon confertus	紅膠木		10.0		121		4.0		A		A		A		M		L		On slope, low live-crown ratio		I		Lophostemon confertus						
T1037	T1405	Lophostemon confertus	紅膠木	5		150	184	2		P		A	P	P		L		L	1,2,9	Moderate leaning	Moderate leaning, on slope, dead branches, sparse foliage			Lophostemon confertus							
T119	T1406	Lophostemon confertus	紅膠木	8	13.2#	614	651	7	8.0\$	P		A	G	P		L	M	L	1,2,9	Sign of termite, climber, gall	Gall, codominant trunks, on slope			Lophostemon confertus							
T120	T1407	Cinnamomum parthenoxylon	黃樟	7		160	226	4		A	P	A		A		M		L	6	Dead branch	Dead branch, on slope, leaning, asymmetric crown, incorrect species, should be Adenanthera microsperma		Y	Adenanthera microsperma							
T121	T1408	Sterculia lanceolata	假蒺藜	6		160	248	4		A	P	A	G	A		M		L	6	Epicormics	Epicormics, on slope, crooked trunk, horizontal branches			Sterculia lanceolata							
T118	T1409	Reevesia thyrsoidea	梭羅樹	5		135	145	4		P		A		A		L		L	1,2	Dead twigs, drooping branch	Dead twigs, drooping branch, on slope, crooked trunk, epicormics, incorrect species, should be Sterculia lanceolata		Y	Sterculia lanceolata							
T117	T1410	Aquilaria sinensis	土沉香	8		200	214	3		A	G	A	G	A		M		M	-	On slope, dead branches	On slope	A2		Aquilaria sinensis							
	T1411	Sterculia lanceolata	假蒺藜		10.0		152		4.0		A		A		A		M		L		Codominant trunks, on slope, asymmetric crown		I		Sterculia lanceolata						
	T1412	Ilex rotunda	鐵冬青		7.0		170		6.0		P		A		A		L		L		On slope, leaning, asymmetric crown, dead branches		I		Ilex rotunda						
	T1413	Cinnamomum camphora	樟		7.0		130		5.0		P		A		A		L		L		Leaning, on slope, asymmetric crown, dead branches, climber		I		Cinnamomum camphora						
T115	T1414	Sterculia lanceolata	假蒺藜	7		130	150	3		A		A		A		M		L	6	-	Codominant branches, poor branch architecture, epicormics, incorrect species, should be Litchi chinensis		Y	Litchi chinensis							



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:	A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Species		Measurements								(Good/Average/Poor)				(High/Medium/ Low)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
EIA Tree No.	HKGC Tree No.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Genus Level in EIA Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting											
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan		
T981	T1449	Celtis sinensis	朴樹	5		150	150	4	7.0	A		A	G	A		M		L		6	-	Branching at 1.5m			Celtis sinensis				
T68	T1450	Acacia confusa	台灣相思	9		561	604	8	16.0	A	G	A	G	A		M		L		7,9	Multiple trunks	Multiple trunks, exposed roots, decaying roots			Acacia confusa				
T984	T1451	Ficus microcarpa	細葉榕	8		650	660	6	16.0	P	G	A	G	A		L	M	L		1,2	Gridling root	Large and mature.			Ficus microcarpa				
T69	T1452	Ficus microcarpa	細葉榕	10	15.4#	740	805	11	20.0	A	G	A	G	A	G	M	H	L		7	-	Large and mature. Location at EIA Tree Survey Plan swapped with HKGC T1454 (EIA T70)			Ficus microcarpa	Y			
T997	T1453	Acacia confusa	台灣相思	7		440	470	7	20.0	A		A	G	A		M		L		9	Co-dominant branches, dead twigs, wound	Co-dominant branches, wound, one trunk removed			Acacia confusa				
T70	T1454	Acacia confusa	台灣相思	9		793	771	8	21.0	P		A		P		L		L		1,2,9	Co-dominant trunks, climber, decay, bark crack	Location at EIA Tree Survey Plan swapped with HKGC T1452 (EIA T67)			Acacia confusa	Y			
T996	T1455	Acacia confusa	台灣相思	12		405	401	5	12.0	A		A		A		M		L		9	Co-dominant branches, dead branch				Acacia confusa				
T995	T1456	Delonix regia	鳳凰木	7		180	201	3	11.5	A		A		A		M		L		6	Co-dominant branches	Co-dominant branches, leaning, exposed roots			Delonix regia				
T993	T1457	Acacia confusa	台灣相思	12		420	438	5	12.5	P		A		P		L		L		1,2,9	Moderate leaning, unbalanced crown, dead twigs	Moderate leaning, unbalanced crown, dead twigs, included bark			Acacia confusa				
T170	T1458	Acacia confusa	台灣相思	11	12.7#	583	720	8	23.5	A		A	G	A		M		L		7,9	Wound	Wound, included bark, exposed roots			Acacia confusa				
T991	T1459	Acacia confusa	台灣相思	12		360	405	5	12.0	A		A		A		M		L		9	Co-dominant branches, dead branch	Codominant trunks, dead branch, leaning, wound			Acacia confusa				
T992	T1460	Acacia confusa	台灣相思	5		280	369	5	10.0	P	A	A		P		L		L		1,2,9	Unbalanced crown, dead twigs	Dead twigs, leaning, wound			Acacia confusa				
T990	T1461	Casuarina equisetifolia	木麻黃	12	21.6#	430	625	4	14.5	P	A	A	G	P		L		L		1,2	Broken branch, dead branch, co-dominant branches				Casuarina equisetifolia				
T989	T1462	Casuarina equisetifolia	木麻黃	8		210	220	4	8.5	A	P	A		A		M		L		6	-	Asymmetric crown, leaning on top, exposed roots			Casuarina equisetifolia				
	T1463	Melaleuca cajuputi subsp. cumingiana	白千層		15.0		633		9.0		G		A		A		M		L			Codominant trunks, Ficus microcarpa in crown, found tagged T765	I		Melaleuca cajuputi subsp. cumingiana				
	T1464	Melaleuca cajuputi subsp. cumingiana	白千層		15.0		690		10.0		A		G		A		M		L			Leaning, climber, asymmetric crown, found tagged T766	I		Melaleuca cajuputi subsp. cumingiana				
T769	T1465	Celtis sinensis	朴樹	17		340	365	7	8.5	A		A		A		M		L		9	-	Leaning, crooked trunks			Celtis sinensis				
T767	T1466	Acacia confusa	台灣相思	20		565	560	14	12.5	P	A	A		P	A	L	M	L		1	Co-dominant trunks, included bark, wound at trunk	Co-dominant trunks, included bark, wound at trunk, leaning, crooked trunks			Acacia confusa				
T770	T1467	Celtis sinensis	朴樹	13		275	282	5	7.5	A	G	A	G	A	G	M	H	L		9	Wound at trunk, wound at branch	Slightly crooked trunk.			Celtis sinensis				
T60	T1468	Adenanthera microsperma	海紅豆	13	18.5#	1000	833	9	25.5	A	G	A	G	A	G	M	H	M		7	-	Standing out, codominant branches, slight asymmetric crown	A		Adenanthera microsperma				
T771	T1469	Melaleuca cajuputi subsp. cumingiana	白千層	14		310	330	5	6.0	A		A	G	A		M		L		9	-	Codominant trunks			Melaleuca cajuputi subsp. cumingiana				
T773	T1470	Adenanthera microsperma	海紅豆	18		490	515	11	15.5	A		A	G	A		M		L		9	Co-dominant trunks	Co-dominant trunks, leaning, asymmetric crown			Adenanthera microsperma				
T772	T1471	Melaleuca cajuputi subsp. cumingiana	白千層	21		630	700	7	10.0	A	G	A	G	A		M		L		7	Multiple branches, mechanical injury	Multiple branches, mechanical injury, codominant truks, epicormics			Melaleuca cajuputi subsp. cumingiana				
T774	T1472	Acacia confusa	台灣相思	17		650	670	10	13.5	P		P		A	P	L		L		1,2,9	Co-dominant trunks, exposed dead wood	Co-dominant trunks, exposed dead wood, moderate leaning, pruned trunk, mild dieback			Acacia confusa				
T775	T1473	Acacia confusa	台灣相思	18		400	420	10	15.5	P		A		A		L	M	L		1	Wound at trunk, epicormics, cavity	Wound at trunk, epicormics, cavity, leaning on top, mild dieback			Acacia confusa				
T777	T1474	Melaleuca cajuputi subsp. cumingiana	白千層	21		600	660	9	13.5	A		A		A		M		L		7	Co-dominant trunks	Co-dominant trunks, epicormics			Melaleuca cajuputi subsp. cumingiana				
T776	T1475	Cinnamomum camphora	樟	19	20.5#	435	462	10	12.0	A		A		A		M		L		7	Stub	Stub, leaning, epicormics, dieback			Cinnamomum camphora				
	T1476	Acacia confusa	台灣相思		12.0		680		12.0		A		A		A		M		L			On slope, exposed roots	I		Acacia confusa				
	T1477	Acacia confusa	台灣相思		12.0		466		7.0		P		A		A		M		L			Epicormics, leaning, codominant trunks, moderate dieback, bark peeled off	I		Acacia confusa				
	T1478	Dead Tree	死樹		8.0		336		7.0		P		P		P		L		L			On slope, leaning, codominant trunks	I		Dead Tree				
	T1479	Sapium sebiferum	烏柏		12.0		396		5.0		A		A		A		M		L			Contact wound.	I		Sapium sebiferum				
	T1480	Acacia confusa	台灣相思		12.0		490		7.0		P		A		P		M		L			Epicormics, codominant trunks, dieback	I		Acacia confusa				
	T1481	Acacia confusa	台灣相思		12.0		518		7.0		P		A		P		M		L			Leaning, codominant trunks, asymmetric crown	I		Acacia confusa				
T677	T1482	Melaleuca cajuputi subsp. cumingiana	白千層	11	9.9#	190	810	7	6.0	P	A	A		A		L		L		1,2,9	Co-dominant branches, wound at trunk	Crown reduced.			Melaleuca cajuputi subsp. cumingiana				



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:	A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/collapsed in HKGC Tree Survey	E: Tree in EIA Tree Survey but Found Dead in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey that found to be same as another in HKGC Tree Survey	G: Tree in EIA Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
Species		Measurements								(Good/Average/Poor)				(High/Medium/ Low)														
Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting												
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T779	T1483	Acacia confusa	台灣相思	18	11.5#	369	405	7	13.0	A		A		A		M		L		9	Co-dominant trunks				Acacia confusa			
T780	T1484	Cinnamomum camphora	樟	14		430	470	9	13.5	A		A	G	A		M		L		7	-	Large and mature.			Cinnamomum camphora			
T781	T1485	Ficus microcarpa	細葉榕	14		555	645	8	14.0	A		A	G	A	G	M		L		7	Exposed root	Large and mature.			Ficus microcarpa			
T71	T1486	Ficus microcarpa	細葉榕	9	15.5#	1000	1050	9	21.0	A	G	A	G	A	G	M	H	M		7	-	Multiple trunks, exposed roots.	A		Ficus microcarpa			
T978	T1487	Celtis sinensis	朴樹	6		255	260	5	8.5	A	P	A		A		M		L		6	Co-dominant branches	Co-dominant branches, leaning, asymmetric crown			Celtis sinensis			
T977	T1488	Acacia confusa	台灣相思	10		550	435	6	9.5	P		P	A	P		L		L		1,2,9	Co-dominant trunks, epicormics, dieback, exposed dead wood	Co-dominant trunks, one trunk removed, leaning, asymmetric crown			Acacia confusa			
T976	T1489	Callistemon viminalis	串錢柳	7		150	150	3	4.5	A		A		A		L		L		1	Co-dominant branches	Co-dominant branches, slight leaning, strangled by aerial roots of a Ficus microcarpa trees next to it			Callistemon viminalis			
T782	T1490	Acacia confusa	台灣相思	17		700	650	10	19.0	P	A	A	G	A		L	M	L		1,2,9	Co-dominant trunks, dead branch, sap flow			Acacia confusa				
T91	T1491	Cinnamomum camphora	樟	9	13.2#	1157	1084	9	24	A	G	A	G	A		M	H	L		4,6	On slope, multiple trunks, minor dead twigs and pruning wounds	Large and mature.	A		Cinnamomum camphora			
T1430	T1492	Cratogeomys cochinchinense	黃牛木	7		260	193	4		A		A		A		M		L		6	Co-dominant trunks	Co-dominant trunks, on slope, epicormics, climber			Cratogeomys cochinchinense			
T1431	T1493	Cinnamomum camphora	樟	14		655	594	11	14.5	A		A	G	A	G	M		L		7	-	Climber, on slope, leaning, asymmetric crown			Cinnamomum camphora			
T72	T1494	Cinnamomum camphora	樟	10	13.0#	780	900	12	28.5	A	G	A	G	A	G	M	H	L		7	-	Tree of particular interest	C		Cinnamomum camphora			
T1433	T1495	Cinnamomum camphora	樟	13		500	480	8	16.0	A		A	G	A		M	H	L		7	-	On slope, climber, multiple trunks			Cinnamomum camphora			
T1434	T1496	Cinnamomum camphora	樟	15	14.2#	830	820	11	24.0	A	G	A	G	A		M		L		7	-	Codominant trunks, climbers.			Cinnamomum camphora			
T1432	T1497	Sterculia lanceolata	假蒴藋	6		150	125	4	2.0	A	P	A		A	P	M	L	L		6	Co-dominant trunks	Codominant trunks, topped, only epicormics			Sterculia lanceolata			
T73	T1498	Delonix regia	鳳凰木	9		400	497	14	21.5	A	G	A	G	A	G	M	H	L		7	-	Slightly leaning trunk, widespread crown.			Delonix regia			
T1468	T1499	Pinus elliotii	愛氏松	10		370	385	7	7.5	A		A		A		M		L		6	-	Slightly crooked trunk, dead branches.			Pinus elliotii			
T1469	T1500	Sterculia lanceolata	假蒴藋	8		150	167	6		A		A	G	A		M		L		6	-	On slope.			Sterculia lanceolata			
	T1501	Juniperus chinensis	圓柏		4.0		119		1.5		A		A		A		M		M		Strap tied on one trunk causing scar on it, low branching, dieback found within tree crown	I		Juniperus chinensis				
	T1502	Juniperus chinensis	圓柏		4.0		121		1.5		A		A		A		M		M		Slight leaning, dieback found within tree crown	I		Juniperus chinensis				
	T1503	Juniperus chinensis	圓柏		4.0		107		1.5		A		A		A		M		M		Slight leaning, dieback found within tree crown	I		Juniperus chinensis				
	T1504	Juniperus chinensis	圓柏		4.0		105		1.5		A		A		A		M		M		Leaning, epiphytic fern found on trunk, dieback found within tree crown	I		Juniperus chinensis				
	T1505	Juniperus chinensis	圓柏		4.0		110		1.5		A		A		A		M		M		Slightly leaning, dieback found within tree crown	I		Juniperus chinensis				
T1852	T1506	Aquilaria sinensis	土沉香	3		40	58	1		A		A		A		M		M		-	-	Undersized rare and protected species	A2		Aquilaria sinensis			
	T1507	Aquilaria sinensis	土沉香		1.0		10		1.0		A		A		A		M		H		Seedling	J2		Aquilaria sinensis				
	T1508	Aquilaria sinensis	土沉香		1.0		73		3.0		P		A		A		M		M		Collapsed tree with 3 epicormics sprouting out and appears to be 3 seedling	J2		Aquilaria sinensis				
T10		Machilus chekiangensis	浙江潤楠	14		766		18		A		A		A		M		L		7	Multiple trunks	Outside this survey boundary	N					
T40		Celtis sinensis	朴樹	5		700		2		A		A		A		M		L		7	-	6/4/2023: HKGC confirmed there's only one Celtis sinensis there. Even so, removal of that Celtis by them will leave stump there as the machinery for stump	P					
T55		Casuarina equisetifolia	木麻黃	14		950		7		P		P		P		L		L		1,2	Exposed dead wood on trunk, multiple trunks, decay	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L					
T58		Melaleuca cajuputi subsp. cumingiana	白千層	15		900		4		A		A		A		M		L		7,9	Climber	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L					
T87		Cinnamomum camphora	樟	6		445		9		A		A		A		M		L		7	Multiple trunks		N					
T88		Cinnamomum camphora	樟	13		780		12		A		A		A		M		L		7	-		N					
T89		Cinnamomum camphora	樟	11		800		11		P		A		A		L		L		1,2	Gall		N					
T90		Cinnamomum camphora	樟	14		2000		16	24.0	A		A		A		M		L		4	Multiple trunks		N					

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements				(Good/Average/Poor)				(High/Medium/ Low)															
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting											
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T106		Melaleuca cajuputi subsp. cumingiana	白千層	11		600		5		A		A		A		M		L	7	-		N					
T107		Melaleuca cajuputi subsp. cumingiana	白千層	11		820		6		A		A		A		M		L	7	-		N					
T108		Caryota mitis	短穗魚尾葵	6		175		2		A		A		A		M		L	6	-		N					
T109		Melaleuca cajuputi subsp. cumingiana	白千層	10		460		3		A		A		A		M		L	7	-		N					
T110		Melaleuca cajuputi subsp. cumingiana	白千層	14		760		4		A		A		A		M		L	7	-		N					
T111		Melaleuca cajuputi subsp. cumingiana	白千層	14		1020		8	12.0	A		A		A		M		L	9	Close to concrete pavement		N					
T674		Dead Tree	死樹	8		190		0.5		P		P		P		L		L	1,2	-	6/4/2023: Signs of previous presence of trees found	D					
T737		Acacia confusa	台灣相思	12		415		6.0		P		A		P		L		L	1,2,9	Moderate leaning, dead branches, climber, exposed dead wood	6/4/2023: Signs of previous presence of trees found	D					
T751		Acacia confusa	台灣相思	15		455		3		P		P		P		L		L	1,2,9	Exposed dead wood, over 80% dieback	6/4/2023: Signs of previous presence of trees found	D					
T768		Celtis sinensis	朴樹	17		400		9		A		A		A		M		L	9	Climber	6/4/2023: Signs of previous presence of trees found	D					
T778		Acacia confusa	台灣相思	20		700		14		P		A		A		L		L	1,2,9	Co-dominant trunks, wound at branch, exposed dead wood	6/4/2023: Signs of previous presence of trees found	D					
T868		Macaranga tanarius var. tomentosa	血桐	10		315		8		P		P		P		L		L	1,2	Wound at trunk, dead branches, decay, climber, abnormal bark crack	6/4/2023: Tree stump found during last site survey	D					
T869		Cinnamomum burmannii	陰香	17		410		12		A		A		A		M		L	7	Stub	6/4/2023: Tree stump found during last site survey	D					
T881		Bauhinia variegata	宮粉羊蹄甲	10		200		4		P		A		A		L		L	1,2	Bending	6/4/2023: Tree stump found during last site survey	D					
T906		Melaleuca cajuputi subsp. cumingiana	白千層	12		395		3		P		A		P		L		L	1,2,9	Sucker, co-dominant branches, decay on trunk base	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L					
T918		Acacia confusa	台灣相思	6		300		4		P		P		P		L		L	1,2,9	Severe dieback, sucker	6/4/2023: Signs of previous presence of trees found	D					
T933		Macaranga tanarius var. tomentosa	血桐	5		230		5		A		A		A		M		L	6	Co-dominant branches	6/4/2023: Signs of previous presence of trees found	D					
T935		Machilus sp.	潤楠屬	4		170		4		A		A		A		M		L	6	Sucker, co-dominant branches	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L					
T937		Macaranga tanarius var. tomentosa	血桐	4		140		4		A		A		A		M		L	6	Co-dominant trunks		N					
T938		Ficus hispida	對葉榕	3		95		3		A		A		A		M		L	6	Wound		N					
T939		Dead Tree	死樹	5		300		0.5		P		P		P		L		L	1,2	-		N					
T940		Celtis sinensis	朴樹	3		170		2		P		A		P		L		L	1,2	Exposed dead wood, topped branch		N					
T941		Macaranga tanarius var. tomentosa	血桐	4		170		3		P		A		P		L		L	1,2	Unbalanced crown, dead twigs, co-dominant branches		N					
T942		Macaranga tanarius var. tomentosa	血桐	6		275		4		P		A		P		L		L	1,2	Conflict with fence, wound, climber		N					
T943		Macaranga tanarius var. tomentosa	血桐	5		170		4		A		A		A		M		L	6	-		N					
T945		Macaranga tanarius var. tomentosa	血桐	6		160		4		A		A		A		M		L	6	-		N					
T946		Macaranga tanarius var. tomentosa	血桐	5		120		3		A		A		A		M		L	6	-		N					
T947		Sterculia lanceolata	假蘇婆	4		120		3		A		A		A		M		L	6	-		N					
T948		Leucaena leucocephala	銀合歡	10		270		4		P		A		A		L		L	5	-		N					
T949		Machilus sp.	潤楠屬	2		180		1		P		P		P		L		L	1,2	Topped		N					
T950		Machilus sp.	潤楠屬	6		295		4		P		A		A		L		L	1,2	Crooked branch, epicormics, wound		N					
T968		Lophostemon confertus	紅膠木	6		350		4		A		A		A		M		L	9	Dead stub		N					
T969		Aporosa dioica	銀柴	6		120		3		A		A		A		M		L	6	Cross branch, co-dominant branches		N					
T970		Lophostemon confertus	紅膠木	12		310		6		A		P		A		L		L	1,2,9	Co-dominant trunks, dieback		N					



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in the EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting											
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan		
T971		<i>Lophostemon confertus</i>	紅膠木	12		465		4		P		A		P		L		L		1,2,9	Decay on trunk, cavity on trunk		N						
T987		<i>Acacia confusa</i>	台灣相思	7		330		6		P		P		P		L		L		1,2,9	Moderate leaning, wound, epicormics, dieback	6/4/2023: Signs of previous presence of trees found	D						
T988		<i>Acacia confusa</i>	台灣相思	8		320		4		P		P		P		L		L		1,2,9	Moderate leaning, dieback, exposed dead wood on trunk base	6/4/2023: Signs of previous presence of trees found	D						
T994		<i>Acacia confusa</i>	台灣相思	12		400		5		A		P		A		L		L		1,2,9	Dieback, dead branch	6/4/2023: Signs of previous presence of trees found	D						
T1000		<i>Celtis sinensis</i>	朴樹	7		320		5		P		A		P		L		L		1,2	Unbalanced crown, wound		N						
T1001		<i>Sterculia lanceolata</i>	假蒴葵	6		200		4		A		A		A		M		L		6	Co-dominant branches, wound		N						
T1002		<i>Machilus</i> sp.	潤楠屬	6		225		4		P		A		P		L		L		1,2	Sucker, dead branch, unbalanced crown, wound		N						
T1048		<i>Sterculia lanceolata</i>	假蒴葵	4		130		3		A		A		A		M		L		6	-	6/4/2023: Tree stump with epicormics growing over it found.	D						
T1050		<i>Sterculia lanceolata</i>	假蒴葵	3		140		3		A		A		A		M		L		6	Wound	6/4/2023: Tree stump with epicormics growing over it found.	D						
T1051		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	4		145		4		A		P		A		L		L		1,2	Sparse foliage	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1052		<i>Bridelia tomentosa</i>	土蜜樹	6		275		3		P		A		A		L		L		1,2	Dead branch, climber	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1053		<i>Bridelia tomentosa</i>	土蜜樹	6		120		2		A		A		A		M		L		6	-	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1054		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6		110		1		A		P		A		L		L		1,2	Sparse foliage	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1055		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	3		170		2		P		A		A		L		L		1,2	Crack on trunk	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1056		<i>Bridelia tomentosa</i>	土蜜樹	3		170		3		P		A		P		L		L		1,2	Broken trunk, epicormics	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1057		<i>Bridelia tomentosa</i>	土蜜樹	6		195		2		P		A		A		L		L		1,2	Exposed dead wood on trunk	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1058		<i>Celtis sinensis</i>	朴樹	5		120		2		A		A		A		M		L		6	-	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1059		<i>Melia azedarach</i>	苦楝	10		320		6		A		A		A		M		L		6	-	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1060		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	5		135		2		P		A		A		L		L		1,2	Co-dominant trunks, climber	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1061		<i>Melia azedarach</i>	苦楝	12		260		6		A		A		A		M		L		6	Epicormics, wound on branch	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1062		<i>Celtis sinensis</i>	朴樹	5		100		2		A		A		A		M		L		6	-	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1063		<i>Leucaena leucocephala</i>	銀合歡	6		260		2		P		A		P		L		L		1,2	fungal fruiting bodies, co-dominant trunks, broken branch	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1064		<i>Leucaena leucocephala</i>	銀合歡	7		110		2		P		A		P		L		L		1,2	Uproot	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1065		<i>Leucaena leucocephala</i>	銀合歡	5		270		2		P		P		P		L		L		1,2	Exposed dead wood, decay	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1066		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	8		300		4		A		P		A		L		L		1,2	Sparse foliage	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1067		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	7		240		3		A		P		A		L		L		1,2	Sparse foliage	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1068		Dead Tree	死樹	7		180		0.5		P		P		P		L		L		1,2	-	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1069		<i>Microcos nervosa</i>	布渣葉	8		300		5		A		A		A		M		L		6	Multiple trunks	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1070		<i>Leucaena leucocephala</i>	銀合歡	6		170		3		A		A		A		L		L		5	Wound on branch	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1071		<i>Clausena lansium</i>	黃皮	6		150		2		P		A		A		L		L		1,2	Co-dominant trunks	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1072		Dead Tree	死樹	5		340		0.5		P		P		P		L		L		1,2	-	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1073		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13		600		6		A		A		A		M		L		7,9	-	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1074		<i>Sterculia lanceolata</i>	假蒴葵	7		220		2		A		A		A		M		L		6	-	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						
T1075		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16		750		6		A		A		A		M		L		7,9	-	Not marked on EIA Tree Survey Plan and cannot be found by URBIS	L						

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey	
		Species		Measurements					(Good/Average/Poor)					(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting											
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T1076		<i>Dimocarpus longan</i>	龍眼	6		100		2		A		A		A		M		L	4	-	Not marked on EIA Tree Survey Plans and cannot be found by URBIS	L					
T1077		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14		770		4		A		A		A		M		L	7.9	-	Not marked on EIA Tree Survey Plans and cannot be found by URBIS	L					
T1100		<i>Sterculia lanceolata</i>	假蒴藋	4		100		2		A		A		A		M		L	6	-	6/4/2023: Tree stump with epicormics growing over it found.	D					
T1146		<i>Cratoxylum cochinchinense</i>	黃牛木	9		140		2		A		A		A		M		L	6	-	6/4/2023: Tree stump found during last site survey	D					
T1193		<i>Aquilaria sinensis</i>	土沉香	2.5		10		0.5		A		A		A		M		M	-	-	Not marked on EIA Tree Survey Plans and cannot be found by URBIS	L2					
T1199		<i>Aquilaria sinensis</i>	土沉香	0.5		10		0.3		A		A		A		M		M	-	-	Not marked on EIA Tree Survey Plans and cannot be found by URBIS	L2					
T1201		<i>Aquilaria sinensis</i>	土沉香	2.5		10		0.3		A		A		A		M		M	-	-	Not marked on EIA Tree Survey Plans and cannot be found by URBIS	L2					
T1246		Dead Tree	死樹	7		141		0.5		P		P		P		L		L	1.2	Dead Twigs	6/4/2023: Collapsed with broken trunk and stump found	D					
T1373		<i>Leucaena leucocephala</i>	銀合歡	10		230		5		A		A		A		L		L	5	Co-dominant trunks, conflict with fence	Not marked on EIA Tree Survey Plans and cannot be found by URBIS	L					
T1387		<i>Leucaena leucocephala</i>	銀合歡	9		300		4		A		A		A		L		L	5	-	6/4/2023: Tree stump found with epicormics sprout, but appears to be dead	D					
T1391		<i>Cinnamomum camphora</i>	樟	18		720		8		A		A		A		M		L	7	-		N					
T1392		<i>Lophostemon confertus</i>	紅膠木	15		800		8		A		A		A		M		L	7.9	Multiple trunks		N					
T1393		<i>Lophostemon confertus</i>	紅膠木	19		440		6		A		A		A		M		L	9	-		N					
T1394		<i>Lophostemon confertus</i>	紅膠木	18		270		5		A		A		A		M		L	9	-		N					
T1395		<i>Lophostemon confertus</i>	紅膠木	22		360		8		A		A		A		M		L	9	-		N					
T1396		<i>Aporusa dioica</i>	銀柴	5		110		2		A		A		A		M		L	6	-		N					
T1397		<i>Caryota maxima</i>	魚尾葵	7		100		2		A		A		A		M		L	6	-		N					
T1398		<i>Lophostemon confertus</i>	紅膠木	15		280		5		A		A		A		M		L	9	Multiple trunks, sap flow		N					
T1399		<i>Cinnamomum camphora</i>	樟	20		2000		15		A		A		A		M		L	4	Multiple trunks, dead branches		N					
T1400		<i>Aporusa dioica</i>	銀柴	7		180		4		A		A		A		M		L	6	Co-dominants trunks		N					
T1401		<i>Lophostemon confertus</i>	紅膠木	7		200		5		A		A		A		M		L	9	-		N					
T1402		<i>Litsea monopetala</i>	假柿樹	6		150		2		A		A		A		M		L	6	-		N					
T1403		<i>Lophostemon confertus</i>	紅膠木	8		210		3		A		A		A		M		L	9	-		N					
T1404		<i>Sterculia lanceolata</i>	假蒴藋	5		105		3		A		A		A		M		L	6	-		N					
T1405		<i>Sterculia lanceolata</i>	假蒴藋	6		120		3		A		A		A		M		L	6	-		N					
T1406		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	10		150		2		A		A		A		M		L	6	-		N					
T1407		<i>Aquilaria sinensis</i>	土沉香	0.5		20		0.5		A		A		A		M		M	-	-		N					
T1408		<i>Ilex rotunda</i>	鐵冬青	16		400		9		A		A		A		M		L	7	-		N					
T1409		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	8		270		5		A		A		A		M		L	6	-		N					
T1410		<i>Lophostemon confertus</i>	紅膠木	9		270		5		A		A		A		M		L	9	Co-dominant trunks		N					
T1411		<i>Lophostemon confertus</i>	紅膠木	18		700		10		A		A		A		M		L	7.9	-		N					
T1412		<i>Aporusa dioica</i>	銀柴	10		280		8		A		A		A		M		L	6	-		N					
T1413		Dead Tree	死樹	6		200		4		P		P		P		L		L	1.2	-		N					
T1414		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	9		160		5		A		A		A		M		L	6	-		N					



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting											
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan	
T1415		Macaranga tanarius var. tomentosa	血桐	9		240		9		A		A		A		M		L	6	-			N						
T1416		Machilus sp.	潤楠屬	8		200		2		A		A		A		M		L	6	-			N						
T1417		Macaranga tanarius var. tomentosa	血桐	8		95		5		A		A		A		M		L	6	-			N						
T1418		Macaranga tanarius var. tomentosa	血桐	8		100		4		A		A		A		M		L	6	-			N						
T1419		Aporosa dioica	銀柴	8		95		2		A		A		A		M		L	6	-			N						
T1420		Sterculia lanceolata	假蘋婆	8		200		6		A		A		A		M		L	6	-			N						
T1421		Aquilaria sinensis	土沉香	0.5		20		0.5		A		A		A		M		M	-	-			N						
T1422		Aquilaria sinensis	土沉香	1.5		30		1		A		A		A		M		M	-	-			N						
T1423		Dimocarpus longan	龍眼	6		140		5		A		A		A		M		L	4	-			N						
T1424		Dimocarpus longan	龍眼	8		260		6		A		A		A		M		L	4	-			N						
T1425		Dimocarpus longan	龍眼	7		115		5		A		A		A		M		L	4	-			N						
T1426		Dimocarpus longan	龍眼	6		180		4		A		A		A		M		L	4	Co-dominant trunks			N						
T1427		Artocarpus heterophyllus	波蘿蜜	8		185		2		A		A		A		M		L	4	-			N						
T1428		Lophostemon confertus	紅膠木	10		360		2		A		A		A		M		L	9	-			N						
T1429		Lophostemon confertus	紅膠木	14		430		6		A		A		A		M		L	9	-			N						
T1471		Cinnamomum camphora	樟	17		420		8		A		A		A		M		L	7	-		Same tree to EIA T1470 (HKGC T1102)	G						
T1474		Pinus elliotii	愛氏松	12		310		5		P		A		A		L		L	1,2	Crooded trunk			N						
T1482		Macaranga tanarius var. tomentosa	血桐	6		120		4		A		A		A		M		L	6	-			N						
T1483		Sterculia lanceolata	假蘋婆	8		170		1		P		A		P		L		L	1,2	Topped			N						
T1484		Dead Tree	死樹	6		150		1		P		P		P		L		L	1,2	-			N						
T1485		Syzygium jambos	蒲桃	7		170		2		A		A		A		M		L	6	-			N						
T1486		Zanthoxylum avicennae	新櫟花椒	8		95		2		A		A		A		M		L	6	-			N						
T1487		Dead Tree	死樹	8		160		1		P		P		P		L		L	1,2	-		6/4/2023: Tree stump found during last site survey	D						
T1489		Lagerstroemia indica	紫薇	7		130		5		A		A		A		M		L	6	-			N						
T1490		Lophostemon confertus	紅膠木	9		220		7		A		A		A		M		L	9	-			N						
T1491		Adenanthera microsperma	海紅豆	6		150		3		A		A		A		M		L	6	-			N						
T1492		Lophostemon confertus	紅膠木	9		110		2		A		A		A		M		L	9	-			N						
T1493		Cratoxylum cochinchinense	黃牛木	6		160		3		A		A		A		M		L	6	-			N						
T1494		Adenanthera microsperma	海紅豆	8		100		4		A		A		A		M		L	6	-			N						
T1495		Adenanthera microsperma	海紅豆	9		190		5		A		A		A		M		L	6	-			N						
T1496		Lagerstroemia indica	紫薇	7		130		4		P		A		P		L		L	1,2	Uproot			N						
T1497		Lagerstroemia indica	紫薇	8		140		6		A		A		A		M		L	6	-			N						
T1498		Lagerstroemia indica	紫薇	9		175		6		A		A		A		M		L	6	-			N						
T1499		Lagerstroemia indica	紫薇	8		125		4		A		A		A		M		L	6	-			N						

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	J2: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	K: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)													
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting											
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan		
T1591		<i>Sapindus saponaria</i>	無患子	7		155		3		A		A		A		M		L		6	-	6/4/2023: HKGC confirmed that there's no <i>Sapindus saponaria</i> ever present in the location marked in EIA Tree Survey Plan	P						
T1629		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	5		95		1		A		P		A		L		L		1,2,9	Sparse foliage	6/4/2023: Collapsed with broken trunk and stump found	D						
T1754		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	10		230		3		P		A		A		L		L		1,2,9	Climber	Same tree to EIA T1754 (HKGC T1066A)	G						
T1781		<i>Cinnamomum camphora</i>	樟	8		180		5		A		A		A		L		L		1	Co-dominant trunks		N						
T1782		<i>Ilex rotunda</i>	鐵冬青	8		280		6		A		A		A		L		L		1	-		N						
T1783		<i>Cinnamomum camphora</i>	樟	5		160		4		A		A		A		L		L		1	-		N						
T1784		<i>Lophostemon confertus</i>	紅膠木	10		150		2		A		A		A		L		L		1,9	-		N						
T1785		<i>Lophostemon confertus</i>	紅膠木	10		150		3		A		A		A		L		L		1,9	-		N						
T1786		<i>Lophostemon confertus</i>	紅膠木	8		130		3		A		A		A		L		L		1,9	-		N						
T1787		<i>Lophostemon confertus</i>	紅膠木	10		190		4		A		A		A		L		L		1,9	-		N						
T1788		<i>Lophostemon confertus</i>	紅膠木	7		160		3		P		A		A		L		L		1,2,9	Moderrate leaning		N						
T1789		<i>Cinnamomum camphora</i>	樟	10		230		5		A		A		A		L		L		1	Co-dominant branches		N						
T1790		<i>Adenanthera microsperma</i>	海紅豆	10		210		6		P		A		P		L		L		1,2	Crossing trunk with T1791		N						
T1791		Dead Tree	死樹	6		120		1		P		A		P		L		L		1,2	Crossing trunk with T1790		N						
T1792		<i>Lophostemon confertus</i>	紅膠木	10		170		4		A		A		A		L		L		1,9	-		N						
T1793		<i>Lophostemon confertus</i>	紅膠木	10		230		5		A		A		A		L		L		1,9	-		N						
T1794		<i>Pinus massoniana</i>	馬尾松	6		170		4		A		A		A		L		L		1	-		N						
T1795		<i>Acacia confusa</i>	台灣相思	10		180		4		A		A		A		L		L		1,9	-		N						
T1796		<i>Lophostemon confertus</i>	紅膠木	12		385		6		P		A		A		L		L		1,2,9	Dead branch, epicormics		N						
T1797		<i>Lophostemon confertus</i>	紅膠木	12		360		5		A		A		A		L		L		1,9	Dead branch		N						
T1798		<i>Lophostemon confertus</i>	紅膠木	10		190		3		P		A		P		L		L		1,2,9	Topped		N						
T1799		<i>Lophostemon confertus</i>	紅膠木	6		150		3		P		A		A		L		L		1,2,9	Moderrate leaning		N						
T1800		<i>Lophostemon confertus</i>	紅膠木	12		375		6		A		A		A		L		L		1,9	Multiple trunks		N						
T1801		<i>Lophostemon confertus</i>	紅膠木	10		200		3		A		A		A		L		L		1,9	-		N						
T1802		<i>Lophostemon confertus</i>	紅膠木	12		290		6		A		A		A		L		L		1,9	-		N						
T1803		<i>Lophostemon confertus</i>	紅膠木	12		350		5		P		A		A		L		L		1,2,9	Asymmetric crown		N						
T1804		<i>Lophostemon confertus</i>	紅膠木	12		380		5		P		A		A		L		L		1,2,9	Asymmetric crown		N						
T1805		<i>Lophostemon confertus</i>	紅膠木	12		360		4		A		A		A		L		L		1,9	-		N						
T1806		<i>Lophostemon confertus</i>	紅膠木	8		380		4		A		A		A		L		L		1,9	Co-dominant trunks		N						
T1807		<i>Lophostemon confertus</i>	紅膠木	10		290		4		P		A		P		L		L		1,2,9	Co-dominant branches, dead branch, broken branch, epicormics		N						
T1808		<i>Lophostemon confertus</i>	紅膠木	10		250		5		P		A		A		L		L		1,2,9	Co-dominant trunks, broken branch, epicormics		N						
T1810		<i>Lophostemon confertus</i>	紅膠木	8		190		4		P		A		A		L		L		1,2,9	Large wound		N						
T1811		<i>Lophostemon confertus</i>	紅膠木	10		310		5		A		A		A		L		L		1,9	Multiple trunks, dead branches		N						
T1812		<i>Lophostemon confertus</i>	紅膠木	12		260		5		A		A		A		L		L		1,9	-		N						



Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as Rare and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan: Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly Identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey				
		Species		Measurements						(Good/Average/Poor)						(High/Medium/ Low)															
		Scientific name	Chinese Name	Height (m)		DBH (mm)		Crown Spread (m)		Form		Health condition		Structural condition		Amenity Value		Suitability for transplanting													
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (HKGC Tree Survey if different from EIA Tree Survey)	Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan				
T1813		<i>Lophostemon confertus</i>	紅膠木	12		270		5		A		A		A		L		L	1,9	Dead branch		N									
T1814		<i>Cinnamomum camphora</i>	樟	12		420		6		A		A		A		L		L	1	-		N									
T1815		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12		280		5		A		A		A		L		L	1,9	Co-dominant branches		N									
T1816		<i>Lophostemon confertus</i>	紅膠木	5		170		2		P		A		P		L		L	1,2,9	Topped, epicormics		N									
T1817		<i>Lophostemon confertus</i>	紅膠木	7		180		4		P		A		P		L		L	1,2,9	Crooked, asymmetric crown		N									
T1818		<i>Lophostemon confertus</i>	紅膠木	8		370		4		A		A		A		L		L	1,9	-		N									
T1819		<i>Cinnamomum camphora</i>	樟	10		380		5		A		A		A		L		L	1	-		N									
T1820		<i>Acacia confusa</i>	台灣相思	10		410		6		P		P		P		L		L	1,2,9	Dieback, dead branch		N									
T1821		<i>Lophostemon confertus</i>	紅膠木	7		335		4		A		A		A		L		L	1,9	Wound, hanger		N									
T1822		<i>Lophostemon confertus</i>	紅膠木	7		225		3		A		A		A		L		L	1,9	-		N									
T1823		<i>Lophostemon confertus</i>	紅膠木	7		230		4		A		A		A		L		L	1,9	Co-dominant branches, wound, epicormics		N									
T1824		<i>Lophostemon confertus</i>	紅膠木	8		390		5		P		A		A		L		L	1,2,9	Co-dominant branches, broken branch, epicormics		N									
T1825		<i>Lophostemon confertus</i>	紅膠木	8		280		4		P		P		A		L		L	1,2,9	Crooked trunk, dieback		N									
T1826		<i>Lophostemon confertus</i>	紅膠木	8		180		4		A		A		A		L		L	1,9	-		N									
T1827		<i>Acacia confusa</i>	台灣相思	12		350		5		A		A		A		L		L	1,9	-		N									
T1828		<i>Acacia confusa</i>	台灣相思	8		170		3		A		A		A		L		L	1,9	Dead branch		N									
T1829		<i>Acacia confusa</i>	台灣相思	12		325		5		A		A		A		L		L	1,9	Dead branch		N									
T1830		<i>Acacia confusa</i>	台灣相思	12		260		4		P		A		A		L		L	1,2,9	Moderrate leaning, asymmetric crown		N									
T1831		<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15		370		5		A		A		A		L		L	1,9	Co-dominant branches		N									
T1849		<i>Aquilaria sinensis</i>	土沉香	3		20		1		A		A		A		M		M	-	-		N									
T1850		<i>Aquilaria sinensis</i>	土沉香	4		90		2		A		A		A		M		M	-	Co-dominant trunks		N									
T1851		<i>Aquilaria sinensis</i>	土沉香	4		80		2		A		A		A		M		M	-	-		N									
T1854		<i>Aquilaria sinensis</i>	土沉香	4		90		2		A		A		A		M		M	-	-		N									
T1855		<i>Aquilaria sinensis</i>	土沉香	1		30		1		A		A		A		M		M	-	-		N									
T1900		<i>Eucalyptus citriodora</i>	檸檬桉	25		1300		12		A		A		A		M		L	7	Bulge on trunk base, dead branches, Dead stub,		N									
T1917		<i>Cinnamomum burmannii</i>	陰香	6		165		3		A		A		A		L		L	1	-		N									
T1918		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6		225		5		A		A		A		L		L	1	Co-dominant branches		N									
T1919		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	5		180		3		A		A		A		L		L	1	-		N									
T1920		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6		190		3		A		A		A		L		L	1	-		N									
T1921		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	7		145		3		A		A		A		L		L	1	-		N									
T1922		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	5		135		3		A		A		A		L		L	1	Restricted root, exposed root		N									
T1925		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	8		210		4		A		A		A		L		L	1	-		N									
T1926		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	8		150		2		A		P		A		L		L	1,2	Leaf size smaller than normal		N									

Appendix B1 -HKGC Tree Survey Assessment Schedule incorporating EIA Tree Survey Assessment Schedule

Colour code in the schedule:		A: Tree Regarded as TPI (in Terms of Size) in EIA Tree Survey and Confirmed in HKGC Tree Survey	A2: Tree Regarded as Rare and Protected Species in EIA Tree Survey and Confirmed in HKGC Tree Survey	B: Tree Regarded as TPI in EIA Tree Survey But Disqualified in HKGC Tree Survey	C: Tree not Regarded as TPI (in Terms of Size) in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	C2: Tree not Regarded as TPI and Protected Species in EIA Tree Survey but Confirmed in HKGC Tree Survey to be One	D: Tree in EIA Tree Survey found removed/felled/ collapsed in HKGC Tree Survey	F: Tree Alive in EIA Tree Survey but Found Dead in HKGC Tree Survey	G: Tree in EIA Tree Survey that found to be same as another in HKGC Tree Survey	H: Tree in EIA Tree Survey that Not Belongs to Rare and Protected Species Found Undersized (Less than 95mm DBH) in HKGC Tree Survey	H2: Undersized Rare and Protected Species found Dead in HKGC Tree Survey	I: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey	J: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (TPI in Terms of Size)	J2: Tree Found Absent in EIA Tree Survey and Newly Surveyed in HKGC Tree Survey (Rare and Protected Species)	K: Tree Found Absent in EIA Tree Survey Schedule but Present in EIA Tree Survey Plan and Found in HKGC Tree Survey	L: Tree Present in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	L2: Tree that is Rare and Protected Species in EIA Tree Survey Schedule but Absent in the EIA Tree Survey plan; Cannot be Found in HKGC Tree Survey	M: Tree Identified to Genus Level in EIA Tree Survey and Identified to Species Level in HKGC Tree Survey	N: Outside the Boundary of HKGC Tree Survey	P: Tree in EIA Tree Survey found missing in HKGC Tree Survey	Colour code for Scientific Name:	Tree with Species Wrongly identified in EIA Tree Survey and Corrected in HKGC Tree Survey	Colour code for EIA Tree No.:	Tree with Location Wrongly Placed in EIA Tree Survey and Corrected in HKGC Tree Survey	Tree present in EIA schedule, found on site in URBIS Tree Survey but not in the EIA plan	Others	Tree that Belongs to Invasive Species in HKGC Tree Survey		
		Species		Measurements					(Good/Average/Poor)					(High/Medium/ Low)															
		Scientific name	Chinese Name	Height (m)	DBH (mm)	Crown Spread (m)				Form	Health condition	Structural condition		Amenity Value		Suitability for transplanting													
EIA Tree No.	HKGC Tree No.			in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (1)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey) (2)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	in EIA Tree Survey	in HKGC Tree Survey (If different from EIA Tree Survey)	Remarks in EIA Tree Survey	Remarks (EIA Tree Survey)		Remarks (HKGC Tree Survey if different from EIA Tree Survey)			Color Code by URBIS	Wrong Species?	Correct species	Invasive species?	Wrong Location?	Present in schedule, found on site but not in WSP's plan

Remarks for Suitability for Transplanting (Justifications for Tree Not Recommended for Transplanting) (From EIA Tree Survey)

- Note 1 Low amenity value;☐
- Note 2 Poor health, structure or form/ dead tree;☐
- Note 3 Irrecoverable form after transplanting (e.g. transplanting requires substantial crown and root pruning);
- Note 4 Low chance of survival upon transplanting;
- Note 5 Undesirable species (e.g. Leucaena leucocephala which is an invasive, exoticand self-seeding tree);☐
- Note 6 Trees grown under poor conditions which have limited the formation of proper root ball necessary for transplanting (e.g. on slope).
- Note 7 Large size trees (feasibility subject to financially reasonable and technically feasible);
- Note 8 Tree with evidence or notable signs of over-maturity and onset of senescence;
- Note 9 Mass-planting common-exotic species

Remarks:

(1) # means tree height measured using rangefinder

(2) & means crown spread measured perpendicular to forest edge, \$ means crown spread measured parappell to forest edge (applicable to trees at edge of forest)



## Appendix B2

---

# Assessment of the Likelihood for Large Trees of Particular Interest in Sub Area 1 to be Registered as Old and Valuable Trees

Appendix B2

Assessment of the Likelihood for Large Trees of Particular Interests in Sub Area 1 to be Registered as Old and Valuable Trees

Tree no. of TPIs within Sub-Area 1 (Dimensions inside parenthesis is the one for the tree fulfill the TPI requirement)	Species (Scientific Name)	Species (Chinese Name)	DBH range (mm)	Height range (m)	Spread range (m)	Form range	Health range	Structure range	Amenity Range	No. of species currently on the HK Tree Register - Range of sizes	REMARKS	Registerable as OVT
HKGC T1468 (25.5mS)	<i>Adenanthera microsperma</i>	海紅豆	833	18.5	25.5	G	G	G	H	0 registered as OVTs on Tree Register	No <i>Adenanthera microsperma</i> is registered as OVT in Hong Kong. The high quality (form, health, structure, amenity) makes it very likely to be registerable as an OVT and this TPI can serve as a pioneer to represent the species <i>Adenanthera microsperma</i> as OVT.	Very likely
HKGC T415 (30.4mH), HKGC T461 (26.7mH), HKGC T530 (28.3mH)	<i>Casuarina equisetifolia</i>	木麻黃	445-570	26.7-30.4	3.0-5.0	P-A	A	P-A	H	4 registered as OVTs (1040-1460mmDBH, 15-28.4mH, 12-24.5mS)	All existing <i>Casuarina equisetifolia</i> OVTs possess over 1000mmDBH while not necessarily exceeding 25m height. The <i>Casuarina equisetifolia</i> TPIs at Fanling, although all over 25m high possess poorer form and structure than the rest of the TPIs. They seem unlikely to be registerable as OVTs.	Unlikely
HKGC T1491 (1084mmDBH), HKGC T1494 (28.5mS), EIA T90 (2000mmDBH), EIA T1399 (2000mmDBH)	<i>Cinnamomum camphora</i>	樟	900-2000	13-20	15.0-28.5	A-G	A-G	A-G	M-H	44 registered as OVTs (700-3007mmDBH, 10-27mH, 13-35mS)	These <i>Cinnamomum camphora</i> TPIs have their ranges of DBH, height and spread falling in the middle range of existing OVTs and their the quality is of an average to good range. These TPIs are likely to be registerable as OVTs.	Likely
EIA T1900 (1300mmDBH, 25mH)	<i>Corymbia citriodora</i> (syn. <i>Eucalyptus citriodora</i> )	檸檬桉	1300	25	12.0	A	A	A	M	2 registered as OVTs (1015-1095mmDBH, 17-24mH, 12-14.5mS)	The EIA T1900 <i>Corymbia citriodora</i> within Sub-Area 1 has DBH and height larger than the existing same species OVTs and therefore it is very likely to be registerable as OVT.	Very likely
HKGC T133 (26.7mH), HKGC T144 (26.5mH), HKGC T213 (25.9mH)	<i>Eucalyptus camaldulensis</i>	赤桉	540-760	25.9-26.7	10.0-15.0	G	A-G	A	H	0 registered as OVTs on Tree Register	One tree of <i>Eucalyptus camaldulensis</i> subsp. <i>obtus</i> a is registered as OVT (ARCHSD KWT/1) in Central Kwai Chung Park (1296mmDBH, 19mH, 16mS). Thee three Fanling TPIs are larger height than that OVT, although with less DBH and Spread than that OVT. The three TPIs have good form, good to average health and average structure. They are likely to be registerable as OVTs.	Likely
HKGC T346 (29.7mH, 1040mmDBH), HKGC T348 (26.3mH)	<i>Eucalyptus exserta</i>	窿緣桉	850-1040	26.3-29.7	18.0-21.0	G	G	A-G	H	0 registered as OVTs on Tree Register	HKGC T346 and T348 have DBH range of 850-1040mm, height range of 26.3-29.7m and spread range of 18-21m. If compared to the <i>Eucalyptus camaldulensis</i> subsp. <i>obtus</i> a OVT as listed above, both are higher and have larger spread than that OVT while the DBH of both TPIs are less than that OVT. It is likely that both TPIs can be registered as OVTs.	Likely
HKGC T1486 (1050mmDBH)	<i>Ficus microcarpa</i>	細葉榕	1050	15.5	21.0	G	G	G	H	191 registered as OVTs (703-7710mmDBH, 9-28mH, 7-41mS) + 30 registered as O&S (730-3000mmDBH, 12-19mH, 13-25mS)	HKGC T1486 (1050mmDBH, 15.6mH, 21.0mS) falls within the range of DBH of <i>Ficus microcarpa</i> registered OVTs, however there are so many <i>Ficus microcarpa</i> registered OVTs having larger DBH, height and spread than HKGC T1486, which puts its registerability as OVT in doubt.	Unlikely
HKGC T57 (2458mmDBH, 29mS)	<i>Ficus virens</i>	大葉榕	2458	18.3	29.0	G	G	G	H	28 registered as OVTs (989-2700mmDBH, 10-25mH, 10-34mS) + 2 registered as O&S (1066-1102mmDBH, 16-21mH, 21-28mS)	HKGC T57 is directly comparable to some existing <i>Ficus virens</i> OVTs (e.g. ARCHSD WCH/01, DH KC/2, EMSD WCH/1, LCSD CW/7, LCSD CW/103, LCSD N/7, LCSD TM/6 and LCSD WCH/40). The tree has good form, health and structure. Therefore this TPI is very likely to be registerable as OVT.	Very likely
HKGC T355 (1073mmDBH), HKGC T376 (1000mmDBH), HKGC T404 (1060mmDBH), HKGC T411 (1165mmDBH), HKGC T768 (1002mmDBH), HKGC T936 (1040mmDBH), HKGC T939 (1011mmDBH), HKGC T1063 (25.2mH), HKGC T1115 (1256mmDBH), HKGC T1124 (1080mm DBH), EIA T111 (1020mmDBH)	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	724-1256	14.0-25.2	5.0-16.0	A-G	A-G	P-G	M-H	12 registered as OVTs (700-1565mmDBH, 9-21mH, 6.5-12mS)	All 11 <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> possess comparable size with the existing <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> OVTs and make registration to OVT for these TPIs very likely.	Very Likely
HKGC T1223 (1340mmDBH), HKGC T1224 (1275mmDBH)	<i>Pterocarpus indicus</i>	紫檀	1275-1340	16.5-17.8	19.0-24.0	P-A	A	P	H	4 registered as OVTs (1100-1420mmDBH, 19-25mH, 16-29mS)	Although HKGC T1223 and T1224 possess height (16.5-17.8m) less than the same species OVTs, both trees have DBH larger than the same species OVTs, and spread (19-24mS) comparable to the same species OVTs. They are also very old trees. Therefore they are very likely to be registerable as OVTs.	Very Likely



---

## Appendix C

### Tree Survey Photographs

C1 – Photographs of Trees Absent in EIA Tree Survey and Found in HKGC Tree Survey (Not Trees of Particular Interest)

C2 – Photographs of Trees Regarded as TPIs in Terms of Size in HKGC Tree Survey

C3 – Photographs of Trees Regarded as TPIs in Terms of Status as Rare and Protected Species in HKGC Tree Survey

## Appendix C1

---

### Photographs of Trees Absent in EIA Tree Survey and Found in HKGC Tree Survey (Not Trees of Particular Interest)





T2 (*Sterculia lanceolata*)



T2 (*Sterculia lanceolata*)



T2 (*Sterculia lanceolata*)



T3 (*Ligustrum sinense*)



T3 (*Ligustrum sinense*)



T4 (*Mangifera indica*)



T4 (*Mangifera indica*)



T5 (*Ligustrum sinense*)





T5 (*Ligustrum sinense*)



T6 (*Ligustrum sinense*)



T6 (*Ligustrum sinense*)



T6 (*Ligustrum sinense*)




T7 (*Ligustrum sinense*)



T7 (*Ligustrum sinense*)



T7 (*Ligustrum sinense*)



T8 (*Ligustrum sinense*)





T8 (*Ligustrum sinense*)



T8 (*Ligustrum sinense*)



T9 (*Cinnamomum burmannii*)



T9 (*Cinnamomum burmannii*)




T9 (*Cinnamomum burmannii*)



T11 (*Dracaena cambodiana*)



T11 (*Dracaena cambodiana*)



T12 (*Platycladus orientalis*)






T12 (*Platycladus orientalis*)




T14 (*Ligustrum sinense*)



T14 (*Ligustrum sinense*)



T14 (*Ligustrum sinense*)




T15 (*Caryota mitis*)



T15 (*Caryota mitis*)



T15 (*Caryota mitis*)



T16 (*Sterculia lanceolata*)





T16 (*Sterculia lanceolata*)



T16 (*Sterculia lanceolata*)



T17 (*Caryota mitis*)



T17 (*Caryota mitis*)



T17 (*Caryota mitis*)



T22 (*Caryota mitis*)




T22 (*Caryota mitis*)



T22 (*Caryota mitis*)





T23 (*Caryota mitis*)



T23 (*Caryota mitis*)



T23 (*Caryota mitis*)



T24 (*Caryota mitis*)



T24 (*Caryota mitis*)



T24 (*Caryota mitis*)



T25 (*Caryota mitis*)



T25 (*Caryota mitis*)





T25 (*Caryota mitis*)



T27 (*Caryota mitis*)



T27 (*Caryota mitis*)



T27 (*Caryota mitis*)



T39 (*Caryota mitis*)



T39 (*Caryota mitis*)



T39 (*Caryota mitis*)



T44 (*Caryota mitis*)





T44 (*Caryota mitis*)




T44 (*Caryota mitis*)



T48 (*Sterculia lanceolata*)



T48 (*Sterculia lanceolata*)



T49 (*Dimocarpus longan*)



T49 (*Dimocarpus longan*)



T49 (*Dimocarpus longan*)



T50 (*Caryota mitis*)





T50 (*Caryota mitis*)



T50 (*Caryota mitis*)



T52 (*Livistona chinensis*)



T52 (*Livistona chinensis*)



T52 (*Livistona chinensis*)



T55 (*Sterculia lanceolata*)



T55 (*Sterculia lanceolata*)



T55 (*Sterculia lanceolata*)





T56A (*Polyscias guilfoylei*)



T56A (*Polyscias guilfoylei*)



T56B (*Polyscias guilfoylei*)



T56B (*Polyscias guilfoylei*)



T56C (*Schefflera arboricola*)



T56C (*Schefflera arboricola*)



T56D (*Nerium oleander*)



T56D (*Nerium oleander*)






T56 (*Mangifera indica*)



T56 (*Mangifera indica*)



T65 (*Caryota mitis*)




T65 (*Caryota mitis*)



T65 (*Caryota mitis*)



T68 (*Caryota mitis*)




T68 (*Caryota mitis*)



T68 (*Caryota mitis*)






T69 (*Bauhinia variegata*)



T69 (*Bauhinia variegata*)



T69 (*Bauhinia variegata*)



T70 (*Bauhinia variegata*)



T70 (*Bauhinia variegata*)



T70 (*Bauhinia variegata*)



T71 (*Schefflera actinophylla*)



T71 (*Schefflera actinophylla*)



T72 (*Schefflera actinophylla*)T72 (*Schefflera actinophylla*)T72 (*Schefflera actinophylla*)T73 (*Schefflera actinophylla*)T73 (*Schefflera actinophylla*)T73 (*Schefflera actinophylla*)T74 (*Schefflera arboricola*)T74 (*Schefflera arboricola*)





T75 (*Caryota mitis*)



T75 (*Caryota mitis*)



T76 (*Caryota mitis*)



T76 (*Caryota mitis*)



T79 (*Cinnamomum burmannii*)



T79 (*Cinnamomum burmannii*)




T87 (*Livistona chinensis*)



T87 (*Livistona chinensis*)



T89 (*Caryota mitis*)T89 (*Caryota mitis*)T89 (*Caryota mitis*)T93 (*Cinnamomum burmannii*)T93 (*Cinnamomum burmannii*)T96 (*Cinnamomum burmannii*)T96 (*Cinnamomum burmannii*)T96 (*Cinnamomum burmannii*)



T101 (*Lophostemon confertus*)T101 (*Lophostemon confertus*)T109 (*Bridelia tomentosa*)T109 (*Bridelia tomentosa*)T110 (*Ligustrum sinense*)T110 (*Ligustrum sinense*)T111 (*Dyopsis lutescens*)T111 (*Dyopsis lutescens*)



T112 (*Dyopsis lutescens*)T112 (*Dyopsis lutescens*)T114 (*Sterculia lanceolata*)T114 (*Sterculia lanceolata*)T115 (*Ligustrum sinense*)T115 (*Ligustrum sinense*)T117 (*Ligustrum sinense*)T117 (*Ligustrum sinense*)





T118 (*Ligustrum sinense*)



T118 (*Ligustrum sinense*)



T119 (*Ligustrum sinense*)




T119 (*Ligustrum sinense*)



T120 (*Bridelia tomentosa*)



T120 (*Bridelia tomentosa*)



T121 (*Sterculia lanceolata*)



T121 (*Sterculia lanceolata*)





T122 (*Cinnamomum camphora*)



T122 (*Cinnamomum camphora*)



T131 (*Cinnamomum burmannii*)



T131 (*Cinnamomum burmannii*)



T134 (*Senna siamea*)



T134 (*Senna siamea*)



T141 (*Cinnamomum burmannii*)



T141 (*Cinnamomum burmannii*)





T143 (*Dimocarpus longan*)



T143 (*Dimocarpus longan*)



T145 (*Eucalyptus camaldulensis*)



T145 (*Eucalyptus camaldulensis*)



T146 (*Cinnamomum burmannii*)



T146 (*Cinnamomum burmannii*)




T147 (*Macaranga tanarius* var. *tomentosa*)



T147 (*Macaranga tanarius* var. *tomentosa*)



T148 (*Macaranga tanarius* var. *tomentosa*)T148 (*Macaranga tanarius* var. *tomentosa*)T149 (*Senna siamea*)T149 (*Senna siamea*)T150 (*Cinnamomum burmannii*)T150 (*Cinnamomum burmannii*)T151 (*Macaranga tanarius* var. *tomentosa*)T151 (*Macaranga tanarius* var. *tomentosa*)



T152 (*Macaranga tanarius* var. *tomentosa*)T152 (*Macaranga tanarius* var. *tomentosa*)T153 (*Macaranga tanarius* var. *tomentosa*)T153 (*Macaranga tanarius* var. *tomentosa*)T154 (*Cinnamomum burmannii*)T154 (*Cinnamomum burmannii*)

T155 (Dead Tree)



T155 (Dead Tree)





T156 (Dead Tree)



T156 (Dead Tree)



T157 (*Canarium album*)



T157 (*Canarium album*)



T158 (*Sterculia lanceolata*)



T158 (*Sterculia lanceolata*)



T159 (*Celtis sinensis*)



T159 (*Celtis sinensis*)





T160 (*Cinnamomum burmannii*)



T160 (*Cinnamomum burmannii*)



T161 (*Cinnamomum burmannii*)




T161 (*Cinnamomum burmannii*)



T162 (*Cinnamomum burmannii*)



T162 (*Cinnamomum burmannii*)



T163 (*Eucalyptus camaldulensis*)



T163 (*Eucalyptus camaldulensis*)





T165 (*Celtis sinensis*)



T165 (*Celtis sinensis*)



T176 (*Mangifera indica*)



T176 (*Mangifera indica*)



T177 (*Dimocarpus longan*)



T177 (*Dimocarpus longan*)



T178 (*Clausena lansium*)



T178 (*Clausena lansium*)






T179 (*Mangifera indica*)



T179 (*Mangifera indica*)



T181 (*Artocarpus heterophyllus*)



T181 (*Artocarpus heterophyllus*)



T184 (*Celtis sinensis*)



T184 (*Celtis sinensis*)



T225 (*Cinnamomum burmannii*)



T225 (*Cinnamomum burmannii*)





T226 (*Cinnamomum burmannii*)



T226 (*Cinnamomum burmannii*)



T227 (*Cinnamomum burmannii*)



T227 (*Cinnamomum burmannii*)



T252 (*Cinnamomum burmannii*)



T252 (*Cinnamomum burmannii*)



T253 (*Cinnamomum burmannii*)



T253 (*Cinnamomum burmannii*)





T254 (*Cinnamomum burmannii*)



T254 (*Cinnamomum burmannii*)



T258 (*Cinnamomum burmannii*)



T258 (*Cinnamomum burmannii*)



T260 (*Canarium album*)



T260 (*Canarium album*)



T260 (*Canarium album*)



T268 (*Cinnamomum burmannii*)





T268 (*Cinnamomum burmannii*)



T269 (*Cinnamomum burmannii*)



T269 (*Cinnamomum burmannii*)



T290 (*Sterculia lanceolata*)



T290 (*Sterculia lanceolata*)



T291 (*Leucaena leucocephala*)



T291 (*Leucaena leucocephala*)



T292 (*Cinnamomum burmannii*)





T292 (*Cinnamomum burmannii*)



T293 (*Leucaena leucocephala*)



T293 (*Leucaena leucocephala*)



T298 (*Leucaena leucocephala*)



T298 (*Leucaena leucocephala*)



T301 (*Caryota mitis*)



T301 (*Caryota mitis*)



T301 (*Caryota mitis*)





T314 (*Cinnamomum burmannii*)



T314 (*Cinnamomum burmannii*)



T317 (*Ficus variegata*)



T317 (*Ficus variegata*)



T317 (*Ficus variegata*)



T318 (*Ficus variegata*)



T318 (*Ficus variegata*)



T318 (*Ficus variegata*)





T332 (*Caryota mitis*)



T332 (*Caryota mitis*)



T338 (*Bauhinia variegata*)



T338 (*Bauhinia variegata*)



T338 (*Bauhinia variegata*)



T339 (*Sterculia lanceolata*)



T339 (*Sterculia lanceolata*)



T342 (*Ficus variegata*)





T342 (*Ficus variegata*)



T351 (*Macaranga tanarius* var. *tomentosa*)



T351 (*Macaranga tanarius* var. *tomentosa*)



T352 (*Ficus variegata*)



T352 (*Ficus variegata*)



T354 (*Sterculia lanceolata*)




T354 (*Sterculia lanceolata*)



T371 (*Albizia lebbeck*)



T371 (*Albizia lebbeck*)T371 (*Albizia lebbeck*)T388 (*Caryota mitis*)T388 (*Caryota mitis*)T391 (*Terminalia mantaly* 'Tricolour')T391 (*Terminalia mantaly* 'Tricolour')T392 (*Terminalia mantaly* 'Tricolour')T392 (*Terminalia mantaly* 'Tricolour')



T393 (*Terminalia mantaly* 'Tricolour')T393 (*Terminalia mantaly* 'Tricolour')T394 (*Terminalia mantaly* 'Tricolour')T394 (*Terminalia mantaly* 'Tricolour')T395 (*Terminalia mantaly* 'Tricolour')T395 (*Terminalia mantaly* 'Tricolour')T396 (*Caryota mitis*)T396 (*Caryota mitis*)






T397 (*Melaleuca cajuputi* subsp. *cumingiana*)



T397 (*Melaleuca cajuputi* subsp. *cumingiana*)



T397 (*Melaleuca cajuputi* subsp. *cumingiana*)



T398 (*Plumeria rubra*)



T398 (*Plumeria rubra*)



T399 (*Celtis sinensis*)



T399 (*Celtis sinensis*)



T399 (*Celtis sinensis*)





T403 (*Sterculia lanceolata*)



T403 (*Sterculia lanceolata*)



T414 (*Melaleuca cajuputi* subsp. *cumingiana*)



T414 (*Melaleuca cajuputi* subsp. *cumingiana*)



T419 (*Celtis sinensis*)



T419 (*Celtis sinensis*)



T423 (*Sterculia lanceolata*)



T423 (*Sterculia lanceolata*)





T427 (*Sterculia lanceolata*)



T427 (*Sterculia lanceolata*)



T438 (Dead Tree)



T438 (Dead Tree)



T442 (*Lophostemon confertus*)



T442 (*Lophostemon confertus*)



T443 (*Syzygium jambos*)



T443 (*Syzygium jambos*)





T444 (Dead Tree)



T444 (Dead Tree)



T445 (Dead Tree)



T445 (Dead Tree)



T447 (Dead Tree)



T447 (Dead Tree)



T448 (*Melaleuca cajuputi* subsp. *cumingiana*)



T448 (*Melaleuca cajuputi* subsp. *cumingiana*)





T449 (*Liquidambar formosana*)



T449 (*Liquidambar formosana*)



T450 (*Canarium album*)



T450 (*Canarium album*)



T450 (*Canarium album*)



T454 (*Sterculia lanceolata*)



T454 (*Sterculia lanceolata*)



T455 (*Schefflera heptaphylla*)





T455 (*Schefflera heptaphylla*)



T458 (*Melaleuca cajuputi* subsp. *cumingiana*)



T458 (*Melaleuca cajuputi* subsp. *cumingiana*)



T458 (*Melaleuca cajuputi* subsp. *cumingiana*)



T472 (*Sterculia lanceolata*)



T472 (*Sterculia lanceolata*)




T474 (Dead Tree)



T474 (Dead Tree)





T476 (Dead Tree)



T476 (Dead Tree)



T476 (Dead Tree)



T477 (*Cinnamomum burmannii*)



T477 (*Cinnamomum burmannii*)



T479 (*Sterculia lanceolata*)



T479 (*Sterculia lanceolata*)



T480 (*Ficus hispida*)





T480 (*Ficus hispida*)



T481 (Dead Tree)



T481 (Dead Tree)



T489 (*Cinnamomum burmannii*)



T489 (*Cinnamomum burmannii*)



T494 (*Sterculia lanceolata*)



T494 (*Sterculia lanceolata*)



T495 (*Ligustrum sinense*)





T495 (*Ligustrum sinense*)



T496 (Dead Tree)



T496 (Dead Tree)



T500 (*Macaranga tanarius* var. *tomentosa*)



T500 (*Macaranga tanarius* var. *tomentosa*)



T501 (*Ficus variegata*)



T501 (*Ficus variegata*)



T502 (Dead Tree)





T502 (Dead Tree)



T503 (*Ficus variegata*)



T503 (*Ficus variegata*)



T505 (*Cinnamomum burmannii*)



T505 (*Cinnamomum burmannii*)



T521 (*Cinnamomum burmannii*)



T521 (*Cinnamomum burmannii*)



T528 (*Leucaena leucocephala*)





T528 (*Leucaena leucocephala*)



T528 (*Leucaena leucocephala*)



T531 (*Sterculia lanceolata*)



T531 (*Sterculia lanceolata*)



T534 (*Macaranga tanarius* var. *tomentosa*)



T534 (*Macaranga tanarius* var. *tomentosa*)



T545 (Dead Tree)



T545 (Dead Tree)





T546 (*Leucaena leucocephala*)



T546 (*Leucaena leucocephala*)



T546 (*Leucaena leucocephala*)



T552 (*Macaranga tanarius* var. *tomentosa*)



T552 (*Macaranga tanarius* var. *tomentosa*)



T558 (*Macaranga tanarius* var. *tomentosa*)



T558 (*Macaranga tanarius* var. *tomentosa*)



T567 (*Sterculia lanceolata*)





T567 (*Sterculia lanceolata*)



T568 (*Cratoxylum cochinchinense*)



T568 (*Cratoxylum cochinchinense*)



T570 (*Sterculia lanceolata*)



T570 (*Sterculia lanceolata*)



T577 (*Sterculia lanceolata*)



T577 (*Sterculia lanceolata*)



T579 (*Glochidion lanceolarium*)





T579 (*Glochidion lanceolarium*)



T580 (*Ficus variegata*)



T580 (*Ficus variegata*)



T581 (*Macaranga tanarius* var. *tomentosa*)



T581 (*Macaranga tanarius* var. *tomentosa*)



T584 (*Sterculia lanceolata*)



T584 (*Sterculia lanceolata*)



T589 (Dead Tree)





T589 (Dead Tree)

T607 (*Cinnamomum burmannii*)T607 (*Cinnamomum burmannii*)T610 (*Macaranga tanarius* var. *tomentosa*)T610 (*Macaranga tanarius* var. *tomentosa*)T611 (*Litsea glutinosa*)T611 (*Litsea glutinosa*)T611 (*Litsea glutinosa*)





T616 (*Macaranga tanarius* var. *tomentosa*)



T616 (*Macaranga tanarius* var. *tomentosa*)



T616 (*Macaranga tanarius* var. *tomentosa*)



T621 (*Leucaena leucocephala*)



T621 (*Leucaena leucocephala*)



T621 (*Leucaena leucocephala*)



T621 (*Leucaena leucocephala*)



T623 (*Leucaena leucocephala*)





T623 (*Leucaena leucocephala*)



T623 (*Leucaena leucocephala*)



T624 (*Cinnamomum burmannii*)



T624 (*Cinnamomum burmannii*)



T625 (*Leucaena leucocephala*)



T625 (*Leucaena leucocephala*)



T625 (*Leucaena leucocephala*)




T633 (*Cinnamomum burmannii*)



T633 (*Cinnamomum burmannii*)T634 (*Leucaena leucocephala*)T634 (*Leucaena leucocephala*)T635 (*Syzygium hancei*)T635 (*Syzygium hancei*)T637 (*Ligustrum sinense*)T637 (*Ligustrum sinense*)T640 (*Cinnamomum burmannii*)



T640 (*Cinnamomum burmannii*)T643 (*Leucaena leucocephala*)T643 (*Leucaena leucocephala*)T643 (*Leucaena leucocephala*)T646 (*Cinnamomum burmannii*)T646 (*Cinnamomum burmannii*)T649 (*Macaranga tanarius* var. *tomentosa*)T649 (*Macaranga tanarius* var. *tomentosa*)




T649 (*Macaranga tanarius* var. *tomentosa*)T650 (*Cinnamomum burmannii*)T650 (*Cinnamomum burmannii*)T650 (*Cinnamomum burmannii*)T651 (*Macaranga tanarius* var. *tomentosa*)T651 (*Macaranga tanarius* var. *tomentosa*)T652 (*Leucaena leucocephala*)T652 (*Leucaena leucocephala*)



T682 (*Cinnamomum burmannii*)T682 (*Cinnamomum burmannii*)T683 (*Cinnamomum burmannii*)T683 (*Cinnamomum burmannii*)T687 (*Melaleuca cajuputi* subsp. *cumingiana*)T687 (*Melaleuca cajuputi* subsp. *cumingiana*)T687 (*Melaleuca cajuputi* subsp. *cumingiana*)T688 (*Sterculia lanceolata*)



T688 (*Sterculia lanceolata*)T688 (*Sterculia lanceolata*)T689 (*Melaleuca cajuputi* subsp. *cumingiana*)T689 (*Melaleuca cajuputi* subsp. *cumingiana*)T689 (*Melaleuca cajuputi* subsp. *cumingiana*)T690 (*Melaleuca cajuputi* subsp. *cumingiana*)T690 (*Melaleuca cajuputi* subsp. *cumingiana*)T690 (*Melaleuca cajuputi* subsp. *cumingiana*)





T697 (*Cinnamomum burmannii*)



T697 (*Cinnamomum burmannii*)



T706 (*Sterculia lanceolata*)



T706 (*Sterculia lanceolata*)



T717 (*Cinnamomum camphora*)



T717 (*Cinnamomum camphora*)



T721 (*Ficus hispida*)



T721 (*Ficus hispida*)





T725 (*Leucaena leucocephala*)



T725 (*Leucaena leucocephala*)



T726 (*Ficus microcarpa*)



T726 (*Ficus microcarpa*)



T733 (*Ficus microcarpa*)



T733 (*Ficus microcarpa*)




T736 (*Ficus microcarpa*)



T736 (*Ficus microcarpa*)



T738 (*Ficus microcarpa*)T738 (*Ficus microcarpa*)T763 (*Melaleuca cajuputi* subsp. *cumingiana*)T763 (*Melaleuca cajuputi* subsp. *cumingiana*)T766 (*Melaleuca cajuputi* subsp. *cumingiana*)T766 (*Melaleuca cajuputi* subsp. *cumingiana*)T794 (*Leucaena leucocephala*)T794 (*Leucaena leucocephala*)






T803 (*Cratoxylum cochinchinense*)



T803 (*Cratoxylum cochinchinense*)



T808 (*Sterculia lanceolata*)



T808 (*Sterculia lanceolata*)



T809 (*Sterculia lanceolata*)



T809 (*Sterculia lanceolata*)



T815 (*Microcos nervosa*)




T815 (*Microcos nervosa*)





T822 (*Celtis sinensis*)



T822 (*Celtis sinensis*)



T822 (*Celtis sinensis*)



T823 (*Sterculia lanceolata*)



T823 (*Sterculia lanceolata*)



T830 (*Syzygium hancei*)



T830 (*Syzygium hancei*)



T831 (*Syzygium hancei*)





T831 (*Syzygium hancei*)



T832 (*Sterculia lanceolata*)



T832 (*Sterculia lanceolata*)



T849 (*Ligustrum sinense*)



T849 (*Ligustrum sinense*)



T852 (*Acacia confusa*)



T852 (*Acacia confusa*)



T853 (*Sterculia lanceolata*)



T853 (*Sterculia lanceolata*)T854 (*Cinnamomum burmannii*)T854 (*Cinnamomum burmannii*)T855 (*Ilex rotunda*)T855 (*Ilex rotunda*)T856 (*Syzygium hancei*)T856 (*Syzygium hancei*)T857 (*Cratoxylum cochinchinense*)






T857 (*Cratoxylum cochinchinense*)



T870 (*Cratoxylum cochinchinense*)



T870 (*Cratoxylum cochinchinense*)



T890 (*Melaleuca cajuputi* subsp. *cumingiana*)



T890 (*Melaleuca cajuputi* subsp. *cumingiana*)



T904 (*Litsea cubeba*)



T904 (*Litsea cubeba*)



T905 (*Litsea cubeba*)





T905 (*Litsea cubeba*)



T906 (*Acacia auriculiformis*)



T906 (*Acacia auriculiformis*)



T912 (*Averrhoa carambola*)



T912 (*Averrhoa carambola*)



T926 (*Ligustrum sinense*)



T926 (*Ligustrum sinense*)



T932 (*Microcos nervosa*)



T932 (*Microcos nervosa*)T940 (*Ilex rotunda*)T940 (*Ilex rotunda*)T949 (*Bridelia tomentosa*)T949 (*Bridelia tomentosa*)T950 (*Litsea glutinosa*)T950 (*Litsea glutinosa*)T951 (*Macaranga tanarius* var. *tomentosa*)





T951 (*Macaranga tanarius* var. *tomentosa*)



T952 (*Sterculia lanceolata*)



T952 (*Sterculia lanceolata*)



T953 (*Litsea glutinosa*)



T953 (*Litsea glutinosa*)



T954 (*Litsea glutinosa*)



T954 (*Litsea glutinosa*)



T956 (*Ficus hispida*)





T956 (*Ficus hispida*)



T969 (*Lophostemon confertus*)



T969 (*Lophostemon confertus*)



T971 (*Rhus succedanea*)



T971 (*Rhus succedanea*)



T971 (*Rhus succedanea*)



T972 (*Lophostemon confertus*)



T972 (*Lophostemon confertus*)





T973 (*Lophostemon confertus*)



T973 (*Lophostemon confertus*)



T974 (*Macaranga tanarius* var. *tomentosa*)



T974 (*Macaranga tanarius* var. *tomentosa*)



T975 (*Macaranga tanarius* var. *tomentosa*)



T975 (*Macaranga tanarius* var. *tomentosa*)



T976 (*Cratoxylum cochinchinense*)



T976 (*Cratoxylum cochinchinense*)





T982 (*Lophostemon confertus*)



T982 (*Lophostemon confertus*)



T990 (*Cinnamomum burmannii*)



T990 (*Cinnamomum burmannii*)



T991 (*Macaranga tanarius* var. *tomentosa*)



T991 (*Macaranga tanarius* var. *tomentosa*)



T1008 (*Macaranga tanarius* var. *tomentosa*)



T1008 (*Macaranga tanarius* var. *tomentosa*)





T1009 (*Leucaena leucocephala*)



T1009 (*Leucaena leucocephala*)



T1010 (*Macaranga tanarius* var. *tomentosa*)



T1010 (*Macaranga tanarius* var. *tomentosa*)



T1011 (*Schefflera heptaphylla*)



T1011 (*Schefflera heptaphylla*)




T1012 (*Macaranga tanarius* var. *tomentosa*)



T1012 (*Macaranga tanarius* var. *tomentosa*)



T1016 (*Cinnamomum burmannii*)T1016 (*Cinnamomum burmannii*)T1017 (*Macaranga tanarius* var. *tomentosa*)T1017 (*Macaranga tanarius* var. *tomentosa*)T1020 (*Leucaena leucocephala*)T1020 (*Leucaena leucocephala*)T1021 (*Macaranga tanarius* var. *tomentosa*)T1021 (*Macaranga tanarius* var. *tomentosa*)





T1022 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1022 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1023 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1023 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1026 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1026 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1027 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1027 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1029 (*Ligustrum sinense*)T1029 (*Ligustrum sinense*)T1033 (*Macaranga tanarius* var. *tomentosa*)T1033 (*Macaranga tanarius* var. *tomentosa*)T1034 (*Macaranga tanarius* var. *tomentosa*)T1034 (*Macaranga tanarius* var. *tomentosa*)T1038 (*Melaleuca cajuputi* subsp. *cumingiana*)T1038 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1043 (*Ligustrum sinense*)T1043 (*Ligustrum sinense*)T1047 (*Melaleuca cajuputi* subsp. *cumingiana*)T1047 (*Melaleuca cajuputi* subsp. *cumingiana*)T1049 (*Macaranga tanarius* var. *tomentosa*)T1049 (*Macaranga tanarius* var. *tomentosa*)T1051 (*Bischofia javanica*)T1051 (*Bischofia javanica*)





T1066C (*Casuarina equisetifolia*)



T1066C (*Casuarina equisetifolia*)



T1066E (*Macaranga tanarius* var. *tomentosa*)



T1066E (*Macaranga tanarius* var. *tomentosa*)



T1066E (*Macaranga tanarius* var. *tomentosa*)



T1066F (*Adenanthera microsperma*)



T1066F (*Adenanthera microsperma*)



T1066H (*Ficus variegata*)





T1066H (*Ficus variegata*)



T1074 (*Celtis sinensis*)




T1074 (*Celtis sinensis*)



T1076 (*Ficus hispida*)



T1076 (*Ficus hispida*)



T1077 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1077 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1084 (*Celtis sinensis*)





T1084 (*Celtis sinensis*)



T1086 (*Sterculia lanceolata*)



T1086 (*Sterculia lanceolata*)



T1093 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1093 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1094 (*Caryota mitis*)



T1094 (*Caryota mitis*)



T1096 (*Ilex rotunda*)





T1096 (*Ilex rotunda*)



T1114 (*Acacia auriculiformis*)



T1114 (*Acacia auriculiformis*)



T1114 (*Acacia auriculiformis*)



T1114 (*Acacia auriculiformis*)



T1131 (*Casuarina equisetifolia*)



T1131 (*Casuarina equisetifolia*)



T1164 (*Melaleuca cajuputi* subsp. *cumingiana*)





T1164 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1172 (*Syzygium hancei*)



T1172 (*Syzygium hancei*)



T1190 (*Lophostemon confertus*)



T1190 (*Lophostemon confertus*)



T1192 (*Clausena lansium*)



T1192 (*Clausena lansium*)



T1193 (*Cinnamomum burmannii*)



T1193 (*Cinnamomum burmannii*)T1194 (*Leucaena leucocephala*)T1194 (*Leucaena leucocephala*)T1195 (*Leucaena leucocephala*)T1195 (*Leucaena leucocephala*)T1196 (*Cinnamomum burmannii*)T1196 (*Cinnamomum burmannii*)T1197 (*Macaranga tanarius* var. *tomentosa*)





T1197 (*Macaranga tanarius* var. *tomentosa*)



T1198 (*Macaranga tanarius* var. *tomentosa*)



T1198 (*Macaranga tanarius* var. *tomentosa*)



T1199 (*Cinnamomum burmannii*)



T1199 (*Cinnamomum burmannii*)



T1200 (*Cinnamomum burmannii*)



T1200 (*Cinnamomum burmannii*)



T1201 (*Melaleuca cajuputi* subsp. *cumingiana*)





T1201 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1208 (*Melia azedarach*)



T1208 (*Melia azedarach*)



T1209 (*Melia azedarach*)



T1209 (*Melia azedarach*)



T1210 (*Caryota mitis*)



T1210 (*Caryota mitis*)



T1212 (*Cinnamomum burmannii*)





T1212 (*Cinnamomum burmannii*)



T1212 (*Cinnamomum burmannii*)



T1213 (*Cinnamomum burmannii*)



T1213 (*Cinnamomum burmannii*)



T1219 (Dead Tree)



T1219 (Dead Tree)



T1221 (*Bridelia tomentosa*)



T1221 (*Bridelia tomentosa*)



T1222 (*Bridelia tomentosa*)T1222 (*Bridelia tomentosa*)T1226 (*Cinnamomum burmannii*)T1226 (*Cinnamomum burmannii*)T1227 (*Ficus hispida*)T1227 (*Ficus hispida*)T1228 (*Cinnamomum burmannii*)T1228 (*Cinnamomum burmannii*)





T1229 (*Cinnamomum burmannii*)



T1229 (*Cinnamomum burmannii*)



T1230 (*Cinnamomum burmannii*)



T1230 (*Cinnamomum burmannii*)



T1231 (*Cinnamomum burmannii*)



T1231 (*Cinnamomum burmannii*)



T1232 (*Leucaena leucocephala*)



T1232 (*Leucaena leucocephala*)





T1233 (*Cinnamomum burmannii*)



T1233 (*Cinnamomum burmannii*)



T1234 (*Cinnamomum burmannii*)



T1234 (*Cinnamomum burmannii*)



T1235 (*Juniperus chinensis*)



T1235 (*Juniperus chinensis*)



T1236 (*Juniperus chinensis*)



T1236 (*Juniperus chinensis*)





T1237 (*Juniperus chinensis*)



T1237 (*Juniperus chinensis*)



T1238 (*Juniperus chinensis*)



T1238 (*Juniperus chinensis*)



T1239 (*Juniperus chinensis*)



T1239 (*Juniperus chinensis*)



T1240 (*Juniperus chinensis*)



T1240 (*Juniperus chinensis*)





T1241 (*Juniperus chinensis*)



T1241 (*Juniperus chinensis*)



T1242 (*Juniperus chinensis*)



T1242 (*Juniperus chinensis*)



T1243 (*Juniperus chinensis*)



T1243 (*Juniperus chinensis*)



T1244 (*Juniperus chinensis*)




T1244 (*Juniperus chinensis*)





T1245 (*Juniperus chinensis*)



T1245 (*Juniperus chinensis*)



T1250 (*Bridelia tomentosa*)



T1250 (*Bridelia tomentosa*)



T1251 (*Cinnamomum burmannii*)



T1251 (*Cinnamomum burmannii*)



T1252 (*Cinnamomum burmannii*)



T1252 (*Cinnamomum burmannii*)





T1253 (*Leucaena leucocephala*)



T1253 (*Leucaena leucocephala*)



T1254 (*Leucaena leucocephala*)



T1254 (*Leucaena leucocephala*)



T1258 (*Bridelia tomentosa*)



T1258 (*Bridelia tomentosa*)



T1261 (*Leucaena leucocephala*)



T1261 (*Leucaena leucocephala*)





T1261 (*Leucaena leucocephala*)



T1261 (*Leucaena leucocephala*)



T1263 (*Celtis sinensis*)



T1263 (*Celtis sinensis*)



T1264 (*Ligustrum sinense*)



T1264 (*Ligustrum sinense*)



T1265 (*Ligustrum sinense*)



T1265 (*Ligustrum sinense*)





T1266 (*Cinnamomum burmannii*)



T1266 (*Cinnamomum burmannii*)



T1267 (*Cinnamomum burmannii*)



T1267 (*Cinnamomum burmannii*)



T1268 (*Sterculia lanceolata*)



T1268 (*Sterculia lanceolata*)



T1269 (*Syzygium hancei*)



T1269 (*Syzygium hancei*)





T1270 (*Cinnamomum burmannii*)



T1270 (*Cinnamomum burmannii*)



T1271 (*Cinnamomum burmannii*)



T1271 (*Cinnamomum burmannii*)



T1272 (*Syzygium hancei*)



T1272 (*Syzygium hancei*)



T1273 (*Cinnamomum burmannii*)



T1273 (*Cinnamomum burmannii*)





T1274 (*Syzygium hancei*)



T1274 (*Syzygium hancei*)



T1275 (*Cinnamomum burmannii*)



T1275 (*Cinnamomum burmannii*)



T1276 (*Cinnamomum burmannii*)



T1276 (*Cinnamomum burmannii*)



T1276 (*Cinnamomum burmannii*)



T1277 (*Ligustrum sinense*)





T1277 (*Ligustrum sinense*)



T1278 (*Cinnamomum burmannii*)



T1278 (*Cinnamomum burmannii*)



T1279 (*Cinnamomum burmannii*)



T1279 (*Cinnamomum burmannii*)



T1280 (*Cinnamomum burmannii*)



T1280 (*Cinnamomum burmannii*)



T1281 (*Cinnamomum burmannii*)





T1281 (*Cinnamomum burmannii*)



T1282 (*Bridelia tomentosa*)



T1282 (*Bridelia tomentosa*)



T1282 (*Bridelia tomentosa*)



T1283 (*Syzygium hancei*)



T1283 (*Syzygium hancei*)



T1284 (*Cinnamomum burmannii*)



T1284 (*Cinnamomum burmannii*)





T1285 (*Ligustrum sinense*)



T1285 (*Ligustrum sinense*)



T1286 (*Bridelia tomentosa*)



T1286 (*Bridelia tomentosa*)



T1287 (*Bridelia tomentosa*)



T1287 (*Bridelia tomentosa*)



T1288 (*Ligustrum sinense*)



T1288 (*Ligustrum sinense*)





T1289 (*Cinnamomum burmannii*)



T1289 (*Cinnamomum burmannii*)



T1289 (*Cinnamomum burmannii*)



T1290 (*Cinnamomum burmannii*)



T1290 (*Cinnamomum burmannii*)



T1290 (*Cinnamomum burmannii*)




T1291 (*Delonix regia*)



T1291 (*Delonix regia*)





T1292 (*Bridelia tomentosa*)



T1292 (*Bridelia tomentosa*)



T1293 (*Bridelia tomentosa*)



T1293 (*Bridelia tomentosa*)



T1294 (*Cinnamomum burmannii*)



T1294 (*Cinnamomum burmannii*)



T1295 (*Cinnamomum burmannii*)



T1295 (*Cinnamomum burmannii*)





T1296 (*Cinnamomum burmannii*)




T1296 (*Cinnamomum burmannii*)



T1297 (*Cinnamomum burmannii*)



T1297 (*Cinnamomum burmannii*)



T1298 (*Cinnamomum burmannii*)



T1298 (*Cinnamomum burmannii*)



T1299 (*Cinnamomum burmannii*)



T1299 (*Cinnamomum burmannii*)





T1300 (*Cinnamomum burmannii*)



T1300 (*Cinnamomum burmannii*)



T1304 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1304 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1310 (*Celtis sinensis*)



T1310 (*Celtis sinensis*)



T1313 (*Rhus succedanea*)



T1313 (*Rhus succedanea*)





T1314 (*Sterculia lanceolata*)



T1314 (*Sterculia lanceolata*)



T1325 (*Zanthoxylum avicennae*)



T1325 (*Zanthoxylum avicennae*)



T1326 (*Zanthoxylum avicennae*)



T1326 (*Zanthoxylum avicennae*)



T1327 (*Ficus hispida*)



T1327 (*Ficus hispida*)





T1328 (*Sterculia lanceolata*)



T1328 (*Sterculia lanceolata*)



T1329 (*Sterculia lanceolata*)



T1329 (*Sterculia lanceolata*)



T1330 (*Adenanthera microsperma*)



T1330 (*Adenanthera microsperma*)



T1331 (*Sterculia lanceolata*)



T1331 (*Sterculia lanceolata*)





T1332 (*Sterculia lanceolata*)



T1332 (*Sterculia lanceolata*)



T1334 (*Aporosa dioica*)



T1334 (*Aporosa dioica*)



T1335 (*Cratoxylum cochinchinense*)



T1335 (*Cratoxylum cochinchinense*)



T1336 (*Sterculia lanceolata*)



T1336 (*Sterculia lanceolata*)





T1337 (*Cratoxylum cochinchinense*)



T1337 (*Cratoxylum cochinchinense*)



T1338 (*Cratoxylum cochinchinense*)




T1338 (*Cratoxylum cochinchinense*)



T1339 (*Cinnamomum camphora*)



T1339 (*Cinnamomum camphora*)



T1340 (*Sterculia lanceolata*)



T1340 (*Sterculia lanceolata*)





T1341 (*Sterculia lanceolata*)



T1341 (*Sterculia lanceolata*)



T1342 (*Sterculia lanceolata*)



T1342 (*Sterculia lanceolata*)



T1349 (*Sterculia lanceolata*)



T1349 (*Sterculia lanceolata*)



T1350 (*Sterculia lanceolata*)



T1350 (*Sterculia lanceolata*)





T1354 (*Lophostemon confertus*)



T1354 (*Lophostemon confertus*)



T1361 (*Cratoxylum cochinchinense*)



T1361 (*Cratoxylum cochinchinense*)



T1363 (*Adenanthera microsperma*)



T1363 (*Adenanthera microsperma*)




T1365 (*Cratoxylum cochinchinense*)



T1365 (*Cratoxylum cochinchinense*)





T1366 (*Sterculia lanceolata*)



T1366 (*Sterculia lanceolata*)



T1367 (*Syzygium hancei*)



T1367 (*Syzygium hancei*)



T1379 (*Aporosa dioica*)



T1379 (*Aporosa dioica*)



T1399 (*Leucaena leucocephala*)



T1399 (*Leucaena leucocephala*)





T1404 (*Lophostemon confertus*)



T1404 (*Lophostemon confertus*)



T1411 (*Sterculia lanceolata*)



T1411 (*Sterculia lanceolata*)



T1412 (*Ilex rotunda*)



T1412 (*Ilex rotunda*)




T1413 (*Cinnamomum camphora*)



T1413 (*Cinnamomum camphora*)





T1419 (*Sterculia lanceolata*)



T1419 (*Sterculia lanceolata*)



T1421 (*Adenanthera microsperma*)



T1421 (*Adenanthera microsperma*)



T1424 (Dead Tree)



T1424 (Dead Tree)



T1434 (*Litsea glutinosa*)



T1434 (*Litsea glutinosa*)





T1435 (*Cratoxylum cochinchinense*)



T1435 (*Cratoxylum cochinchinense*)



T1463 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1463 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1464 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1464 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1476 (*Acacia confusa*)



T1476 (*Acacia confusa*)





T1477 (*Acacia confusa*)



T1477 (*Acacia confusa*)



T1478 (Dead Tree)



T1478 (Dead Tree)



T1479 (*Sapium sebiferum*)



T1479 (*Sapium sebiferum*)



T1480 (*Acacia confusa*)



T1480 (*Acacia confusa*)





T1481 (*Acacia confusa*)



T1481 (*Acacia confusa*)



T1501 (*Juniperus chinensis*)



T1501 (*Juniperus chinensis*)



T1502 (*Juniperus chinensis*)



T1502 (*Juniperus chinensis*)



T1503 (*Juniperus chinensis*)



T1503 (*Juniperus chinensis*)





T1504 (*Juniperus chinensis*)



T1504 (*Juniperus chinensis*)



T1505 (*Juniperus chinensis*)



T1505 (*Juniperus chinensis*)



## Appendix C2

---

### Photographs of Trees Regarded as TPIs in Terms of Size in HKGC Tree Survey






T57 (*Ficus virens*)



T57 (*Ficus virens*)



T133 (*Eucalyptus camaldulensis*)  
(Tree Absent in EIA Tree Survey)



T133 (*Eucalyptus camaldulensis*)  
(Tree Absent in EIA Tree Survey)



T144 (*Eucalyptus camaldulensis*)  
(Tree Absent in EIA Tree Survey)



T144 (*Eucalyptus camaldulensis*)  
(Tree Absent in EIA Tree Survey)



T213 (*Eucalyptus camaldulensis*)  
(Not Regarded as TPI in EIA Tree Survey)



T213 (*Eucalyptus camaldulensis*)  
(Not Regarded as TPI in EIA Tree Survey)






T346 (*Eucalyptus exserta*)



T346 (*Eucalyptus exserta*)



T348 (*Eucalyptus exserta*)



T348 (*Eucalyptus exserta*)



T355 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)



T355 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)



T376 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)



T376 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)





T376 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)



T404 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)



T404 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)



T411 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)



T411 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)



T415 (*Casuarina equisetifolia*)  
(Not Regarded as TPI in EIA Tree Survey)



T415 (*Casuarina equisetifolia*)  
(Not Regarded as TPI in EIA Tree Survey)



T461 (*Casuarina equisetifolia*)  
(Not Regarded as TPI in EIA Tree Survey)





T461 (*Casuarina equisetifolia*)  
(Not Regarded as TPI in EIA Tree Survey)



T461 (*Casuarina equisetifolia*)  
(Not Regarded as TPI in EIA Tree Survey)



T530 (*Casuarina equisetifolia*)  
(Not Regarded as TPI in EIA Tree Survey)



T530 (*Casuarina equisetifolia*)  
(Not Regarded as TPI in EIA Tree Survey)



T768 (*Melaleuca cajuputi* subsp. *cumingiana*)



T768 (*Melaleuca cajuputi* subsp. *cumingiana*)



T936 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)



T936 (*Melaleuca cajuputi* subsp. *cumingiana*)  
(Not Regarded as TPI in EIA Tree Survey)





T939 (*Melaleuca cajuputi* subsp. *cumingiana*)



T939 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1063 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1063 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1115 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1115 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1124 (*Melaleuca cajuputi* subsp. *cumingiana*)



T1124 (*Melaleuca cajuputi* subsp. *cumingiana*)






T1223 (*Pterocarpus indicus*)



T1223 (*Pterocarpus indicus*)



T1223 (*Pterocarpus indicus*)



T1223 (*Pterocarpus indicus*)



T1223 (*Pterocarpus indicus*)



T1223 (*Pterocarpus indicus*)



T1223 (*Pterocarpus indicus*)



T1223 (*Pterocarpus indicus*)





T1224 (*Pterocarpus indicus*)



T1224 (*Pterocarpus indicus*)



T1224 (*Pterocarpus indicus*)



T1224 (*Pterocarpus indicus*)




T1224 (*Pterocarpus indicus*)



T1224 (*Pterocarpus indicus*)



T1224 (*Pterocarpus indicus*)



T1224 (*Pterocarpus indicus*)






T1224 (*Pterocarpus indicus*)



T1224 (*Pterocarpus indicus*)



T1468 (*Adenanthera microsperma*)



T1468 (*Adenanthera microsperma*)



T1486 (*Ficus microcarpa*)



T1486 (*Ficus microcarpa*)



T1491 (*Cinnamomum camphora*)



T1491 (*Cinnamomum camphora*)





T1494 (*Cinnamomum camphora*)  
(Not Regarded as TPI in EIA Tree Survey)



T1494 (*Cinnamomum camphora*)  
(Not Regarded as TPI in EIA Tree Survey)



## Appendix C3

---

### Photographs of Trees Regarded as TPIs in Terms of Status as Rare and Protected Species in HKGC Tree Survey





T239 (*Aquilaria sinensis*)



T239 (*Aquilaria sinensis*)



T245 (*Aquilaria sinensis*)



T245 (*Aquilaria sinensis*)



T264 (*Aquilaria sinensis*)



T264 (*Aquilaria sinensis*)



T267 (*Aquilaria sinensis*)



T267 (*Aquilaria sinensis*)





T273 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T273 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T273 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T275 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T275 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T278 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T278 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T282 (*Aquilaria sinensis*) (Misidentified as *Cinnamomum burmannii* in EIA Tree Survey)





T282 (*Aquilaria sinensis*) (Misidentified as *Cinnamomum burmannii* in EIA Tree Survey)



T282 (*Aquilaria sinensis*) (Misidentified as *Cinnamomum burmannii* in EIA Tree Survey)



T286 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T286 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T300 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T300 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T390 (*Lagerstroemia indica*)



T390 (*Lagerstroemia indica*)





T440 (*Michelia x alba*)



T440 (*Michelia x alba*)



T440 (*Michelia x alba*)



T677 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T677 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T677 (*Aquilaria sinensis*)



T700 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T700 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)





T700 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T817 (*Aquilaria sinensis*)



T817 (*Aquilaria sinensis*)



T861 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T861 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T861 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T895 (*Aquilaria sinensis*)



T895 (*Aquilaria sinensis*)





T988 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T988 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T992 (*Aquilaria sinensis*)



T992 (*Aquilaria sinensis*)



T1005 (*Aquilaria sinensis*)



T1005 (*Aquilaria sinensis*)



T1024 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1024 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)





T1139 (*Aquilaria sinensis*)



T1139 (*Aquilaria sinensis*)



T1140 (*Aquilaria sinensis*)



T1140 (*Aquilaria sinensis*)



T1141 (*Aquilaria sinensis*)



T1141 (*Aquilaria sinensis*)



T1142 (*Aquilaria sinensis*)



T1142 (*Aquilaria sinensis*)





T1143 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1143 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1144 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1144 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1145 (*Aquilaria sinensis*)



T1145 (*Aquilaria sinensis*)



T1147 (*Aquilaria sinensis*)



T1147 (*Aquilaria sinensis*)





T1149 (*Aquilaria sinensis*)



T1149 (*Aquilaria sinensis*)



T1150 (*Aquilaria sinensis*)



T1150 (*Aquilaria sinensis*)



T1151 (*Aquilaria sinensis*)



T1151 (*Aquilaria sinensis*)



T1153 (*Aquilaria sinensis*)



T1153 (*Aquilaria sinensis*)





T1159 (*Aquilaria sinensis*)



T1159 (*Aquilaria sinensis*)



T1160 (*Aquilaria sinensis*)



T1160 (*Aquilaria sinensis*)



T1175 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1175 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1175 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1185 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)





T1185 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1186 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1186 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1187 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1187 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1188 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1188 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1189 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)





T1189 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1247 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1247 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1248 (*Aquilaria sinensis*)



T1248 (*Aquilaria sinensis*)



T1249 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1249 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1255 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)





T1255 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)




T1255 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1256 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1256 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1256 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1257 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1257 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1257 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)





T1260 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1260 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1260 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1262 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1262 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1262 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1262 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1368 (*Aquilaria sinensis*)





T1368 (*Aquilaria sinensis*)



T1369 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1369 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1369 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1371 (*Aquilaria sinensis*)



T1371 (*Aquilaria sinensis*)



T1403 (*Aquilaria sinensis*)



T1403 (*Aquilaria sinensis*)





T1410 (*Aquilaria sinensis*)



T1410 (*Aquilaria sinensis*)



T1415 (*Aquilaria sinensis*)




T1415 (*Aquilaria sinensis*)



T1436 (*Aquilaria sinensis*) (Misidentified as *Celtis sinensis* in EIA Tree Survey)



T1436 (*Aquilaria sinensis*) (Misidentified as *Celtis sinensis* in EIA Tree Survey)



T1506 (*Aquilaria sinensis*)



T1506 (*Aquilaria sinensis*)





T1507 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1507 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1508 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)



T1508 (*Aquilaria sinensis*) (Absent in EIA Tree Survey)